

DAFTAR PUSTAKA

- Adam R.D., Victor M., Ropper A.H., 2005. Principles of Neurology (8th ed). New York:McGraw Hill.
- Aktürk, Z., Odaci, E., İkinci, A., Bas, O., Canpolat, S., Colakgu, S., Sonmez, O., 2014. Effect of Ginkgo biloba on brain volume after carotid artery occlusion in rats : a stereological and histopathological study. 44:546–553.
- Alex,O., Akinrinmade., 2015. Potential neuroprotective effects of fermented rooibos herbal tea in a rat model of ischemic brain injury By Supervisor :, (May). <http://hdl.handle.net/11394/4705> [diakses tanggal 28 Agustus 2016]
- Bacigaluppi, M., Comi, G., Hermann, D.M., 2010. Animal Models of Ischemic Stroke. Part Two: Modeling Cerebral Ischemia. The Open Neurology Journal, 4, pp. 34-38.
- Bang, J., Jeon, W. K., Lee, I. S., Han, J., & Kim, B., 2013. Biphasic Functional Regulation in Hippocampus of Rat with Chronic Cerebral Hypoperfusion Induced by Permanent Occlusion of Bilateral Common Carotid Artery, 8(7). <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3728362/> [diakses tanggal 15 Agustus 2016]
- Cai, M., 2016. Apigenin-7-O-β-D-(-6''-p-coumaroyl)-Glucopyranoside Treatment Elicits Neuroprotective Effect against Experimental Ischemic Stroke. International Journal of Biological Sciences, 12(1), pp.42–52.
- Canavan, M., McGrath, E., O'Donnel, M., 2013. Stroke, dalam Hoffman, R., Benz, E.J., Silberstein, L.E., Heslop, H., Weitz, J., Anastasi, J., Hematology: Basic Principles and Practice, Sixth Edition, Chapter 147, 2067-2075.
- Cechetti, F., Worm, P. V, Pereira, L. O., Siqueira, I. R., & Netto, C. A. (2010). The modified 2VO ischemia protocol causes cognitive impairment similar to that induced by the standard method , but with a better survival rate, Braz J Med Biol Res. 3(12):1178-83
- Chan, F., Moriwaki, K., Rosa, M.J., 2013. Detection of Necrosis by Release of Lactate Dehydrogenase (LDH) Activity. Methods Mol Biol . 979: 65–70.
- Clark, D.L. et al., 2008. Comparison of 12 , 24 and 48 h of systemic hypothermia on outcome after permanent focal ischemia in rat. *Experimental Neurology*, 212, pp.386–392.

- Deb, B., Sreenath, C., Kumar, N., Elango, K., 2012. Neuroprotective effect of spiradoline and naloxone in focal cerebral ischemia: Promising behavioral and biochemical changes in Wistar rats, *Journal of Applied Pharmaceutical Science* 02(03), pp.106–111.
- Gopalakrishanan, S. et al., 2016. Impact of Seasonal Variant Temperatures and Laboratory Room Ambient Temperature on Mortality of Rats with Ischemic Brain Injury. , pp.1–6.
- Fluri, F., Schuhmann, M.K., Kleinschnitz, C., 2015. Animal models of ischemic stroke and their application in clinical research. *Drug design, development and therapy*, 9(Desember), pp.3445-54.
- IBRC.2013. Stroke Modelling, TTC Staining, Immunohistochemistry, and Neural Tracing technique. Workshop Module, Surya University Campus, serpong Tangerang
- Isayama, K., Pitts, L.H. & Nishimura, M.C., 1991. Evaluation of 2,3,5-triphenyltetrazolium chloride staining to delineate rat brain infarcts. *Stroke; a journal of cerebral circulation*, 22, pp.1394–1398.
- Junaidi., Iskandar, 2004. *Panduan Praktis Stroke (Pencegahan dan Pengobatan)*. Edisi 2. Jakarta . PT. Buana Ilmu Populer.
- Kanyal, N., 2016. *Indian Journal of Pharmaceutical and Biological Research (IJPBR)* Role of Rauwolfia serpentina in stroke induced experimental dementia, 4(1), 19–30
- Kementrian Kesehatan Republik Indonesia, 2014. *Situasi Kesehatan Jantung*, Kementrian Kesehatan Republik indonesia, Jakarta.
- Khallout, K.B.A., 2013. *Cerebral Hypoperfusion In The Rat And Its Consequences*. Doctor of Philosophy, The University of Edinburgh.
- Kheradpezhoh, E., Miri, R., Noorafshan, A., 2008. A New Method of Brain Staining with Triphenyltetrazolium Chloride to Determine the Infarct Size in Rats. *Journal of Applied Animal Research*, 33(2), pp.149–152.
- Kumar, K., Sastry, V.G., 2012. Protective Effect of Trewia Nudiflora Against. , 2(1), pp.7–12.
- Hamada, J., Ushio, Y., Mori, M., 2004. Ischemia-induced neuronal cell death is mediated by the endoplasmic reticulum stress pathway involving CHOP, 403–415.
- Lapi, D., Vagnani, S., Pignataro, G., Esposito, E., Paterni, M., Colantouni, A. 2012. Protective effects of quercetin on rat pial microvascular changes during transient bilateral common carotid artery occlusion and reperfusion. *Frontiers in Physiology*, 3 MAR(March), pp.1–12.

- Ma, M., Hasegawa, Y., Koibuchi, N., Toyama, K., Uekawa, K., Nakagawa, T., Lin, B. 2015. DPP-4 inhibition with linagliptin ameliorates cognitive impairment and brain atrophy induced by transient cerebral ischemia in type 2 diabetic mice. *Cardiovascular Diabetology*, 1–13.
- Majid, A. 2014. Review Article Neuroprotection in Stroke: Past, Present, and Future. *ISRN Neurology*. Article ID 515716, 17 pages.
- Minnerup, et.al., 2012. Neuroprotection For Stroke : Current Status and Future Perspectives. In : *International Journal of Molecular Sciences*. Pp : 11753-11772.
- Molina, V., Arruzazabala, M.L., Carbajal, D., Valdés, S., Noa, M., Más, R., Fraga, V., dan Menéndez, R. 1999. Effect of policosanol on cerebral ischemia in Mongolian gerbils. *Brazilian Journal and Biological research* ,32: 1269- 1276
- Nandagopal, M. et al., 2010. Behavioral assessment studies in Cerebral ischemia induced by . , 1(1), pp.208–223.
- Narkhede, K. P., Kulkarni, A. R., Savant, C., 2016. Attenuation of Neuronal Damage by Gymnemic acid in Experimentally Induced Cerebral Ischemia in Rats, 6(06), 113–118.
- Onken, M., Berger, S., Kristian, T. 2013. *NIH Public Access*, 204(2), 254–261.
- Olai, H. et al., 2015. Protocol for Meta-Analysis of temperature reduction in animal models of cardiac arrest. , (13), pp.1–18.
- Price, Sylvia A, 2012. *Patofisiologi Konsep Klinis Proses-Proses Penyakit Edisi 6*. Penerbit Buku Kedokteran EGC. Jakarta
- Rekabi, M.D., Hussein, F.H., Mosawi, A., Alwan, M.S, Hussein, A.H., Shaheed, D.K. 2015. Histopathological Effects of L-Methionine in Rat Cerebral Ischemia Reperfusion I/R Injury . *Br J Med Health Res*. 2015; 2(7) ISSN: 2394-2967
- Ropper, A.H., Brown, R.H. 2005. *Cerebrovascular Diseases*. In : *Adam and Victor's Principles of Neurology*. Eight edition. New York : Mc Graw-Hill. 2005.
- Saidi, S., Mahjoub T., Almawi, W.Y., 2010. Aldosterone Syntase Gene (CYP11B2) Promoter Polymorphism as a Risk Factor for Ischemic Stroke in Tunisian Arabs. *Journal of Renin-Angiotensin-Aldosterone System* 11: 180.
- Schilichting, C.L.R., Lima, K.C.M., Junior, L.A.C., Sekiyama, L.Y., Silva, F. M., Milani, H., 2004. Validation of a simple and inexpensive method for the

quantitation of infarct in the rat brain. *Brazilian journal of medical and biological research* 37(4), pp.511–21.

Singh, R.K. et al., 2007. Effect of ethanolic extract of root of *Pongamia pinnata* (L) pierre on oxidative stress , behavioral and histopathological alterations induced by cerebral ischemia – reperfusion and long-term hypoperfusion in rats. , 45(October), pp.868–876.

Sustrani, Lanny, Syamsir Alam, Iwan hadibroto., 2003. *Stroke*. Jakarta: PT Gramedia Pustaka Utama; 2003.

Sena, E.S. et al., 2013. The benefit of hypothermia in experimental ischemic stroke is not affected by pethidine. *International Journal of Stroke*, 8(3), pp.180–185.

Van der Worp, H.B. et al., 2007. Hypothermia in animal models of acute ischaemic stroke: a systematic review and meta-analysis. *Brain*, 130(12), pp.3063–3074. Available at: <http://www.brain.oxfordjournals.org/cgi/doi/10.1093/brain/awm083>.

World Health Organization, 2006. STEP Stroke Surveillance. http://www.who.int/entity/chp/steps/Section1_Introduction.pdf [diakses tanggal 4 Mei 2016].

World Health Organization, 2010-a. Deaths from Stroke. http://www.who.int/cardiovascular_diseases/en/cvd_atlas_16_death_from_stroke.pdf [diakses tanggal 20 February 2016]

World Health Organization, 2010-b. Global Burden of Stroke. http://www.who.int/cardiovascular_diseases/en/cvd_atlas_15_burden_stroke.pdf [diakses tanggal 20 February 2016]

Xu, C. et al., 2010. Minor Allele C of Chromosome 1p32 Single Nucleotide Polymorphism rs11206510 Confers Risk of Ischemic Stroke in Chinese Han Population. *J Stroke* 41:1587-1592.