

**DAFTAR PUSTAKA**

1. Liu F, Wang Y, Yan M, Zhang L, Pang T, Liao H. Glimepirid attenuates a production via suppressing BACE1 activity in cortical neurons. *Neuroscience Letters*. 2013;557: 90–94
2. Li H, Pan T, Cui Y, Li X, Gao J, Yang W, Shen S. Improved oral bioavailability of poorly water-soluble glimepirid by utilizing microemulsion technique. *International Journal of Nanomedicine*. 2016;11:3777-3788
3. Du B, Shen GP, Wang DD, Pang L, Chen Z, Liu ZY. Development and characterization of glimepirid nanocrystal formulation and evaluation of its pharmacokinetic in rats. *Drug Deliv*. 2013;20:25–33
4. Seedher N, Kanojia M. Co-solvent solubilization of some poorly-soluble antidiabetic drugs. *Pharm Dev Technol*. 2009;14:185–192
5. Mohd AB, Sanka K, Bandi S, Diwan PV, Shastri N. Solid self-nanoemulsifying drug delivery system (S-SNEDDS) for oral delivery of glimepirid: development and antidiabetic activity in albino rabbits. *Drug Deliv*. 2015;22:499–508
6. Reven S, Homar M, Peternel L, Kristl J, Žagar E. Preparation and characterization of tablet formulation based on solid dispersion of glimepirid and poly(ester amide) hyperbranched polymer. *Pharm Dev Technol*. 2013;18:323–332
7. Seedher N, Kanojia M. Micellar solubilization of some poorly soluble antidiabetic drugs: a technical note. *AAPS PharmSciTech*. 2008;9:431–436
8. Rajput N, Thakare VM, Tekade BW, Chaudhari KP, Jadhao UT. Formulation and evaluation of fast dissolving tablet by inclusion complexation. *Asian Journal of Pharmaceutical Science and Technology*. 2014;4:15-20
9. Mohd BA., Sanka K, Bandi S, Diwan PV, Shastri N. Solid self-nanoemulsifying drug delivery system (S-SNEDDS) for oral delivery of glimepirid: development and antidiabetic activity in albino rabbits. *Drug Deliv*. 2015;22(4):499-508
10. Kamble M, Borwandkar VG, Mane SS, Omkar R. Formulation and evaluation of lipid based nanoemulsion of glimepirid using self-emulsifying technology. *Indo Am J Pharm Res*. 2012;2:11–25

11. Mahmoud H, Saleh A., Elkadi S. Design and optimization of self-nanoemulsifying drug delivery systems of simvastatin aiming dissolution enhancement. *African journal of pharmacy and pharmacology*. 2013 ; 1483
12. Wang Z, Sun J, Wang Y, Liu X, Liu Y, Fu Q, Meng P, He Z, Solid Self-emulsifying Nitrendipine Pellets: Preparation and In Vitro/In Vivo Evaluation, *Int. J. Pharm.*,2010;383:1–6
13. Sweetman CS. *Martindale, The Complete Drug Reference*. 35th Ed. London, Chicago: Pharmaceutical Press; 2007
14. Anonim. *Farmakope Indonesia*. IV. Jakarta: Departemen Kesehatan Republik Indonesia; 1995
15. Rowe RC, Sheskey PJ, Quinn, ME, 2009, *Handbook of Pharmaceutical Excipients*, Sixth Edition, Pharmaceutical Press, London
16. Sarker A, Shimu IJ, Tuhin RH, Raju AS. Nanoemulsion: An excellent mode for delivery of poorly soluble drug through different routes. *Journal of Chemical and Pharmaceutical Research*. 2015;7(12):966-977
17. Azeem A, Rizwan M, Ahmad FJ, Iqbal Z, Khar RK, Aqil M, Talegaonkar S, Nanoemulsion Components Screening and Selection: a Technical Note, *AAPS PharmSciTech*.2009;10(1): 69-76
18. Wadhwa J, Nair A, Kumria R, Emulsion Forming Drug Delivery System for Lipophilic Drugs, *Acta Pol Pharm*. 2012;69(2):179-91
19. Patel ND, Patel KV, Panchai LA, Shukla AK, Shelat PK, an Emerging Technique for Poorly Soluble Drugs: Self Emulsifying Drug Delivery System , *Int. J. Pharm. Bio. Arch*. 2011;2(2):621-629.
20. Benita S, *Microencapsulation: Methods and Industrial Applications Vol 158*, 2nd Edition, New York, Marcel Dekker Inc., 2006, 2-5
21. Nasr A, Gardouh A, Ghonaim H, Abdelghany E. Effect of oils, surfactants and cosurfactants on phase behavior and physicochemical properties of self-

- nanoemulsifying drug delivery system (SNEDDS) for irbesartan and olmesartan. *International Journal of Applied Pharmaceutics*. 2016(8): 13-24
22. Qureshi MJ, Mallikarjun C, Kian Wg. Enhancement of solubility and therapeutic potential of poorly soluble lovastatin by snedds formulation adsorbed on directly compressed spray dried magnesium aluminometasilicate liquid loadable tablets: a study in diet induced hyperlipidemic rabbits. *Asian Journal of Advanced Pharmacy Education & Research*. 2015; 10: 51
  23. Syukri Y, Nugroho AE, Martien R, Lukitaningsih E. Validasi penetapan kadar isolat andrografolid dari tanaman sambiloto (*andrographis paniculata* nees) menggunakan HPLC. *Journal Sains Farmasi & Klinis*. 2015; 2(1): 11-12
  24. Adithya BP, Vijayalakshmi M, Khrisna UVR. Stability indicating spectrophotometric method for the estimation of glimepirid in bulk and various marketed brands of tablets. *Pharm Analysis & Quality Assurance*. 2012(4): 2
  25. Day RA, Underwood AL. *Kimia Analisis Kuantitatif*. 5th ed. Jakarta: Erlangga; 1996. hlm 145.
  26. Bolton S, Bon C. *Pharmaceutical Statistics*. New York: Marcell Dekker Inc; 2004. hlm 79.
  27. Ana MSV, Beatriz CN, Ana CCC, Monserrat A.T. Design and optimization of self-nanoemulsifying drug delivery systems (SNEDDS) for enhanced dissolution of gemfibrozil. *International Journal of Pharmaceutics*. 2012: 161-175
  28. Niamprem P, Rujivipat S, Tiyaboonchai W. Development and characterization of lutein-loaded snedds for enhanced absorption in caco-2 cells. *Pharmaceutical Development and Technology*. 2014; 19(6): 735-742
  29. Hadi Y, Wahyudi S, Sugiono. Aplikasi metode objective matrix dan response surface methodology untuk peningkatan produktivitas. *Jemis*. 2014; 2(1): 31-32
  30. Moriassi DN, Arnold JG, Liew MWV. Model evaluation guidelines for systematic quantification of accuracy in watershed simulations. *Asabe*. 2007; 50(3): 885-900

31. Chavda H, Patel J, Chavada G, Dave S, Patel A, Patel C. Self-Nanoemulsifying Powder of Isotretinoin: Preparation and Characterization. *J Powder Technol.* 2013;1:8.
32. Helmiyati, Emil B, Nitri A. Polimerisasi emulsi etil akrilat: pengaruh konsentrasi surfaktan, inisiator dan teknik polimerisasi terhadap distribusi ukuran partikel. *Makara, Sains.* 2009: 13(1): 59-64
33. Shanmugam S, Baskaran R, Balakrishnan P. Solid Selfnanoemulsifying Drug Delivery System (S-SNEDDS) Containing Phosphatidylcholine for Enhanced Bioavailability of Highly Lipophilic Bioactive Carotenoid Lutein. *Eur J Pharm Biopharm.* 2011;79(2):250–7.
34. Bali V, Ali M, Ali J. Nanocarrier for the enhanced bioavailability of a cardiovascular agent: in vitro, pharmacodynamic, pharmacokinetic and stability assessment. *International Journal of Pharmacy.* 2011: 403: 46–56.
35. Gershanik T, Benita S. Self-Dispersing Lipid Formulations for Improving Oral Absorption of Lipophilic Drug. *Eur J Pharm Biopharm.* 2005;50;430.
36. Wadhwa JA, Nair A, Kumria R. Self-emulsifying system: a potential approach for delivery of lipophilic drugs. *Brazilian Journal of Pharmaceutical Sciences.* 2012: 3(3): 47
37. Deani GA, Optimasi dan formulasi sediaan SNEDDS glimepirid menggunakan myritol 318 sebagai fase minyak, surfaktan tween 20, dan PEG 400. FMIPA UII. 2016: 30