

**LAMPIRAN 10**  
**HASIL ANALISIS TAMBAHAN**

## Aspek kualitas persahabatan yang mempengaruhi keterlibatan siswa

## Descriptive Statistics

	Mean	Std. Deviation	N
keterlibatan siswa	37,6015	6,09972	266
KS_savety	26,7331	4,34027	266
KS_closeness	23,2180	3,39442	266
KS_acceptance	14,7820	2,60866	266
KS_help	11,1128	2,04719	266

Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	KS_acceptance	.	Stepwise (Criteria: Probability-of- F-to-enter <= , 050, Probability-of- F-to-remove >= ,100).

a. Dependent Variable: keterlibatan siswa

## Correlations

			keterlibatan siswa	KS_savety	KS_closeness	KS_acceptance	KS_help
Spearman's rho	keterlibatan siswa	Correlation Coefficient	1,000	,280**	,200**	,299**	,258**
		Sig. (2-tailed)	.	,000	,001	,000	,000
		N	266	266	266	266	266
	KS_savety	Correlation Coefficient	,280**	1,000	,491**	,621**	,561**
		Sig. (2-tailed)	,000	.	,000	,000	,000
		N	266	266	266	266	266
	KS_closeness	Correlation Coefficient	,200**	,491**	1,000	,589**	,535**
		Sig. (2-tailed)	,001	,000	.	,000	,000
		N	266	266	266	266	266
	KS_acceptance	Correlation Coefficient	,299**	,621**	,589**	1,000	,631**
		Sig. (2-tailed)	,000	,000	,000	.	,000
		N	266	266	266	266	266
	KS_help	Correlation Coefficient	,258**	,561**	,535**	,631**	1,000
		Sig. (2-tailed)	,000	,000	,000	,000	.
		N	266	266	266	266	266

\*\* Correlation is significant at the 0.01 level (2-tailed).

## Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
					R Square Change	F Change	df1	df2	Sig. F Change
1	,310 <sup>a</sup>	,096	,093	5,80940	,096	28,149	1	264	,000

a. Predictors: (Constant), KS\_acceptance

ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	950,000	1	950,000	28,149	,000 <sup>b</sup>
	Residual	8909,759	264	33,749		
	Total	9859,759	265			

a. Dependent Variable: keterlibatan siswa

b. Predictors: (Constant), KS\_acceptance

Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	95.0% Confidence Interval for B		Correlations			Collinearity Statistics		
		B	Std. Error	Beta			Lower Bound	Upper Bound	Zero-order	Partial	Part	Tolerance	VIF	
1	(Constant)	26,873	2,053		13,087	,000	22,830	30,916						
	KS_acceptance	,726	,137	,310	5,306	,000	,456	,995	,310	,310	,310	1,000	1,000	

a. Dependent Variable: keterlibatan siswa

Excluded Variables<sup>a</sup>

Model		Beta In	t	Sig.	Partial Correlation	Collinearity Statistics		
						Tolerance	VIF	Minimum Tolerance
1	KS_savety	,134 <sup>b</sup>	1,770	,078	,109	,595	1,680	,595
	KS_closeness	,082 <sup>b</sup>	1,112	,267	,068	,631	1,585	,631
	KS_help	,140 <sup>b</sup>	1,833	,068	,112	,578	1,731	,578

a. Dependent Variable: keterlibatan siswa

b. Predictors in the Model: (Constant), KS\_acceptance

Collinearity Diagnostics<sup>a</sup>

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions	
				(Constant)	KS_acceptance
1	1	1,985	1,000	,01	,01
	2	,015	11,442	,99	,99

a. Dependent Variable: keterlibatan siswa

### Uji Beda laki-laki dan perempuan terhadap keterlibatan siswa di sekolah

#### Group Statistics

jenis kelamin		N	Mean	Std. Deviation	Std. Error Mean
keterlibatan siswa	laki-laki	128	37,7969	6,28253	,55530
	perempuan	138	37,4203	5,94232	,50584

#### Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
keterlibatan siswa	Equal variances assumed	,608	,436	,502	264	,616	,37659	,74958	-1,09934	1,85251
	Equal variances not assumed			,501	259,547	,617	,37659	,75116	-1,10256	1,85573

Korelasi aspek tertinggi kualitas persahabatan dan keterlibatan siswa memperhatikan faktor jenis kelamin.

#### 1. Laki-laki

#### Descriptive Statistics<sup>a</sup>

	Mean	Std. Deviation	N
keterlibatan siswa	37,7969	6,28253	128
KS_savety	26,5625	4,52769	128
KS_closeness	22,6484	3,29301	128
KS_acceptance	14,6016	2,68662	128
KS_help	10,8906	2,05910	128

a. Selecting only cases for which jenis kelamin = laki-laki

Correlations<sup>a</sup>

		keterlibatan siswa	KS_savety	KS_closenes s	KS_acceptan ce	KS_help
Pearson Correlation	keterlibatan siswa	1,000	,292	,290	,354	,355
	KS_savety	,292	1,000	,505	,677	,584
	KS_closeness	,290	,505	1,000	,570	,476
	KS_acceptance	,354	,677	,570	1,000	,655
	KS_help	,355	,584	,476	,655	1,000
Sig. (1-tailed)	keterlibatan siswa	.	,000	,000	,000	,000
	KS_savety	,000	.	,000	,000	,000
	KS_closeness	,000	,000	.	,000	,000
	KS_acceptance	,000	,000	,000	.	,000
	KS_help	,000	,000	,000	,000	.
N	keterlibatan siswa	128	128	128	128	128
	KS_savety	128	128	128	128	128
	KS_closeness	128	128	128	128	128
	KS_acceptance	128	128	128	128	128
	KS_help	128	128	128	128	128

a. Selecting only cases for which jenis kelamin = laki-laki

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
	jenis kelamin = laki-laki (Selected)				R Square Change	F Change	df1	df2	Sig. F Change
1	,355 <sup>a</sup>	,126	,119	5,89671	,126	18,163	1	126	,000

a. Predictors: (Constant), KS\_help

Variables Entered/Removed<sup>a,b</sup>

Model	Variables Entered	Variables Removed	Method
1	KS_help	.	Stepwise (Criteria: Probability-of-F-to-enter <= ,050, Probability-of-F-to-remove >= ,100).

a. Dependent Variable: keterlibatan siswa

b. Models are based only on cases for which jenis kelamin = laki-laki

Coefficients<sup>a,b</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	95,0% Confidence Interval for B		Correlations			Collinearity Statistics		
		B	Std. Error	Beta			Lower Bound	Upper Bound	Zero-order	Partial	Part	Tolerance	VIF	
1	(Constant)	26,002	2,816		9,233	,000	20,429	31,575						
	KS_help	1,083	,254	,355	4,262	,000	,580	1,586	,355	,355	,355	1,000	1,000	

a. Dependent Variable: keterlibatan siswa

b. Selecting only cases for which jenis kelamin = laki-laki

Excluded Variables<sup>a</sup>

Model		Beta In	t	Sig.	Partial Correlation	Collinearity Statistics		
						Tolerance	VIF	Minimum Tolerance
1	KS_savety	,129 <sup>b</sup>	1,262	,209	,112	,659	1,519	,659
	KS_closeness	,156 <sup>b</sup>	1,657	,100	,147	,773	1,293	,773
	KS_acceptance	,213 <sup>b</sup>	1,957	,053	,172	,571	1,753	,571

a. Dependent Variable: keterlibatan siswa

b. Predictors in the Model: (Constant), KS\_help

Collinearity Diagnostics<sup>a,b</sup>

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions	
				(Constant)	KS_help
1	1	1,983	1,000	,01	,01
	2	,017	10,713	,99	,99

a. Dependent Variable: keterlibatan siswa

b. Selecting only cases for which jenis kelamin = laki-laki

## 2. Perempuan

Descriptive Statistics<sup>a</sup>

	Mean	Std. Deviation	N
keterlibatan siswa	37,4203	5,94232	138
KS_savety	26,8913	4,16920	138
KS_closeness	23,7464	3,41329	138
KS_acceptance	14,9493	2,53248	138
KS_help	11,3188	2,02173	138

a. Selecting only cases for which jenis kelamin = perempuan

Variables Entered/Removed<sup>a,b</sup>

Model	Variables Entered	Variables Removed	Method
1	KS_acceptance		Stepwise (Criteria: Probability-of- F-to-enter <= , 050, Probability-of- F-to-remove >= ,100).

a. Dependent Variable: keterlibatan siswa

b. Models are based only on cases for which jenis kelamin = perempuan

Correlations<sup>a</sup>

		keterlibatan siswa	KS_safety	KS_closeness	KS_acceptance	KS_help
Pearson Correlation	keterlibatan siswa	1,000	,264	,210	,271	,221
	KS_safety	,264	1,000	,565	,591	,551
	KS_closeness	,210	,565	1,000	,642	,623
	KS_acceptance	,271	,591	,642	1,000	,640
	KS_help	,221	,551	,623	,640	1,000
Sig. (1-tailed)	keterlibatan siswa	.	,001	,007	,001	,005
	KS_safety	,001	.	,000	,000	,000
	KS_closeness	,007	,000	.	,000	,000
	KS_acceptance	,001	,000	,000	.	,000
	KS_help	,005	,000	,000	,000	.
N	keterlibatan siswa	138	138	138	138	138
	KS_safety	138	138	138	138	138
	KS_closeness	138	138	138	138	138
	KS_acceptance	138	138	138	138	138
	KS_help	138	138	138	138	138

a. Selecting only cases for which jenis kelamin = perempuan

## Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
	jenis kelamin = perempuan (Selected)				R Square Change	F Change	df1	df2	Sig. F Change
1	,271 <sup>a</sup>	,073	,066	5,74157	,073	10,747	1	136	,001

a. Predictors: (Constant), KS\_acceptance

ANOVA<sup>a,b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	354,295	1	354,295	10,747	,001 <sup>c</sup>
	Residual	4483,328	136	32,966		
	Total	4837,623	137			

a. Dependent Variable: keterlibatan siswa

b. Selecting only cases for which jenis kelamin = perempuan

c. Predictors: (Constant), KS\_acceptance

Coefficients<sup>a,b</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	95.0% Confidence Interval for B		Correlations			Collinearity Statistics		
		B	Std. Error	Beta			Lower Bound	Upper Bound	Zero-order	Partial	Part	Tolerance	VIF	
1	(Constant)	27,927	2,937		9,510	,000	22,120	33,735						
	KS_acceptance	,635	,194	,271	3,278	,001	,252	1,018	,271	,271	,271	1,000	1,000	

a. Dependent Variable: keterlibatan siswa

b. Selecting only cases for which jenis kelamin = perempuan

Excluded Variables<sup>a</sup>

Model		Beta In	t	Sig.	Partial Correlation	Collinearity Statistics		
						Tolerance	VIF	Minimum Tolerance
1	KS_savety	,160 <sup>b</sup>	1,567	,119	,134	,650	1,537	,650
	KS_closeness	,062 <sup>b</sup>	,578	,564	,050	,588	1,701	,588
	KS_help	,081 <sup>b</sup>	,749	,455	,064	,590	1,695	,590

a. Dependent Variable: keterlibatan siswa

b. Predictors in the Model: (Constant), KS\_acceptance

Collinearity Diagnostics<sup>a,b</sup>

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions	
				(Constant)	KS_acceptance
1	1	1,986	1,000	,01	,01
	2	,014	11,933	,99	,99

a. Dependent Variable: keterlibatan siswa

b. Selecting only cases for which jenis kelamin = perempuan

Korelasi aspek kualitas persahabatan dan keterlibatan siswa memperhatikan kegiatan ekstrakurikuler

1. Siswa tidak mengikuti ekstrakurikuler

**Descriptive Statistics<sup>a</sup>**

	Mean	Std. Deviation	N
keterlibatan siswa	36,2963	8,17978	27
KS_savety	26,8519	4,76125	27
KS_closeness	22,2222	3,79608	27
KS_acceptance	14,4815	3,05552	27
KS_help	10,8148	2,41847	27

a. Selecting only cases for which kegiatan ekstrakurikuler yang diikuti = ,00

**Correlations<sup>a</sup>**

		keterlibatan siswa	KS_savety	KS_closeness	KS_acceptance	KS_help
Pearson Correlation	keterlibatan siswa	1,000	,373	,357	,410	,536
	KS_savety	,373	1,000	,728	,669	,772
	KS_closeness	,357	,728	1,000	,607	,771
	KS_acceptance	,410	,669	,607	1,000	,658
	KS_help	,536	,772	,771	,658	1,000
Sig. (1-tailed)	keterlibatan siswa	.	,027	,034	,017	,002
	KS_savety	,027	.	,000	,000	,000
	KS_closeness	,034	,000	.	,000	,000
	KS_acceptance	,017	,000	,000	.	,000
	KS_help	,002	,000	,000	,000	.
N	keterlibatan siswa	27	27	27	27	27
	KS_savety	27	27	27	27	27
	KS_closeness	27	27	27	27	27
	KS_acceptance	27	27	27	27	27
	KS_help	27	27	27	27	27

a. Selecting only cases for which kegiatan ekstrakurikuler yang diikuti = ,00

**Variables Entered/Removed<sup>a,b</sup>**

Model	Variables Entered	Variables Removed	Method
1	KS_help	.	Stepwise (Criteria: Probability-of- F-to-enter <= , 050, Probability-of- F-to-remove >= ,100).

a. Dependent Variable: keterlibatan siswa

b. Models are based only on cases for which kegiatan ekstrakurikuler yang diikuti = ,00

**Model Summary**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
	kegiatan ekstrakurikuler yang diikuti = ,00 (Selected)				R Square Change	F Change	df1	df2	Sig. F Change
1	,536 <sup>a</sup>	,287	,258	7,04442	,287	10,056	1	25	,004

a. Predictors: (Constant), KS\_help

**ANOVA<sup>a,b</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	499,033	1	499,033	10,056	,004 <sup>c</sup>
	Residual	1240,596	25	49,624		
	Total	1739,630	26			

a. Dependent Variable: keterlibatan siswa

b. Selecting only cases for which kegiatan ekstrakurikuler yang diikuti = ,00

c. Predictors: (Constant), KS\_help

**Excluded Variables<sup>a</sup>**

Model		Beta In	t	Sig.	Partial Correlation	Collinearity Statistics
						Tolerance
1	KS_savety	-,100 <sup>b</sup>	-,369	,716	-,075	,403
	KS_closeness	-,139 <sup>b</sup>	-,514	,612	-,104	,405
	KS_acceptance	,101 <sup>b</sup>	,442	,662	,090	,567

a. Dependent Variable: keterlibatan siswa

b. Predictors in the Model: (Constant), KS\_help

## 2. Siswa mengikuti satu kegiatan ekstrakurikuler

**Descriptive Statistics<sup>a</sup>**

	Mean	Std. Deviation	N
keterlibatan siswa	37,7190	6,79488	121
KS_savety	26,6116	4,51732	121
KS_closeness	22,9008	3,70901	121
KS_acceptance	14,6529	2,62904	121
KS_help	11,2397	1,95800	121

a. Selecting only cases for which kegiatan ekstrakurikuler yang diikuti = 1,00

**Correlations<sup>a</sup>**

		keterlibatan siswa	KS_savety	KS_closeness	KS_acceptance	KS_help
Pearson Correlation	keterlibatan siswa	1,000	,324	,304	,367	,330
	KS_savety	,324	1,000	,533	,598	,559
	KS_closeness	,304	,533	1,000	,625	,582
	KS_acceptance	,367	,598	,625	1,000	,672
	KS_help	,330	,559	,582	,672	1,000
Sig. (1-tailed)	keterlibatan siswa	.	,000	,000	,000	,000
	KS_savety	,000	.	,000	,000	,000
	KS_closeness	,000	,000	.	,000	,000
	KS_acceptance	,000	,000	,000	.	,000
	KS_help	,000	,000	,000	,000	.
N	keterlibatan siswa	121	121	121	121	121
	KS_savety	121	121	121	121	121
	KS_closeness	121	121	121	121	121
	KS_acceptance	121	121	121	121	121
	KS_help	121	121	121	121	121

a. Selecting only cases for which kegiatan ekstrakurikuler yang diikuti = 1,00

**Variables Entered/Removed<sup>a,b</sup>**

Model	Variables Entered	Variables Removed	Method
1	KS_acceptance	.	Stepwise (Criteria: Probability-of- F-to-enter <= , 050, Probability-of- F-to-remove >= ,100).

a. Dependent Variable: keterlibatan siswa

b. Models are based only on cases for which kegiatan ekstrakurikuler yang diikuti = 1,00

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
	kegiatan ekstrakurikuler yang diikuti = 1,00 (Selected)				R Square Change	F Change	df1	df2	Sig. F Change
1	,367 <sup>a</sup>	,135	,128	6,34665	,135	18,548	1	119	,000

a. Predictors: (Constant), KS\_acceptance

ANOVA<sup>a,b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	747,125	1	747,125	18,548	,000 <sup>c</sup>
	Residual	4793,322	119	40,280		
	Total	5540,446	120			

a. Dependent Variable: keterlibatan siswa

b. Selecting only cases for which kegiatan ekstrakurikuler yang diikuti = 1,00

c. Predictors: (Constant), KS\_acceptance

Coefficients<sup>a,b</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	23,812	3,280		7,259	,000
	KS_acceptance	,949	,220	,367	4,307	,000

a. Dependent Variable: keterlibatan siswa

b. Selecting only cases for which kegiatan ekstrakurikuler yang diikuti = 1,00

Excluded Variables<sup>a</sup>

Model		Beta In	t	Sig.	Partial Correlation	Collinearity Statistics
						Tolerance
1	KS_savety	,162 <sup>b</sup>	1,531	,128	,140	,643
	KS_closeness	,122 <sup>b</sup>	1,118	,266	,102	,610
	KS_help	,152 <sup>b</sup>	1,326	,188	,121	,549

a. Dependent Variable: keterlibatan siswa

b. Predictors in the Model: (Constant), KS\_acceptance

**Descriptive Statistics<sup>a</sup>**

	Mean	Std. Deviation	N
keterlibatan siswa	37,7797	4,64856	118
KS_savety	26,8305	4,08312	118
KS_closeness	23,7712	2,85373	118
KS_acceptance	14,9831	2,48408	118
KS_help	11,0508	2,05417	118

a. Selecting only cases for which kegiatan ekstrakurikuler yang diikuti > 1,00

**Correlations<sup>a</sup>**

		keterlibatan siswa	KS_savety	KS_closeness	KS_acceptance	KS_help
Pearson Correlation	keterlibatan siswa	1,000	,170	,044	,180	,109
	KS_savety	,170	1,000	,484	,675	,527
	KS_closeness	,044	,484	1,000	,585	,496
	KS_acceptance	,180	,675	,585	1,000	,635
	KS_help	,109	,527	,496	,635	1,000
Sig. (1-tailed)	keterlibatan siswa	.	,033	,316	,026	,119
	KS_savety	,033	.	,000	,000	,000
	KS_closeness	,316	,000	.	,000	,000
	KS_acceptance	,026	,000	,000	.	,000
	KS_help	,119	,000	,000	,000	.
N	keterlibatan siswa	118	118	118	118	118
	KS_savety	118	118	118	118	118
	KS_closeness	118	118	118	118	118
	KS_acceptance	118	118	118	118	118
	KS_help	118	118	118	118	118

a. Selecting only cases for which kegiatan ekstrakurikuler yang diikuti > 1,00

Korelasi antara aspek kualitas persahabatan dan keterlibatan siswa berdasarkan beda sekolah

## 1. SMP Negeri 4 Pakem

**Descriptive Statistics<sup>a</sup>**

	Mean	Std. Deviation	N
keterlibatan siswa	37,4575	4,66790	153
KS_savety	26,8758	4,21201	153
KS_closeness	23,7778	3,06341	153
KS_acceptance	14,9020	2,55148	153
KS_help	11,0784	2,00830	153

a. Selecting only cases for which asal sekolah = SMP 4

Correlations<sup>a</sup>

		keterlibatan siswa	KS_savety	KS_closenes s	KS_acceptan ce	KS_help
Pearson Correlation	keterlibatan siswa	1,000	,151	,085	,192	,115
	KS_savety	,151	1,000	,515	,666	,537
	KS_closeness	,085	,515	1,000	,610	,544
	KS_acceptance	,192	,666	,610	1,000	,636
	KS_help	,115	,537	,544	,636	1,000
Sig. (1-tailed)	keterlibatan siswa	.	,031	,147	,009	,079
	KS_savety	,031	.	,000	,000	,000
	KS_closeness	,147	,000	.	,000	,000
	KS_acceptance	,009	,000	,000	.	,000
	KS_help	,079	,000	,000	,000	.
N	keterlibatan siswa	153	153	153	153	153
	KS_savety	153	153	153	153	153
	KS_closeness	153	153	153	153	153
	KS_acceptance	153	153	153	153	153
	KS_help	153	153	153	153	153

a. Selecting only cases for which asal sekolah = SMP 4

Variables Entered/Removed<sup>a,b</sup>

Model	Variables Entered	Variables Removed	Method
1	KS_acceptance	.	Stepwise (Criteria: Probability-of- F-to-enter <= , 050, Probability-of- F-to-remove >= ,100).

a. Dependent Variable: keterlibatan siswa

b. Models are based only on cases for which asal sekolah = SMP 4

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
	asal sekolah = SMP 4 (Selected)				R Square Change	F Change	df1	df2	Sig. F Change
1	,192 <sup>a</sup>	,037	,031	4,59606	,037	5,789	1	151	,017

a. Predictors: (Constant), KS\_acceptance

ANOVA<sup>a,b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	122,289	1	122,289	5,789	,017 <sup>c</sup>
	Residual	3189,685	151	21,124		
	Total	3311,974	152			

a. Dependent Variable: keterlibatan siswa

b. Selecting only cases for which asal sekolah = SMP 4

c. Predictors: (Constant), KS\_acceptance

Coefficients<sup>a,b</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	95,0% Confidence Interval for B		Correlations			Collinearity Statistics		
		B	Std. Error	Beta			Lower Bound	Upper Bound	Zero-order	Partial	Part	Tolerance	VIF	
1	(Constant)	32,219	2,209		14,587	,000	27,855	36,583						
	KS_acceptance	,352	,146	,192	2,406	,017	,063	,640	,192	,192	,192	1,000	1,000	

a. Dependent Variable: keterlibatan siswa

b. Selecting only cases for which asal sekolah = SMP 4

Collinearity Diagnostics<sup>a,b</sup>

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions	
				(Constant)	KS_acceptance
1	1	1,986	1,000	,01	,01
	2	,014	11,804	,99	,99

a. Dependent Variable: keterlibatan siswa

b. Selecting only cases for which asal sekolah = SMP 4

Excluded Variables<sup>a</sup>

Model		Beta In	t	Sig.	Partial Correlation	Collinearity Statistics		
						Tolerance	VIF	Minimum Tolerance
1	KS_savety	,041 <sup>b</sup>	,382	,703	,031	,556	1,798	,556
	KS_closeness	-,051 <sup>b</sup>	-,502	,617	-,041	,628	1,592	,628
	KS_help	-,012 <sup>b</sup>	-,120	,905	-,010	,596	1,678	,596

a. Dependent Variable: keterlibatan siswa

b. Predictors in the Model: (Constant), KS\_acceptance

## 2. SMP Taman Dewasa

**Descriptive Statistics<sup>a</sup>**

	Mean	Std. Deviation	N
keterlibatan siswa	37,7965	7,64171	113
KS_savety	26,5398	4,51987	113
KS_closeness	22,4602	3,67675	113
KS_acceptance	14,6195	2,68700	113
KS_help	11,1593	2,10682	113

a. Selecting only cases for which asal sekolah = SMP TAMAN DEWASA

**Correlations<sup>a</sup>**

		keterlibatan siswa	KS_savety	KS_closeness	KS_acceptance	KS_help
Pearson Correlation	keterlibatan siswa	1,000	,388	,369	,421	,427
	KS_savety	,388	1,000	,560	,599	,609
	KS_closeness	,369	,560	1,000	,612	,609
	KS_acceptance	,421	,599	,612	1,000	,672
	KS_help	,427	,609	,609	,672	1,000
Sig. (1-tailed)	keterlibatan siswa	.	,000	,000	,000	,000
	KS_savety	,000	.	,000	,000	,000
	KS_closeness	,000	,000	.	,000	,000
	KS_acceptance	,000	,000	,000	.	,000
	KS_help	,000	,000	,000	,000	.
N	keterlibatan siswa	113	113	113	113	113
	KS_savety	113	113	113	113	113
	KS_closeness	113	113	113	113	113
	KS_acceptance	113	113	113	113	113
	KS_help	113	113	113	113	113

a. Selecting only cases for which asal sekolah = SMP TAMAN DEWASA

**Variables Entered/Removed<sup>a,b</sup>**

Model	Variables Entered	Variables Removed	Method
1			Stepwise (Criteria: Probability-of-F-to-enter <= ,050, Probability-of-F-to-remove >= ,100).
2	KS_help		Stepwise (Criteria: Probability-of-F-to-enter <= ,050, Probability-of-F-to-remove >= ,100).
	KS_acceptance		Stepwise (Criteria: Probability-of-F-to-enter <= ,050, Probability-of-F-to-remove >= ,100).

a. Dependent Variable: keterlibatan siswa

b. Models are based only on cases for which asal sekolah = SMP TAMAN DEWASA

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
	asal sekolah = SMP TAMAN DEWASA (Selected)				R Square Change	F Change	df1	df2	Sig. F Change
1	,427 <sup>a</sup>	,183	,175	6,93965	,183	24,807	1	111	,000
2	,464 <sup>b</sup>	,215	,201	6,83118	,032	4,553	1	110	,035

a. Predictors: (Constant), KS\_help

b. Predictors: (Constant), KS\_help, KS\_acceptance

ANOVA<sup>a,b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1194,696	1	1194,696	24,807	,000 <sup>c</sup>
	Residual	5345,622	111	48,159		
	Total	6540,319	112			
2	Regression	1407,163	2	703,582	15,077	,000 <sup>d</sup>
	Residual	5133,156	110	46,665		
	Total	6540,319	112			

a. Dependent Variable: keterlibatan siswa

b. Selecting only cases for which asal sekolah = SMP TAMAN DEWASA

c. Predictors: (Constant), KS\_help

d. Predictors: (Constant), KS\_help, KS\_acceptance

Coefficients<sup>a,b</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	95,0% Confidence Interval for B		Correlations			Collinearity Statistics		
		B	Std. Error	Beta			Lower Bound	Upper Bound	Zero-order	Partial	Part	Tolerance	VIF	
1	(Constant)	20,497	3,534		5,800	,000	13,494	27,500						
	KS_help	1,550	,311	,427	4,981	,000	,933	2,167	,427	,427	,427	1,000	1,000	
2	(Constant)	16,996	3,846		4,419	,000	9,373	24,619						
	KS_help	,958	,414	,264	2,315	,022	,138	1,777	,427	,216	,196	,549	1,822	
	KS_acceptance	,692	,324	,243	2,134	,035	,049	1,334	,421	,199	,180	,549	1,822	

a. Dependent Variable: keterlibatan siswa

b. Selecting only cases for which asal sekolah = SMP TAMAN DEWASA

Excluded Variables<sup>a</sup>

Model		Beta In	t	Sig.	Partial Correlation	Collinearity Statistics		
						Tolerance	VIF	Minimum Tolerance
1	KS_savety	,203 <sup>b</sup>	1,897	,060	,178	,629	1,589	,629
	KS_closeness	,173 <sup>b</sup>	1,609	,111	,152	,629	1,591	,629
	KS_acceptance	,243 <sup>b</sup>	2,134	,035	,199	,549	1,822	,549
2	KS_savety	,145 <sup>c</sup>	1,289	,200	,123	,564	1,774	,482
	KS_closeness	,107 <sup>c</sup>	,945	,347	,090	,554	1,805	,484

a. Dependent Variable: keterlibatan siswa

b. Predictors in the Model: (Constant), KS\_help

c. Predictors in the Model: (Constant), KS\_help, KS\_acceptance

Collinearity Diagnostics<sup>a,b</sup>

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions		
				(Constant)	KS_help	KS_acceptance
1	1	1,983	1,000	,01	,01	
	2	,017	10,734	,99	,99	
2	1	2,970	1,000	,00	,00	,00
	2	,019	12,587	,99	,20	,12
	3	,011	16,511	,01	,79	,87

a. Dependent Variable: keterlibatan siswa

b. Selecting only cases for which asal sekolah = SMP TAMAN DEWASA

Uji beda berdasarkan asal sekolah

## Group Statistics

asal sekolah		N	Mean	Std. Deviation	Std. Error Mean
keterlibatan siswa	SMP 4	153	37,4575	4,66790	,37738
	SMP TAMAN DEWASA	113	37,7965	7,64171	,71887

## Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
keterlibatan siswa	Equal variances assumed	34,851	,000	-.447	264	,655	-.33894	,75774	-1,83093	1,15305
	Equal variances not assumed			-.417	172,579	,677	-.33894	,81191	-1,94149	1,26360