

LAMPIRAN 5
UJI NORMALITAS

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Kebisingan ^a		. Enter

a. All requested variables entered.

b. Dependent Variable: Konsentrasi

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.632 ^a	.399	.391	4.479

a. Predictors: (Constant), Kebisingan

b. Dependent Variable: Konsentrasi

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1013.302	1	1013.302	50.511	.000 ^a
	Residual	1524.647	76	20.061		
	Total	2537.949	77			

a. Predictors: (Constant), Kebisingan

b. Dependent Variable: Konsentrasi

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.019	2.946		.006	.995
	Kebisingan	1.106	.156	.632	7.107	.000

a. Dependent Variable: Konsentrasi

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	12.19	29.89	20.64	3.628	78
Residual	-10.144	9.174	.000	4.450	78
Std. Predicted Value	-2.330	2.549	.000	1.000	78
Std. Residual	-2.265	2.048	.000	.993	78

a. Dependent Variable: Konsentrasi

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		78
Normal Parameters ^a	Mean	.0000000
	Std. Deviation	4.44978733
Most Extreme Differences	Absolute	.081
	Positive	.081
	Negative	-.066
Kolmogorov-Smirnov Z		.712
Asymp. Sig. (2-tailed)		.692

a. Test distribution is Normal.