

**LAMPIRAN 6**  
**HASIL UJI NORMALITAS**

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Minat Beli	168	100,0%	0	0,0%	168	100,0%
Persepsi Konsumen	168	100,0%	0	0,0%	168	100,0%
Religiusitas	168	100,0%	0	0,0%	168	100,0%

### Descriptives

		Statistic	Std. Error	
Minat Beli	Mean	68,0357	,71597	
	95% Confidence Interval for Mean	Lower Bound Upper Bound	66,6222 69,4492	
	5% Trimmed Mean	67,9603		
	Median	67,0000		
	Variance	86,118		
	Std. Deviation	9,28000		
	Minimum	46,00		
	Maximum	93,00		
	Range	47,00		
	Interquartile Range	13,00		
	Skewness	,194	,187	
	Kurtosis	-,442	,373	
	Persepsi Konsumen	Mean	81,3155	,84689
		95% Confidence Interval for Mean	Lower Bound Upper Bound	79,6435 82,9875
5% Trimmed Mean		81,3479		
Median		81,0000		
Variance		120,493		
Std. Deviation		10,97692		
Minimum		55,00		
Maximum		105,00		
Range		50,00		
Interquartile Range		16,00		
Skewness		,079	,187	

	Kurtosis		-,522	,373
Religiusitas	Mean		116,5536	,63367
	95% Confidence Interval for Mean	Lower Bound	115,3025	
		Upper Bound	117,8046	
	5% Trimmed Mean		117,0661	
	Median		119,0000	
	Variance		67,458	
	Std. Deviation		8,21329	
	Minimum		86,00	
	Maximum		129,00	
	Range		43,00	
	Interquartile Range		11,75	
	Skewness		-,955	,187
	Kurtosis		,830	,373

#### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Minat Beli	,062	168	,200*	,988	168	,146
Persepsi Konsumen	,077	168	,017	,986	168	,089
Religiusitas	,135	168	,000	,930	168	,000

\*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction