

**LAMPIRAN 6: HASIL UJI NORMALITAS*****Case Processing Summary***

	<i>Cases</i>					
	<i>Valid</i>		<i>Missing</i>		<i>Total</i>	
	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
KEBERSYUKURAN	100	100.0%	0	0.0%	100	100.0%
STRES_MENOPAUSE	100	100.0%	0	0.0%	100	100.0%

***Descriptives***


		<i>Statistic</i>	<i>Std. Error</i>	
KEBERSYUKURAN	<i>Mean</i>	2.9148	.02221	
	<i>95% Confidence Interval for Mean</i>	<i>Lower Bound</i>	2.8707	
		<i>Upper Bound</i>	2.9589	
		<i>5% Trimmed Mean</i>	2.9076	
	<i>Median</i>	2.9000		
	<i>Variance</i>	.049		
	<i>Std. Deviation</i>	.22214		
	<i>Minimum</i>	2.44		
	<i>Maximum</i>	3.52		
	<i>Range</i>	1.08		
	<i>Interquartile Range</i>	.24		
	<i>Skewness</i>	.618	.241	
	<i>Kurtosis</i>	.639	.478	
STRES_MENOPAUSE	<i>Mean</i>	2.1548	.02456	
	<i>95% Confidence Interval for Mean</i>	<i>Lower Bound</i>	2.1061	
		<i>Upper Bound</i>	2.2035	
		<i>5% Trimmed Mean</i>	2.1691	
	<i>Median</i>	2.1852		
	<i>Variance</i>	.060		
	<i>Std. Deviation</i>	.24558		
	<i>Minimum</i>	1.41		


<i>Maximum</i>	2.67	
<i>Range</i>	1.26	
<i>Interquartile Range</i>	.33	
<i>Skewness</i>	-1.000	.241
<i>Kurtosis</i>	1.704	.478

### Tests of Normality

	<i>Kolmogorov-Smirnov<sup>a</sup></i>			<i>Shapiro-Wilk</i>		
	<i>Statistic</i>	<i>df</i>	<i>Sig.</i>	<i>Statistic</i>	<i>df</i>	<i>Sig.</i>
KEBERSYUKURAN	.131	100	.000	.953	100	.001
STRES_MENOPAUSE	.129	100	.000	.932	100	.000

a. Lilliefors Significance Correction





**LAMPIRAN 7: HASIL UJI LINEARITAS****Means****Case Processing Summary**

	<i>Cases</i>					
	<i>Included</i>		<i>Excluded</i>		<i>Total</i>	
	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
STRES_MENOPAUSE * KEBERSYUKURAN	100	100.0%	0	0.0%	100	100.0%

**Report**

STRES\_MENOPAUSE

	<i>Mean</i>	<i>N</i>	<i>Std. Deviation</i>
KEBERSYUKURAN			
2.44	2.2222	2	.00000
2.48	1.7407	2	.00000
2.64	2.2778	2	.02619
2.68	2.1049	6	.21522
2.72	2.2500	8	.10615
2.76	2.3333	13	.20116
2.80	2.2222	2	.00000
2.84	2.2222	5	.19772
2.88	2.1667	10	.20750
2.92	2.1429	14	.20174
2.96	2.0889	5	.22771
3.00	2.2169	7	.13427
3.04	2.1259	5	.14722
3.12	2.2500	4	.24074
3.16	2.2222	2	.00000
3.24	2.1556	5	.19842
3.28	2.0864	3	.22325
3.32	2.1111	1	.
3.48	1.4074	2	.00000
3.52	1.4074	2	.00000
Total	2.1548	100	.24558

**ANOVA Table**

		<i>Sum of Squares</i>	<i>df</i>	<i>Mean Square</i>	<i>F</i>	<i>Sig.</i>
STRES_MENOPAUSE	<i>Between Groups (Combined)</i>	3.268	19	.172	5.090	.000
* KEBERSYUKURAN	<i>Linearity</i>	.803	1	.803	23.756	.000
	<i>Deviation from Linearity</i>	2.465	18	.137	4.053	.000
	<i>Within Groups</i>	2.703	80	.034		
	<i>Total</i>	5.971	99			

**Measures of Association**

	<i>R</i>	<i>R Squared</i>	<i>Eta</i>	<i>Eta Squared</i>
STRES_MENOPAUSE * KEBERSYUKURAN	-.367	.134	.740	.547

**LAMPIRAN 8: HASIL UJI HIPOTESIS****NONPARAMETRIC CORRELATIONS****Correlations**

			KEBERSYUKURAN	STRES_MENOPAUSE
Spearman's rho	KEBERSYUKURAN	Correlation Coefficient	1.000	-.215*
		Sig. (1-tailed)	.	.016
		N	100	100
		STRES_MENOPAUSE		
	STRES_MENOPAUSE	Correlation Coefficient	-.215*	1.000
		Sig. (1-tailed)	.016	.
		N	100	100

\*. Correlation is significant at the 0.05 level (1-tailed).

**DESCRIPTIVE****Descriptive Statistics**

	<i>N</i>	<i>Minimum</i>	<i>Maximum</i>	<i>Sum</i>	<i>Mean</i>	<i>Std. Deviation</i>
KEBERSYUKURAN	100	2.44	3.52	291.48	2.9148	.22214
STRES_MENOPAUSE	100	1.41	2.67	215.48	2.1548	.24558
Valid N (listwise)	100					

**FREQUENCIES****Statistics**

		KEBERSYUKURAN	STRES_MENOPAUSE
N	Valid	100	100
	Missing	0	0
Mean		2.9148	2.1548
Median		2.9000	2.1852
Std. Deviation		.22214	.24558

Percentiles	20	2.7280	1.9704
	40	2.8560	2.1481
	60	2.9200	2.2222
	80	3.0400	2.3630

**FREQUENCIES TABLE****KEBERSYUKURAN**

		<i>Frequency</i>	<i>Percent</i>	<i>Valid Percent</i>	<i>Cumulative Percent</i>
Valid	2.44	2	2.0	2.0	2.0
	2.48	2	2.0	2.0	4.0
	2.64	2	2.0	2.0	6.0
	2.68	6	6.0	6.0	12.0
	2.72	8	8.0	8.0	20.0
	2.76	13	13.0	13.0	33.0
	2.80	2	2.0	2.0	35.0
	2.84	5	5.0	5.0	40.0
	2.88	10	10.0	10.0	50.0
	2.92	14	14.0	14.0	64.0
	2.96	5	5.0	5.0	69.0
	3.00	7	7.0	7.0	76.0
	3.04	5	5.0	5.0	81.0
	3.12	4	4.0	4.0	85.0
	3.16	2	2.0	2.0	87.0
	3.24	5	5.0	5.0	92.0
	3.28	3	3.0	3.0	95.0
	3.32	1	1.0	1.0	96.0
	3.48	2	2.0	2.0	98.0
	3.52	2	2.0	2.0	100.0
	Total	100	100.0	100.0	

**STRES\_MENOPAUSE**

		<i>Frequency</i>	<i>Percent</i>	<i>Valid Percent</i>	<i>Cumulative Percent</i>
Valid	1.41	4	4.0	4.0	4.0
	1.74	2	2.0	2.0	6.0
	1.78	1	1.0	1.0	7.0
	1.85	4	4.0	4.0	11.0
	1.89	2	2.0	2.0	13.0
	1.93	3	3.0	3.0	16.0
	1.96	4	4.0	4.0	20.0
	2.00	7	7.0	7.0	27.0
	2.04	2	2.0	2.0	29.0
	2.07	1	1.0	1.0	30.0
	2.11	9	9.0	9.0	39.0
	2.15	4	4.0	4.0	43.0
	2.19	10	10.0	10.0	53.0
	2.22	10	10.0	10.0	63.0
	2.26	3	3.0	3.0	66.0
	2.30	8	8.0	8.0	74.0
	2.33	6	6.0	6.0	80.0
	2.37	6	6.0	6.0	86.0
	2.41	8	8.0	8.0	94.0
	2.44	1	1.0	1.0	95.0
	2.52	1	1.0	1.0	96.0
	2.56	2	2.0	2.0	98.0
	2.59	1	1.0	1.0	99.0
	2.67	1	1.0	1.0	100.0
Total		100	100.0	100.0	



**LAMPIRAN 9: ANALISIS TAMBAHAN****NONPARAMETIC CORRELATION KELOMPOK MENOPAUSE < 1 TAHUN****Correlations**

			KEBERSYUKURAN	STRES_MENOPAUSE
Spearman's rho	KEBERSYUKURAN	Correlation Coefficient	1.000	-.178
		Sig. (2-tailed)	.	.115
		N	80	80
		STRES_MENOPAUSE	Correlation Coefficient	-.178
		Sig. (2-tailed)	.115	.
		N	80	80

**NONPARAMETIC CORRELATION KELOMPOK MENOPAUSE >1 TAHUN****Correlations**

			KEBERSYUKURAN	STRES_MENOPAUSE
Spearman's rho	KEBERSYUKURAN	Correlation Coefficient	1.000	-.304
		Sig. (2-tailed)	.	.193
		N	20	20
		STRES_MENOPAUSE	Correlation Coefficient	-.304
		Sig. (2-tailed)	.193	.
		N	20	20

**NONPARAMETIC CORRELATION KELOMPOK PENDIDIKAN SMP****Correlations**

			KEBERSYUKURAN	STRES_MENOPAUSE
Spearman's rho	KEBERSYUKURAN	Correlation Coefficient	1.000	-.327
		Sig. (2-tailed)	.	.103
		N	26	26
	STRES_MENOPAUSE	Correlation Coefficient	-.327	1.000
		Sig. (2-tailed)	.103	.
		N	26	26

**NONPARAMETIC CORRELATION KELOMPOK PENDIDIKAN SMA****Correlations**

			KEBERSYUKURAN	STRES_MENOPAUSE
Spearman's rho	KEBERSYUKURAN	Correlation Coefficient	1.000	-.176
		Sig. (2-tailed)	.	.217
		N	51	51
	STRES_MENOPAUSE	Correlation Coefficient	-.176	1.000
		Sig. (2-tailed)	.217	.
		N	51	51

**NONPARAMETIC CORRELATION KELOMPOK PENDIDIKAN SARJANA****Correlations**

			KEBERSYUKURAN	STRES_MENOPAUSE
Spearman's rho	KEBERSYUKURAN	Correlation Coefficient	1.000	-.179

	Sig. (2-tailed)	.	.415
	N	23	23
STRES_MENOPAUSE	Correlation Coefficient	-.179	1.000
	Sig. (2-tailed)	.415	.
	N	23	23

### NONPARAMETIC CORRELATION KELOMPOK USIA <= 53 TAHUN

#### Correlations

			KEBERSYUKURAN	STRES_MENOPAUSE
Spearman's rho	KEBERSYUKURAN	Correlation Coefficient	1.000	-.313*
		Sig. (2-tailed)	.	.022
		N	53	53
	STRES_MENOPAUSE	Correlation Coefficient	-.313*	1.000
		Sig. (2-tailed)	.022	.
		N	53	53

\*. Correlation is significant at the 0.05 level (2-tailed).

### NONPARAMETIC CORRELATION KELOMPOK USIA > 53 TAHUN

#### Correlations

			KEBERSYUKURAN	STRES_MENOPAUSE
Spearman's rho	KEBERSYUKURAN	Correlation Coefficient	1.000	-.141
		Sig. (2-tailed)	.	.344
		N	47	47
	STRES_MENOPAUSE	Correlation Coefficient	-.141	1.000
		Sig. (2-tailed)	.344	.
		N	47	47

**NONPARAMETIC CORRELATION KELOMPOK USIA PERNIKAHAN ≤ 28 TAHUN**

**Correlations**

			KEBERSYUKURAN	STRES_MENOPAUSE
Spearman's rho	KEBERSYUKURAN	Correlation Coefficient	1.000	-.434**
		Sig. (2-tailed)	.	.009
		N	35	35
	STRES_MENOPAUSE	Correlation Coefficient	-.434**	1.000
		Sig. (2-tailed)	.009	.
		N	35	35

\*\* . Correlation is significant at the 0.01 level (2-tailed).

**NONPARAMETIC CORRELATION KELOMPOK USIA PERNIKAHAN > 28 TAHUN**

**Correlations**

			KEBERSYUKURAN	STRES_MENOPAUSE
Spearman's rho	KEBERSYUKURAN	Correlation Coefficient	1.000	-.114
		Sig. (2-tailed)	.	.367
		N	65	65
	STRES_MENOPAUSE	Correlation Coefficient	-.114	1.000
		Sig. (2-tailed)	.367	.
		N	65	65

**NONPARAMETIC CORRELATION KELOMPOK MEMILIKI 1 ANAK****Correlations**

			KEBERSYUKURAN	STRES_MENOPAUSE
Spearman's rho	KEBERSYUKURAN	Correlation Coefficient	1.000	-.227
		Sig. (2-tailed)	.	.415
		N	15	15
	STRES_MENOPAUSE	Correlation Coefficient	-.227	1.000
		Sig. (2-tailed)	.415	.
		N	15	15

**NONPARAMETIC CORRELATION KELOMPOK MEMILIKI >1 ANAK****Correlations**

			KEBERSYUKURAN	STRES_MENOPAUSE
Spearman's rho	KEBERSYUKURAN	Correlation Coefficient	1.000	-.218*
		Sig. (2-tailed)	.	.045
		N	85	85
	STRES_MENOPAUSE	Correlation Coefficient	-.218*	1.000
		Sig. (2-tailed)	.045	.
		N	85	85

\*. Correlation is significant at the 0.05 level (2-tailed).

**NONPARAMETIC CORRELATION KELOMPOK PENGHASILAN < 3000000****Correlations**

			KEBERSYUKURAN	STRES_MENOPAUSE
Spearman's rho	KEBERSYUKURAN	Correlation Coefficient	1.000	-.376**

	Sig. (2-tailed)	.	.009
	N	47	47
STRES_MENOPAUSE	Correlation Coefficient	-.376**	1.000
	Sig. (2-tailed)	.009	.
	N	47	47

\*\* . Correlation is significant at the 0.01 level (2-tailed).

### NONPARAMETRIC CORRELATION KELOMPOK PENGHASILAN $\geq 3000000$

#### Correlations

			KEBERSYUKURAN	STRES_MENOPAUSE
Spearman's rho	KEBERSYUKURAN	Correlation Coefficient	1.000	-.046
		Sig. (2-tailed)	.	.745
		N	52	52
	STRES_MENOPAUSE	Correlation Coefficient	-.046	1.000
		Sig. (2-tailed)	.745	.
		N	52	52

### FREQUENCIES VARIABLE DEMOGRAFIK

#### Statistics

		Usia	Usia_Pernikahan	Jumlah_Anak	Pendidikan_Terakhir	Penghasilan_Keluarga
N	Valid	100	100	100	100	99
	Missing	0	0	0	0	1
Mean		53.6600	28.3900	2.9000	1.97	3161616.1616
Median		53.0000	30.0000	3.0000	2.00	3000000.0000

Mode	51.00	30.00 <sup>a</sup>	2.00	2	2700000.00 <sup>a</sup>
Std. Deviation	2.97878	6.85771	1.33712	.703	867168.4005
Sum	5366.00	2839.00	290.00	197	313000000.0

a. Multiple modes exist. The smallest value is shown

### Usia

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 49.00	6	6.0	6.0	6.0
50.00	7	7.0	7.0	13.0
51.00	15	15.0	15.0	28.0
52.00	13	13.0	13.0	41.0
53.00	12	12.0	12.0	53.0
54.00	10	10.0	10.0	63.0
55.00	11	11.0	11.0	74.0
56.00	8	8.0	8.0	82.0
57.00	5	5.0	5.0	87.0
58.00	5	5.0	5.0	92.0
59.00	5	5.0	5.0	97.0
60.00	2	2.0	2.0	99.0
62.00	1	1.0	1.0	100.0
Total	100	100.0	100.0	

### Usia\_Pernikahan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 7.00	1	1.0	1.0	1.0
8.00	1	1.0	1.0	2.0
10.00	1	1.0	1.0	3.0
12.00	1	1.0	1.0	4.0
13.00	1	1.0	1.0	5.0
15.00	1	1.0	1.0	6.0
17.00	3	3.0	3.0	9.0

18.00	4	4.0	4.0	13.0
19.00	1	1.0	1.0	14.0
20.00	2	2.0	2.0	16.0
21.00	2	2.0	2.0	18.0
25.00	4	4.0	4.0	22.0
26.00	2	2.0	2.0	24.0
27.00	5	5.0	5.0	29.0
28.00	6	6.0	6.0	35.0
29.00	9	9.0	9.0	44.0
30.00	14	14.0	14.0	58.0
31.00	6	6.0	6.0	64.0
32.00	14	14.0	14.0	78.0
33.00	5	5.0	5.0	83.0
34.00	4	4.0	4.0	87.0
35.00	8	8.0	8.0	95.0
38.00	3	3.0	3.0	98.0
40.00	1	1.0	1.0	99.0
45.00	1	1.0	1.0	100.0
Total	100	100.0	100.0	

### Jumlah Anak

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	15	15.0	15.0	15.0
	2.00	28	28.0	28.0	43.0
	3.00	25	25.0	25.0	68.0
	4.00	20	20.0	20.0	88.0
	5.00	9	9.0	9.0	97.0
	6.00	2	2.0	2.0	99.0
	7.00	1	1.0	1.0	100.0
Total		100	100.0	100.0	



**Pendidikan Terakhir**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid SMP	26	26.0	26.0	26.0
SMA	51	51.0	51.0	77.0
Sarjana	23	23.0	23.0	100.0
Total	100	100.0	100.0	

**Penghasilan Keluarga**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1600000.00	2	2.0	2.0	2.0
1700000.00	2	2.0	2.0	4.0
1800000.00	3	3.0	3.0	7.1
2000000.00	1	1.0	1.0	8.1
2200000.00	2	2.0	2.0	10.1
2300000.00	2	2.0	2.0	12.1
2500000.00	4	4.0	4.0	16.2
2600000.00	1	1.0	1.0	17.2
2700000.00	14	14.0	14.1	31.3
2800000.00	13	13.0	13.1	44.4
2900000.00	3	3.0	3.0	47.5
3000000.00	14	14.0	14.1	61.6
3100000.00	3	3.0	3.0	64.6
3200000.00	3	3.0	3.0	67.7
3300000.00	3	3.0	3.0	70.7
3500000.00	4	4.0	4.0	74.7
3700000.00	5	5.0	5.1	79.8
3800000.00	5	5.0	5.1	84.8
4000000.00	1	1.0	1.0	85.9
4500000.00	3	3.0	3.0	88.9
4700000.00	2	2.0	2.0	90.9
4800000.00	3	3.0	3.0	93.9
4900000.00	1	1.0	1.0	94.9

	5000000.00	3	3.0	3.0	98.0
	5500000.00	2	2.0	2.0	100.0
	Total	99	99.0	100.0	
Missing System		1	1.0		
Total		100	100.0		

## REGRESSIONS

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	KEBERSYUKU RAN <sup>b</sup>		. Enter

a. Dependent Variable: STRES\_MENOPAUSE

b. All requested variables entered.

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
					R Square Change	F Change	df1	df 2	Sig. F Change
1	.367 <sup>a</sup>	.134	.126	.22964	.134	15.221	1	98	.000

a. Predictors: (Constant), KEBERSYUKURAN

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.803	1	.803	15.221	.000 <sup>b</sup>
	Residual	5.168	98	.053		
	Total	5.971	99			

a. Dependent Variable: STRES\_MENOPAUSE

b. Predictors: (Constant), KEBERSYUKURAN

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	3.336	.304		10.985	.000
	KEBERSYUKURAN	-.405	.104	-.367	-3.901	.000

a. Dependent Variable: STRES\_MENOPAUSE