

LAMPIRAN 6

Hasil Analisis Data

(perhitungan Uji Asumsi)

1. Uji Normalitas
2. Uji linieritas
3. Uji Korelasi

1. Uji Normalitas

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
ghh	,165	107	,000	,906	107	,000
kd	,101	107	,010	,982	107	,160

a. Lilliefors Significance Correction

2. Uji Linieritas

Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
kd * ghh	107	100,0%	0	0,0%	107	100,0%

Report

kd

ghh	Mean	N	Std. Deviation
30	129,75	8	7,723
31	130,60	5	4,278
32	132,33	15	7,306
33	132,38	8	7,596
34	132,57	7	7,892
35	133,20	10	6,512
36	131,00	11	9,529
37	126,83	6	9,908
38	128,00	1	.
39	117,17	6	6,882
40	118,50	4	11,676
41	115,67	3	2,082
42	120,50	2	2,121
43	122,50	4	7,506
44	125,00	2	11,314
45	118,33	3	9,292
46	128,00	2	5,657
47	118,40	5	6,656

49	127,40	5	4,037
Total	127,76	107	9,073

ANOVA Table

			Sum of Squares	df	Mean Square	F	Sig.
kd *	Between	(Combined)	3526,560	18	195,920	3,316	,000
ghh	Groups	Linearity	1621,663	1	1621,663	27,448	,000
		Deviation from Linearity	1904,897	17	112,053	1,897	,028
Within Groups			5199,123	88	59,081		
Total			8725,682	106			

Measures of Association

	R	R Squared	Eta	Eta Squared
kd * ghh	-,431	,186	,636	,404

3. Uji Korelasi

Correlations

			ghh	kd
Spearman's rho	ghh	Correlation Coefficient	1,000	-,446**
		Sig. (1-tailed)	.	,000
		N	107	107
	kd	Correlation Coefficient	-,446**	1,000
		Sig. (1-tailed)	,000	.
		N	107	107

** . Correlation is significant at the 0.01 level (1-tailed).