

LAMPIRAN 4  
Hasil Pengolahan Data

### Uji normalitas

#### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		69
Normal Parameters <sup>a</sup>	Mean	.0000000
	Std. Deviation	3.34366786
Most Extreme Differences	Absolute	.089
	Positive	.089
	Negative	-.064
Kolmogorov-Smirnov Z		.742
Asymp. Sig. (2-tailed)		.640

a. Test distribution is Normal.

### Uji Linearitas

#### ANOVA Table

			Sum of Squares	df	Mean Square	F	Sig.
P. agresif Konformitas	Between Groups	(Combined)	209.147	13	16.088	1.479	.155
		Linearity	47.057	1	47.057	4.327	.042
		Deviation from Linearity	162.091	12	13.508	1.242	.280
Within Groups			598.157	55	10.876		
Total			807.304	68			

## Uji Hipotesis

### Correlations

			Perilaku agresif	Konformitas
Spearman's rho	Perilaku agresif	Correlation Coefficient	1.000	.320**
		Sig. (2-tailed)	.	.007
		N	69	69
	Konformitas	Correlation Coefficient	.320**	1.000
		Sig. (2-tailed)	.007	.
		N	69	69

\*\* . Correlation is significant at the 0.01 level (2-tailed).