

Tabel Element Force Frame pada basement 1

Element Force Frame								
Frame	Station	Outputcase	P	V2	V3	T	M2	M3
196	0	qy	113.014	0.108	-1.258	0	-1.1971	0.1062
196	1.5	qy	113.014	0.108	-1.258	0	0.6899	-0.0554
196	3	qy	113.014	0.108	-1.258	0	2.577	-0.2171
196	0	COMB7	0.856	0.405	-1.147	0	-1.0919	0.399
196	1.5	COMB7	8.729	0.405	-1.147	0	0.6293	-0.2082
196	3	COMB7	16.602	0.405	-1.147	0	2.3504	-0.8154
196	0	COMB8	-292.981	0.125	2.123	0	2.0207	0.1229
196	1.5	COMB8	-285.108	0.125	2.123	0	-1.1645	-0.0641
196	3	COMB8	-277.235	0.125	2.123	0	-4.3497	-0.2511
196	0	COMB9	-253.18	0.414	1.871	0	1.7803	0.4076
196	1.5	COMB9	-245.307	0.414	1.871	0	-1.026	-0.2127
196	3	COMB9	-237.434	0.414	1.871	0	-3.8323	-0.8331
196	0	COMB10	40.656	0.694	-1.4	0	-1.3322	0.6837
196	1.5	COMB10	48.53	0.694	-1.4	0	0.7678	-0.3568
196	3	COMB10	56.403	0.694	-1.4	0	2.8678	-1.3974
196	0	COMB16	60.666	0.211	-1.319	0	-1.2551	0.2078
196	1.5	COMB16	64.807	0.211	-1.319	0	0.7233	-0.1084
196	3	COMB16	68.947	0.211	-1.319	0	2.7017	-0.4247
196	0	COMB17	-233.171	-0.069	1.952	0	1.8575	-0.0683
196	1.5	COMB17	-229.03	-0.069	1.952	0	-1.0705	0.0357
196	3	COMB17	-224.889	-0.069	1.952	0	-3.9984	0.1397
196	0	COMB18	-193.37	0.22	1.699	0	1.6171	0.2164
196	1.5	COMB18	-189.23	0.22	1.699	0	-0.932	-0.1129
196	3	COMB18	-185.089	0.22	1.699	0	-3.4811	-0.4423
196	0	COMB19	100.467	0.5	-1.571	0	-1.4954	0.4925
196	1.5	COMB19	104.607	0.5	-1.571	0	0.8618	-0.2571
196	3	COMB19	108.748	0.5	-1.571	0	3.219	-1.0066
202	0	qy	184.322	0.516	-3.26	0	-3.1026	0.4994
202	1.5	qy	184.322	0.516	-3.26	0	1.788	-0.2748
202	3	qy	184.322	0.516	-3.26	0	6.6785	-1.0489
202	0	COMB7	-75.377	0.256	-6.369	0	-6.0611	0.248
202	1.5	COMB7	-63.568	0.256	-6.369	0	3.493	-0.1365
202	3	COMB7	-51.758	0.256	-6.369	0	13.047	-0.5209
202	0	COMB8	-554.615	-1.086	2.108	0	2.0056	-1.0504
202	1.5	COMB8	-542.805	-1.086	2.108	0	-1.1558	0.5779
202	3	COMB8	-530.996	-1.086	2.108	0	-4.3172	2.2062
202	0	COMB9	-540.553	-1.888	1.881	0	1.7896	-1.8269
202	1.5	COMB9	-528.743	-1.888	1.881	0	-1.0313	1.0052
202	3	COMB9	-516.934	-1.888	1.881	0	-3.8522	3.8373
202	0	COMB10	-61.316	-0.546	-6.596	0	-6.2771	-0.5285

Lanjutan Tabel Element Force Frame pada basement 1

202	1.5	COMB10	-49.506	-0.546	-6.596	0	3.6174	0.2908
202	3	COMB10	-37.696	-0.546	-6.596	0	13.512	1.1102
202	0	COMB16	70.621	0.643	-5.305	0	-5.0486	0.6222
202	1.5	COMB16	76.832	0.643	-5.305	0	2.9095	-0.3424
202	3	COMB16	83.043	0.643	-5.305	0	10.8675	-1.307
202	0	COMB17	-408.616	-0.699	3.172	0	3.0181	-0.6761
202	1.5	COMB17	-402.406	-0.699	3.172	0	-1.7393	0.372
202	3	COMB17	-396.195	-0.699	3.172	0	-6.4967	1.4201
202	0	COMB18	-394.555	-1.501	2.945	0	2.8021	-1.4526
202	1.5	COMB18	-388.344	-1.501	2.945	0	-1.6148	0.7993
202	3	COMB18	-382.133	-1.501	2.945	0	-6.0317	3.0512
202	0	COMB19	84.683	-0.159	-5.532	0	-5.2646	-0.1543
202	1.5	COMB19	90.894	-0.159	-5.532	0	3.0339	0.0849
202	3	COMB19	97.105	-0.159	-5.532	0	11.3325	0.3241
208	0	qy	0	0	0	0	0	0
208	1.5	qy	0	0	0	0	0	0
208	3	qy	0	0	0	0	0	0
208	0	COMB7	-11.81	0	0	0	0	0
208	1.5	COMB7	0	0	0	0	0	0
208	3	COMB7	11.81	0	0	0	0	0
208	0	COMB8	-11.81	0	0	0	0	0
208	1.5	COMB8	0	0	0	0	0	0
208	3	COMB8	11.81	0	0	0	0	0
208	0	COMB9	-11.81	0	0	0	0	0
208	1.5	COMB9	0	0	0	0	0	0
208	3	COMB9	11.81	0	0	0	0	0
208	0	COMB10	-11.81	0	0	0	0	0
208	1.5	COMB10	0	0	0	0	0	0
208	3	COMB10	11.81	0	0	0	0	0
208	0	COMB16	-6.211	0	0	0	0	0
208	1.5	COMB16	0	0	0	0	0	0
208	3	COMB16	6.211	0	0	0	0	0
208	0	COMB17	-6.211	0	0	0	0	0
208	1.5	COMB17	0	0	0	0	0	0
208	3	COMB17	6.211	0	0	0	0	0
208	0	COMB18	-6.211	0	0	0	0	0
208	1.5	COMB18	0	0	0	0	0	0
208	3	COMB18	6.211	0	0	0	0	0
208	0	COMB19	-6.211	0	0	0	0	0
208	1.5	COMB19	0	0	0	0	0	0
208	3	COMB19	6.211	0	0	0	0	0
214	0	qy	23.13	-0.307	-0.269	-0	6.6527	-0.3461
214	1.5	qy	23.13	-0.307	-0.269	-0	7.0563	0.1137
214	3	qy	23.13	-0.307	-0.269	-0	7.4599	0.5736

Lanjutan Tabel Element Force Frame pada basement 1

214	0	COMB7	-263.93	-0.839	-7.034	-0.1	5.8961	-0.4636
214	1.5	COMB7	-252.121	-0.839	-7.034	-0.1	16.4477	0.7945
214	3	COMB7	-240.311	-0.839	-7.034	-0.1	26.9992	2.0526
214	0	COMB8	-324.068	-0.042	-6.335	-0.1	-11.4009	0.4364
214	1.5	COMB8	-312.258	-0.042	-6.335	-0.1	-1.8987	0.4988
214	3	COMB8	-300.449	-0.042	-6.335	-0.1	7.6035	0.5613
214	0	COMB9	-322.446	0.957	-6.304	-0.1	-11.1408	0.4789
214	1.5	COMB9	-310.636	0.957	-6.304	-0.1	-1.6846	-0.9558
214	3	COMB9	-298.827	0.957	-6.304	-0.1	7.7716	-2.3906
214	0	COMB10	-262.309	0.159	-7.004	-0.1	6.1562	-0.421
214	1.5	COMB10	-250.499	0.159	-7.004	-0.1	16.6617	-0.6602
214	3	COMB10	-238.689	0.159	-7.004	-0.1	27.1673	-0.8994
214	0	COMB16	-124.938	-0.867	-3.873	-0.1	7.1393	-0.4672
214	1.5	COMB16	-118.727	-0.867	-3.873	-0.1	12.9483	0.8328
214	3	COMB16	-112.516	-0.867	-3.873	-0.1	18.7572	2.1327
214	0	COMB17	-185.075	-0.07	-3.173	-0	-10.1577	0.4327
214	1.5	COMB17	-178.864	-0.07	-3.173	-0	-5.3981	0.5371
214	3	COMB17	-172.653	-0.07	-3.173	-0	-0.6385	0.6415
214	0	COMB18	-183.453	0.929	-3.142	-0	-9.8976	0.4753
214	1.5	COMB18	-177.242	0.929	-3.142	-0	-5.184	-0.9176
214	3	COMB18	-171.031	0.929	-3.142	-0	-0.4704	-2.3105
214	0	COMB19	-123.316	0.132	-3.842	-0	7.3994	-0.4246
214	1.5	COMB19	-117.105	0.132	-3.842	-0	13.1623	-0.6219
214	3	COMB19	-110.894	0.132	-3.842	-0	18.9253	-0.8193
219	0	qy	17.481	0.128	-0.0041	-0	6.9431	0.074
219	1.5	qy	17.481	0.128	-0.0041	-0	6.9493	-0.1174
219	3	qy	17.481	0.128	-0.0041	-0	6.9556	-0.3088
219	0	COMB7	-282.476	-0.082	-6.27	-0.1	7.1319	0.2687
219	1.5	COMB7	-270.666	-0.082	-6.27	-0.1	16.5376	0.3916
219	3	COMB7	-258.857	-0.082	-6.27	-0.1	25.9433	0.5146
219	0	COMB8	-327.926	-0.414	-6.26	-0.1	-10.9202	0.0764
219	1.5	COMB8	-316.117	-0.414	-6.26	-0.1	-1.5307	0.6969
219	3	COMB8	-304.307	-0.414	-6.26	-0.1	7.8588	1.3174
219	0	COMB9	-332.746	0.438	-6.16	-0.1	-10.6702	-0.0232
219	1.5	COMB9	-320.937	0.438	-6.16	-0.1	-1.43	-0.6795
219	3	COMB9	-309.127	0.438	-6.16	-0.1	7.8103	-1.3358
219	0	COMB10	-287.296	0.769	-6.171	-0.1	7.3819	0.1691
219	1.5	COMB10	-275.486	0.769	-6.171	-0.1	16.6383	-0.9848
219	3	COMB10	-263.677	0.769	-6.171	-0.1	25.8947	-2.1387
219	0	COMB16	-136.646	-0.166	-3.324	-0.1	7.9706	0.2105
219	1.5	COMB16	-130.435	-0.166	-3.324	-0.1	12.9565	0.4599
219	3	COMB16	-124.224	-0.166	-3.324	-0.1	17.9424	0.7092
219	0	COMB17	-182.096	-0.498	-3.313	-0	-10.0815	0.0182
219	1.5	COMB17	-175.885	-0.498	-3.313	-0	-5.1118	0.7652

Lanjutan Tabel Element Force Frame pada basement 1

219	3	COMB17	-175.885	-0.498	-3.313	-0	-5.1118	0.7652
219	0	COMB18	-169.674	-0.498	-3.313	-0	-0.142	1.5121
219	1.5	COMB18	-186.916	0.353	-3.214	-0	-9.8315	-0.0814
219	3	COMB18	-180.705	0.353	-3.214	-0	-5.011	-0.6113
219	0	COMB19	-174.494	0.353	-3.214	-0	-0.1906	-1.1412
219	1.5	COMB19	-141.466	0.685	-3.224	-0	8.2206	0.1109
219	3	COMB19	-135.255	0.685	-3.224	-0	13.0573	-0.9166
224	0	qy	-129.044	0.685	-3.224	-0	17.8939	-1.944
224	1.5	qy	23.064	-0.965	0.631	-0	4.4369	-0.9738
224	3	qy	23.064	-0.965	0.631	-0	3.4898	0.4731
224	0	COMB7	23.064	-0.965	0.631	-0	2.5428	1.9199
224	1.5	COMB7	-193.855	-2.92	-4.342	-0.1	3.2519	-2.5404
224	3	COMB7	-184.193	-2.92	-4.342	-0.1	9.7647	1.8392
224	0	COMB8	-174.531	-2.92	-4.342	-0.1	16.2775	6.2187
224	1.5	COMB8	-253.821	-0.412	-5.983	-0	-8.284	-0.0084
224	3	COMB8	-244.159	-0.412	-5.983	-0	0.6911	0.6092
224	0	COMB9	-234.497	-0.412	-5.983	-0	9.6662	1.2269
224	1.5	COMB9	-229.149	0.422	-5.709	-0	-7.9751	0.0432
224	3	COMB9	-219.486	0.422	-5.709	-0	0.5889	-0.5902
224	0	COMB10	-209.824	0.422	-5.709	-0	9.1529	-1.2236
224	1.5	COMB10	-169.183	-2.086	-4.068	-0.1	3.5607	-2.4888
224	3	COMB10	-159.52	-2.086	-4.068	-0.1	9.6624	0.6397
224	0	COMB16	-149.858	-2.086	-4.068	-0.1	15.7641	3.7683
224	1.5	COMB16	-93.588	-2.328	-1.959	-0	4.3715	-1.9485
224	3	COMB16	-88.506	-2.328	-1.959	-0	7.3105	1.5431
224	0	COMB17	-83.424	-2.328	-1.959	-0	10.2495	5.0347
224	1.5	COMB17	-153.554	0.18	-3.601	-0	-7.1644	0.5835
224	3	COMB17	-148.472	0.18	-3.601	-0	-1.7631	0.3132
224	0	COMB18	-143.39	0.18	-3.601	-0	3.6383	0.0428
224	1.5	COMB18	-128.881	1.014	-3.327	-0	-6.8555	0.6351
224	3	COMB18	-123.799	1.014	-3.327	-0	-1.8653	-0.8863
224	0	COMB19	-118.718	1.014	-3.327	-0	3.1249	-2.4076
224	1.5	COMB19	-68.915	-1.494	-1.685	-0	4.6803	-1.8969
224	3	COMB19	-63.833	-1.494	-1.685	-0	7.2083	0.3437
229	0	qy	-58.752	-1.494	-1.685	-0	9.7362	2.5842
229	1.5	qy	282.538	-0.384	-0.748	-0	3.1145	-0.4117
229	3	qy	282.538	-0.384	-0.748	-0	4.2363	0.1637
229	0	COMB7	282.538	-0.384	-0.748	-0	5.3582	0.7391
229	1.5	COMB7	179.592	2.091	-2.732	-0.1	4.9708	2.3081
229	3	COMB7	189.254	2.091	-2.732	-0.1	9.0695	-0.8286
229	0	COMB8	198.917	2.091	-2.732	-0.1	13.1681	-3.9653
229	1.5	COMB8	-555.007	3.088	-0.788	-0	-3.1267	3.3784
229	3	COMB8	-545.345	3.088	-0.788	-0	-1.945	-1.2543
229	0	COMB9	-535.682	3.088	-0.788	-0	-0.7634	-5.887

Lanjutan Tabel Element Force Frame pada basement 1

229	1.5	COMB9	-564.105	4.214	-0.616	-0	-2.017	-2.6089
229	3	COMB9	-554.443	4.214	-0.616	-0	-1.0934	-8.93
229	0	COMB10	160.832	3.217	-2.56	-0.1	5.157	2.6418
229	1.5	COMB10	170.494	3.217	-2.56	-0.1	8.9975	-2.1832
229	3	COMB10	180.156	3.217	-2.56	-0.1	12.8381	-7.0083
229	0	COMB16	273.026	0.597	-1.939	-0	4.4896	0.8811
229	1.5	COMB16	278.108	0.597	-1.939	-0	7.3978	-0.0138
229	3	COMB16	283.189	0.597	-1.939	-0	10.3059	-0.9086
229	0	COMB17	-461.573	1.594	0.00584	-0	-3.608	1.9514
229	1.5	COMB17	-456.491	1.594	0.00584	-0	-3.6167	-0.4395
229	3	COMB17	-451.409	1.594	0.00584	-0	-3.6255	-2.8303
229	0	COMB18	-480.333	2.719	0.178	-0	-3.4218	2.2851
229	1.5	COMB18	-475.251	2.719	0.178	-0	-3.6887	-1.7941
229	3	COMB18	-470.17	2.719	0.178	-0	-3.9555	-5.8734
229	0	COMB19	254.266	1.722	-1.767	-0	4.6757	1.2148
229	1.5	COMB19	259.348	1.722	-1.767	-0	7.3258	-1.3684
229	3	COMB19	264.429	1.722	-1.767	-0	9.9759	-3.9516
234	0	qy	9.311	0.675	7.195	-0	13.9084	0.6037
234	1.5	qy	9.311	0.675	7.195	-0	3.1157	-0.4089
234	3	qy	9.311	0.675	7.195	-0	-7.6769	-1.4214
234	0	COMB7	-115.954	-5.872	9.403	-0.1	23.5662	-5.3334
234	1.5	COMB7	-104.145	-5.872	9.403	-0.1	9.4609	3.474
234	3	COMB7	-92.335	-5.872	9.403	-0.1	-4.6443	12.2815
234	0	COMB8	-140.162	-7.627	-9.304	-0.1	-12.5956	-6.9029
234	1.5	COMB8	-128.352	-7.627	-9.304	-0.1	1.36	4.5371
234	3	COMB8	-116.543	-7.627	-9.304	-0.1	15.3157	15.9771
234	0	COMB9	-177.802	-5.587	-9.323	-0.1	-12.6844	-5.8525
234	1.5	COMB9	-165.993	-5.587	-9.323	-0.1	1.3004	2.5279
234	3	COMB9	-154.183	-5.587	-9.323	-0.1	15.2852	10.9084
234	0	COMB10	-153.595	-3.832	9.384	-0.1	23.4774	-4.283
234	1.5	COMB10	-141.785	-3.832	9.384	-0.1	9.4013	1.4648
234	3	COMB10	-129.976	-3.832	9.384	-0.1	-4.6748	7.2127
234	0	COMB16	-46.323	-3.156	9.384	-0.1	20.9868	-2.6819
234	1.5	COMB16	-40.112	-3.156	9.384	-0.1	6.9101	2.0514
234	3	COMB16	-33.901	-3.156	9.384	-0.1	-7.1666	6.7846
234	0	COMB17	-70.531	-4.911	-9.323	-0	-15.175	-4.2514
234	1.5	COMB17	-64.32	-4.911	-9.323	-0	-1.1908	3.1144
234	3	COMB17	-58.109	-4.911	-9.323	-0	12.7934	10.4803
234	0	COMB18	-108.171	-2.871	-9.342	-0	-15.2638	-3.2011
234	1.5	COMB18	-101.96	-2.871	-9.342	-0	-1.2504	1.1052
234	3	COMB18	-95.749	-2.871	-9.342	-0	12.7629	5.4115
234	0	COMB19	-83.963	-1.116	9.365	-0	20.898	-1.6316
234	1.5	COMB19	-77.753	-1.116	9.365	-0	6.8505	0.0422
234	3	COMB19	-71.542	-1.116	9.365	-0	-7.1971	1.7159

Lanjutan Tabel Element Force Frame pada basement 1

239	0	qy	-85.073	-1.006	4.501	-0	11.3445	-1.0023
239	1.5	qy	-85.073	-1.006	4.501	-0	4.5932	0.5066
239	3	qy	-85.073	-1.006	4.501	-0	-2.158	2.0155
239	0	COMB7	-820.528	-77.697	8.461	-0.1	22.6694	-74.5589
239	1.5	COMB7	-808.719	-77.697	8.461	-0.1	9.9777	41.9862
239	3	COMB7	-796.909	-77.697	8.461	-0.1	-2.714	158.5313
239	0	COMB8	-599.338	-75.081	-3.241	-0.1	-6.8264	-71.9529
239	1.5	COMB8	-587.528	-75.081	-3.241	-0.1	-1.9647	40.6691
239	3	COMB8	-575.718	-75.081	-3.241	-0.1	2.897	153.2911
239	0	COMB9	-629.656	-59.764	-3.157	-0.1	-6.8166	-58.0959
239	1.5	COMB9	-617.846	-59.764	-3.157	-0.1	-2.0812	31.5506
239	3	COMB9	-606.037	-59.764	-3.157	-0.1	2.6542	121.197
239	0	COMB10	-850.846	-62.38	8.545	-0.1	22.6792	-60.7018
239	1.5	COMB10	-839.037	-62.38	8.545	-0.1	9.8613	32.8677
239	3	COMB10	-827.227	-62.38	8.545	-0.1	-2.9567	126.4373
239	0	COMB16	-476.781	-45.113	7.204	-0.1	18.9117	-43.1148
239	1.5	COMB16	-470.57	-45.113	7.204	-0.1	8.106	24.5553
239	3	COMB16	-464.359	-45.113	7.204	-0.1	-2.6998	92.2253
239	0	COMB17	-255.59	-42.498	-4.498	-0	-10.5841	-40.5088
239	1.5	COMB17	-249.379	-42.498	-4.498	-0	-3.8365	23.2381
239	3	COMB17	-243.168	-42.498	-4.498	-0	2.9111	86.9851
239	0	COMB18	-285.908	-27.181	-4.414	-0	-10.5743	-26.6518
239	1.5	COMB18	-279.697	-27.181	-4.414	-0	-3.9529	14.1196
239	3	COMB18	-273.486	-27.181	-4.414	-0	2.6684	54.891
239	0	COMB19	-507.099	-29.796	7.288	-0	18.9215	-29.2578
239	1.5	COMB19	-500.888	-29.796	7.288	-0	7.9895	15.4368
239	3	COMB19	-494.677	-29.796	7.288	-0	-2.9425	60.1313
274	0	qy	-26.955	-0.00031	-1.328	0	-1.2639	-0.0003104
274	1.5	qy	-26.955	-0.00031	-1.328	0	0.7283	0.000162
274	3	qy	-26.955	-0.00031	-1.328	0	2.7206	0.0006344
274	0	COMB7	-211.887	0.348	-2.818	0	-2.6816	0.3427
274	1.5	COMB7	-204.014	0.348	-2.818	0	1.5454	-0.1789
274	3	COMB7	-196.141	0.348	-2.818	0	5.7724	-0.7005
274	0	COMB8	-141.804	0.349	0.635	0	0.6044	0.3435
274	1.5	COMB8	-133.931	0.349	0.635	0	-0.3483	-0.1793
274	3	COMB8	-126.058	0.349	0.635	0	-1.3011	-0.7021
274	0	COMB9	-121.585	0.268	0.716	0	0.6814	0.2646
274	1.5	COMB9	-113.712	0.268	0.716	0	-0.3927	-0.1381
274	3	COMB9	-105.839	0.268	0.716	0	-1.4668	-0.5408
274	0	COMB10	-191.669	0.268	-2.737	0	-2.6046	0.2638
274	1.5	COMB10	-183.796	0.268	-2.737	0	1.501	-0.1377
274	3	COMB10	-175.923	0.268	-2.737	0	5.6067	-0.5391
274	0	COMB16	-132.842	0.202	-2.32	0	-2.2075	0.1988
274	1.5	COMB16	-128.702	0.202	-2.32	0	1.2722	-0.1037

Lanjutan Tabel Element Force Frame pada basement 1

274	3	COMB16	-124.561	0.202	-2.32	0	4.7518	-0.4062
274	0	COMB17	-62.758	0.202	1.133	0	1.0785	0.1996
274	1.5	COMB17	-58.618	0.202	1.133	0	-0.6216	-0.1042
274	3	COMB17	-54.477	0.202	1.133	0	-2.3217	-0.4079
274	0	COMB18	-42.54	0.122	1.214	0	1.1555	0.1206
274	1.5	COMB18	-38.399	0.122	1.214	0	-0.6659	-0.063
274	3	COMB18	-34.258	0.122	1.214	0	-2.4874	-0.2466
274	0	COMB19	-112.624	0.122	-2.239	0	-2.1305	0.1198
274	1.5	COMB19	-108.483	0.122	-2.239	0	1.2278	-0.0625
274	3	COMB19	-104.342	0.122	-2.239	0	4.5861	-0.2449
310	0	qy	-599.735	-0.017	-1.337	-0	2.5442	-0.0399
310	1.5	qy	-599.735	-0.017	-1.337	-0	4.5501	-0.0148
310	3	qy	-599.735	-0.017	-1.337	-0	6.5559	0.0103
310	0	COMB7	-1919.15	34.561	-5.062	-0.1	2.7164	33.9493
310	1.5	COMB7	-1909.488	34.561	-5.062	-0.1	10.3099	-17.8928
310	3	COMB7	-1899.825	34.561	-5.062	-0.1	17.9035	-69.7348
310	0	COMB8	-359.839	34.605	-1.586	-0	-3.8987	34.0529
310	1.5	COMB8	-350.176	34.605	-1.586	-0	-1.5203	-17.8543
310	3	COMB8	-340.514	34.605	-1.586	-0	0.8581	-69.7615
310	0	COMB9	-378.513	52.221	-1.532	-0	-3.8276	50.3096
310	1.5	COMB9	-368.851	52.221	-1.532	-0	-1.5289	-28.0216
310	3	COMB9	-359.188	52.221	-1.532	-0	0.7698	-106.3528
310	0	COMB10	-1937.824	52.177	-5.009	-0.1	2.7874	50.206
310	1.5	COMB10	-1928.162	52.177	-5.009	-0.1	10.3013	-28.06
310	3	COMB10	-1918.499	52.177	-5.009	-0.1	17.8153	-106.3261
310	0	COMB16	-1374.519	13.991	-3.499	-0	2.9798	13.9768
310	1.5	COMB16	-1369.437	13.991	-3.499	-0	8.2285	-7.0094
310	3	COMB16	-1364.355	13.991	-3.499	-0	13.4772	-27.9955
310	0	COMB17	184.792	14.034	-0.022	-0	-3.6353	14.0804
310	1.5	COMB17	189.874	14.034	-0.022	-0	-3.6017	-6.9709
310	3	COMB17	194.956	14.034	-0.022	-0	-3.5682	-28.0223
310	0	COMB18	166.118	31.65	0.031	-0	-3.5642	30.3371
310	1.5	COMB18	171.2	31.65	0.031	-0	-3.6103	-17.1382
310	3	COMB18	176.282	31.65	0.031	-0	-3.6565	-64.6135
310	0	COMB19	-1393.193	31.607	-3.446	-0	3.0508	30.2335
310	1.5	COMB19	-1388.111	31.607	-3.446	-0	8.2199	-17.1766
310	3	COMB19	-1383.029	31.607	-3.446	-0	13.389	-64.5868
326	0	qy	-262.362	0.063	-0.865	0	-0.8228	0.0614
326	1.5	qy	-262.362	0.063	-0.865	0	0.4741	-0.0338
326	3	qy	-262.362	0.063	-0.865	0	1.7711	-0.129
326	0	COMB7	-798.908	2.159	-0.972	0	-0.9245	2.0886
326	1.5	COMB7	-787.098	2.159	-0.972	0	0.5328	-1.1492
326	3	COMB7	-775.289	2.159	-0.972	0	1.99	-4.3871
326	0	COMB8	-116.768	1.994	1.276	0	1.2147	1.929

Lanjutan Tabel Element Force Frame pada basement 1

326	1.5	COMB8	-104.959	1.994	1.276	0	-0.7	-1.0614
326	3	COMB8	-93.149	1.994	1.276	0	-2.6147	-4.0517
326	0	COMB9	-143.674	-2.685	1.238	0	1.1778	-2.5977
326	1.5	COMB9	-131.864	-2.685	1.238	0	-0.6787	1.4293
326	3	COMB9	-120.055	-2.685	1.238	0	-2.5352	5.4564
326	0	COMB10	-825.814	-2.52	-1.01	0	-0.9614	-2.438
326	1.5	COMB10	-814.004	-2.52	-1.01	0	0.5541	1.3415
326	3	COMB10	-802.195	-2.52	-1.01	0	2.0695	5.121
326	0	COMB16	-575.481	2.283	-1.035	0	-0.9845	2.2093
326	1.5	COMB16	-569.27	2.283	-1.035	0	0.5674	-1.2156
326	3	COMB16	-563.059	2.283	-1.035	0	2.1193	-4.6406
326	0	COMB17	106.659	2.118	1.213	0	1.1547	2.0496
326	1.5	COMB17	112.87	2.118	1.213	0	-0.6654	-1.1278
326	3	COMB17	119.081	2.118	1.213	0	-2.4855	-4.3052
326	0	COMB18	79.753	-2.56	1.175	0	1.1177	-2.4771
326	1.5	COMB18	85.964	-2.56	1.175	0	-0.6441	1.3629
326	3	COMB18	92.175	-2.56	1.175	0	-2.406	5.2029
326	0	COMB19	-602.387	-2.395	-1.073	0	-1.0214	-2.3174
326	1.5	COMB19	-596.176	-2.395	-1.073	0	0.5887	1.2751
326	3	COMB19	-589.965	-2.395	-1.073	0	2.1988	4.8675
327	0	qy	0	0	0	0	0	0
327	1.5	qy	0	0	0	0	0	0
327	3	qy	0	0	0	0	0	0
327	0	COMB7	-11.81	0	0	0	0	0
327	1.5	COMB7	0	0	0	0	0	0
327	3	COMB7	11.81	0	0	0	0	0
327	0	COMB8	-11.81	0	0	0	0	0
327	1.5	COMB8	0	0	0	0	0	0
327	3	COMB8	11.81	0	0	0	0	0
327	0	COMB9	-11.81	0	0	0	0	0
327	1.5	COMB9	0	0	0	0	0	0
327	3	COMB9	11.81	0	0	0	0	0
327	0	COMB10	-11.81	0	0	0	0	0
327	1.5	COMB10	0	0	0	0	0	0
327	3	COMB10	11.81	0	0	0	0	0
327	0	COMB16	-6.211	0	0	0	0	0
327	1.5	COMB16	0	0	0	0	0	0
327	3	COMB16	6.211	0	0	0	0	0
327	0	COMB17	-6.211	0	0	0	0	0
327	1.5	COMB17	0	0	0	0	0	0
327	3	COMB17	6.211	0	0	0	0	0
327	0	COMB18	-6.211	0	0	0	0	0
327	1.5	COMB18	0	0	0	0	0	0
327	3	COMB18	6.211	0	0	0	0	0



Lanjutan Tabel Element Force Frame pada basement 1

327	0	COMB19	-6.211	0	0	0	0	0
327	1.5	COMB19	0	0	0	0	0	0
327	3	COMB19	6.211	0	0	0	0	0
328	0	qy	-30.372	0.086	1.227	-0	8.1148	0.0546
328	1.5	qy	-30.372	0.086	1.227	-0	6.2741	-0.075
328	3	qy	-30.372	0.086	1.227	-0	4.4335	-0.2046
328	0	COMB7	-2702.468	-11.084	-50.692	-0.1	-35.1395	-10.1043
328	1.5	COMB7	-2690.658	-11.084	-50.692	-0.1	40.8983	6.5216
328	3	COMB7	-2678.849	-11.084	-50.692	-0.1	116.9361	23.1474
328	0	COMB8	-2623.499	-11.309	-53.882	-0.1	-56.2379	-10.2463
328	1.5	COMB8	-2611.69	-11.309	-53.882	-0.1	24.5855	6.7165
328	3	COMB8	-2599.88	-11.309	-53.882	-0.1	105.4089	23.6792
328	0	COMB9	-2623.202	14.991	-53.666	-0.1	-55.8763	14.2369
328	1.5	COMB9	-2611.392	14.991	-53.666	-0.1	24.622	-8.2489
328	3	COMB9	-2599.583	14.991	-53.666	-0.1	105.1203	-30.7347
328	0	COMB10	-2702.17	15.215	-50.475	-0.1	-34.7779	14.379
328	1.5	COMB10	-2690.36	15.215	-50.475	-0.1	40.9347	-8.4438
328	3	COMB10	-2678.551	15.215	-50.475	-0.1	116.6474	-31.2665
328	0	COMB16	-1440.087	-12.01	-25.955	-0.1	-13.5654	-11.0838
328	1.5	COMB16	-1433.876	-12.01	-25.955	-0.1	25.3676	6.931
328	3	COMB16	-1427.665	-12.01	-25.955	-0.1	64.3005	24.9458
328	0	COMB17	-1361.118	-12.235	-29.146	-0	-34.6638	-11.2259
328	1.5	COMB17	-1354.908	-12.235	-29.146	-0	9.0548	7.1259
328	3	COMB17	-1348.697	-12.235	-29.146	-0	52.7734	25.4777
328	0	COMB18	-1360.821	14.065	-28.929	-0	-34.3022	13.2573
328	1.5	COMB18	-1354.61	14.065	-28.929	-0	9.0913	-7.8395
328	3	COMB18	-1348.399	14.065	-28.929	-0	52.4847	-28.9362
328	0	COMB19	-1439.789	14.289	-25.739	-0	-13.2038	13.3994
328	1.5	COMB19	-1433.578	14.289	-25.739	-0	25.404	-8.0343
328	3	COMB19	-1427.367	14.289	-25.739	-0	64.0118	-29.4681
333	3	COMB10	-2669.205	14.658	-50.977	-0.1	117.2421	-30.1333
333	1.5	COMB10	-2681.015	14.658	-50.977	-0.1	40.7767	-8.1469
333	0	COMB10	-2692.824	14.658	-50.977	-0.1	-35.6888	13.8395
333	3	COMB9	-2593.813	14.463	-53.267	-0.1	103.9694	-29.6628
333	1.5	COMB9	-2605.623	14.463	-53.267	-0.1	24.0696	-7.9681
333	0	COMB9	-2617.432	14.463	-53.267	-0.1	-55.8303	13.7266
333	3	COMB19	-1421.84	14.027	-26.253	-0	64.8325	-28.9363
333	1.5	COMB19	-1428.051	14.027	-26.253	-0	25.4527	-7.895
333	0	COMB19	-1434.262	14.027	-26.253	-0	-13.9272	13.1462
333	3	COMB18	-1346.448	13.833	-28.543	-0	51.5598	-28.4657
333	1.5	COMB18	-1352.659	13.833	-28.543	-0	8.7456	-7.7162
333	0	COMB18	-1358.87	13.833	-28.543	-0	-34.0687	13.0333
333	3	qy	-28.997	0.075	0.881	-0	5.1049	-0.181
333	1.5	qy	-28.997	0.075	0.881	-0	6.4258	-0.0688

Lanjutan Tabel Element Force Frame pada basement 1

333	0	qy	-28.997	0.075	0.881	-0	7.7467	0.0434
333	0	COMB7	-2692.127	-11.805	-51.037	-0.1	-35.9765	-10.8019
333	1.5	COMB7	-2680.318	-11.805	-51.037	-0.1	40.5785	6.9054
333	3	COMB7	-2668.508	-11.805	-51.037	-0.1	117.1335	24.6127
333	0	COMB8	-2616.735	-11.999	-53.326	-0.1	-56.118	-10.9148
333	1.5	COMB8	-2604.926	-11.999	-53.326	-0.1	23.8714	7.0842
333	3	COMB8	-2593.116	-11.999	-53.326	-0.1	103.8609	25.0833
333	0	COMB16	-1433.565	-12.435	-26.313	-0.1	-14.2149	-11.4952
333	1.5	COMB16	-1427.354	-12.435	-26.313	-0.1	25.2545	7.1573
333	3	COMB16	-1421.143	-12.435	-26.313	-0.1	64.7239	25.8098
333	0	COMB17	-1358.173	-12.629	-28.603	-0	-34.3564	-11.608
333	1.5	COMB17	-1351.962	-12.629	-28.603	-0	8.5474	7.3361
333	3	COMB17	-1345.751	-12.629	-28.603	-0	51.4513	26.2803
338	0	qy	-107.468	1.66	1.905	-0	5.6693	1.5822
338	1.5	qy	-107.468	1.66	1.905	-0	2.8117	-0.9073
338	3	qy	-107.468	1.66	1.905	-0	-0.0459	-3.3968
338	0	COMB7	-2002.776	-20.969	-23.236	-0.1	-15.0305	-19.7814
338	1.5	COMB7	-1993.114	-20.969	-23.236	-0.1	19.8241	11.6713
338	3	COMB7	-1983.452	-20.969	-23.236	-0.1	54.6788	43.1241
338	0	COMB8	-1723.36	-25.284	-28.19	-0	-29.7707	-23.8952
338	1.5	COMB8	-1713.697	-25.284	-28.19	-0	12.5137	14.0303
338	3	COMB8	-1704.035	-25.284	-28.19	-0	54.798	51.9558
338	0	COMB9	-1595.909	-6.484	-28.087	-0	-29.6277	-6.4928
338	1.5	COMB9	-1586.247	-6.484	-28.087	-0	12.5027	3.2326
338	3	COMB9	-1576.585	-6.484	-28.087	-0	54.6331	12.9581
338	0	COMB10	-1875.326	-2.168	-23.134	-0.1	-14.8875	-2.379
338	1.5	COMB10	-1865.663	-2.168	-23.134	-0.1	19.8132	0.8737
338	3	COMB10	-1856.001	-2.168	-23.134	-0.1	54.5138	4.1263
338	0	COMB16	-1149.755	-14.461	-11.071	-0	-4.4448	-13.5535
338	1.5	COMB16	-1144.673	-14.461	-11.071	-0	12.1615	8.1385
338	3	COMB16	-1139.591	-14.461	-11.071	-0	28.7678	29.8305
338	0	COMB17	-870.338	-18.776	-16.024	-0	-19.185	-17.6672
338	1.5	COMB17	-865.256	-18.776	-16.024	-0	4.851	10.4975
338	3	COMB17	-860.175	-18.776	-16.024	-0	28.8871	38.6622
338	0	COMB18	-742.888	0.024	-15.921	-0	-19.0421	-0.2648
338	1.5	COMB18	-737.806	0.024	-15.921	-0	4.84	-0.3001
338	3	COMB18	-732.724	0.024	-15.921	-0	28.7222	-0.3355
338	0	COMB19	-1022.304	4.339	-10.968	-0	-4.3019	3.8489
338	1.5	COMB19	-1017.222	4.339	-10.968	-0	12.1505	-2.6591
338	3	COMB19	-1012.141	4.339	-10.968	-0	28.6029	-9.1672
343	0	qy	-12.581	0.029	1.055	-0	4.8469	0.0311
343	1.5	qy	-12.581	0.029	1.055	-0	3.2642	-0.0122
343	3	qy	-12.581	0.029	1.055	-0	1.6816	-0.0554
343	0	COMB7	-319.669	-1.719	33.085	-0.1	39.4658	-0.7987

Lanjutan Tabel Element Force Frame pada basement 1

343	1.5	COMB7	-310.006	-1.719	33.085	-0.1	-10.1612	1.7795
343	3	COMB7	-300.344	-1.719	33.085	-0.1	-59.7882	4.3577
343	0	COMB8	-286.957	-1.794	30.341	-0	26.8639	-0.8795
343	1.5	COMB8	-277.295	-1.794	30.341	-0	-18.6482	1.8111
343	3	COMB8	-267.633	-1.794	30.341	-0	-64.1603	4.5017
343	0	COMB9	-265.386	-1.375	30.353	-0	26.9187	-1.3158
343	1.5	COMB9	-255.723	-1.375	30.353	-0	-18.6107	0.7467
343	3	COMB9	-246.061	-1.375	30.353	-0	-64.1401	2.8091
343	0	COMB10	-298.097	-1.3	33.096	-0.1	39.5206	-1.235
343	1.5	COMB10	-288.435	-1.3	33.096	-0.1	-10.1237	0.715
343	3	COMB10	-278.772	-1.3	33.096	-0.1	-59.768	2.665
343	0	COMB16	-180.989	-0.985	18.048	-0	23.7302	-0.2975
343	1.5	COMB16	-175.908	-0.985	18.048	-0	-3.3412	1.1807
343	3	COMB16	-170.826	-0.985	18.048	-0	-30.4126	2.6589
343	0	COMB17	-148.278	-1.06	15.304	-0	11.1283	-0.3783
343	1.5	COMB17	-143.196	-1.06	15.304	-0	-11.8282	1.2123
343	3	COMB17	-138.114	-1.06	15.304	-0	-34.7847	2.8029
343	0	COMB18	-126.706	-0.642	15.316	-0	11.1831	-0.8146
343	1.5	COMB18	-121.624	-0.642	15.316	-0	-11.7907	0.1479
343	3	COMB18	-116.543	-0.642	15.316	-0	-34.7645	1.1103
343	0	COMB19	-159.417	-0.567	18.059	-0	23.785	-0.7338
343	1.5	COMB19	-154.336	-0.567	18.059	-0	-3.3037	0.1162
343	3	COMB19	-149.254	-0.567	18.059	-0	-30.3924	0.9663
348	0	qy	-16.022	0.062	1.869	-0	5.6465	0.0628
348	1.5	qy	-16.022	0.062	1.869	-0	2.8432	-0.0296
348	3	qy	-16.022	0.062	1.869	-0	0.0398	-0.122
348	0	COMB7	-370.551	5.127	19.859	-0.1	26.8305	5.8254
348	1.5	COMB7	-360.889	5.127	19.859	-0.1	-2.9583	-1.8652
348	3	COMB7	-351.227	5.127	19.859	-0.1	-32.7471	-9.5559
348	0	COMB8	-328.894	4.967	15	-0	12.1496	5.6621
348	1.5	COMB8	-319.232	4.967	15	-0	-10.3505	-1.7882
348	3	COMB8	-309.569	4.967	15	-0	-32.8506	-9.2386
348	0	COMB9	-334.51	5.457	15.054	-0	12.2214	5.2949
348	1.5	COMB9	-324.848	5.457	15.054	-0	-10.3595	-2.8907
348	3	COMB9	-315.186	5.457	15.054	-0	-32.9404	-11.0763
348	0	COMB10	-376.168	5.617	19.913	-0.1	26.9022	5.4582
348	1.5	COMB10	-366.505	5.617	19.913	-0.1	-2.9673	-2.9677
348	3	COMB10	-356.843	5.617	19.913	-0.1	-32.8369	-11.3936
348	0	COMB16	-203.426	2.618	11.583	-0	17.5737	3.1895
348	1.5	COMB16	-198.344	2.618	11.583	-0	0.1985	-0.7379
348	3	COMB16	-193.262	2.618	11.583	-0	-17.1767	-4.6653
348	0	COMB17	-161.768	2.458	6.724	-0	2.8929	3.0262
348	1.5	COMB17	-156.687	2.458	6.724	-0	-7.1937	-0.6609
348	3	COMB17	-151.605	2.458	6.724	-0	-17.2803	-4.348

Lanjutan Tabel Element Force Frame pada basement 1

348	0	COMB18	-167.385	2.948	6.778	-0	2.9646	2.659
348	1.5	COMB18	-162.303	2.948	6.778	-0	-7.2027	-1.7634
348	3	COMB18	-157.221	2.948	6.778	-0	-17.3701	-6.1857
348	0	COMB19	-209.042	3.108	11.637	-0	17.6455	2.8223
348	1.5	COMB19	-203.96	3.108	11.637	-0	0.1895	-1.8404
348	3	COMB19	-198.879	3.108	11.637	-0	-17.2665	-6.503
353	0	qy	-20.315	0.013	3.556	-0	10.4458	0.0165
353	1.5	qy	-20.315	0.013	3.556	-0	5.1112	-0.003
353	3	qy	-20.315	0.013	3.556	-0	-0.2234	-0.0226
353	0	COMB7	-419.815	-7.769	11.769	-0.1	25.8175	-6.4612
353	1.5	COMB7	-408.005	-7.769	11.769	-0.1	8.1635	5.193
353	3	COMB7	-396.196	-7.769	11.769	-0.1	-9.4904	16.8472
353	0	COMB8	-366.995	-7.803	2.523	-0.1	-1.3416	-6.5041
353	1.5	COMB8	-355.186	-7.803	2.523	-0.1	-5.1255	5.2009
353	3	COMB8	-343.376	-7.803	2.523	-0.1	-8.9095	16.9059
353	0	COMB9	-425.201	-5.584	2.474	-0.1	-1.458	-5.3854
353	1.5	COMB9	-413.392	-5.584	2.474	-0.1	-5.1693	2.9909
353	3	COMB9	-401.582	-5.584	2.474	-0.1	-8.8806	11.3672
353	0	COMB10	-478.021	-5.55	11.721	-0.1	25.7011	-5.3425
353	1.5	COMB10	-466.212	-5.55	11.721	-0.1	8.1198	2.983
353	3	COMB10	-454.402	-5.55	11.721	-0.1	-9.4615	11.3085
353	0	COMB16	-219.515	-4.604	8.393	-0.1	20.0434	-3.6531
353	1.5	COMB16	-213.304	-4.604	8.393	-0.1	7.4538	3.2531
353	3	COMB16	-207.093	-4.604	8.393	-0.1	-5.1358	10.1593
353	0	COMB17	-166.695	-4.638	-0.854	-0	-7.1157	-3.696
353	1.5	COMB17	-160.484	-4.638	-0.854	-0	-5.8353	3.261
353	3	COMB17	-154.273	-4.638	-0.854	-0	-4.5549	10.2181
353	0	COMB18	-224.901	-2.419	-0.902	-0	-7.2321	-2.5773
353	1.5	COMB18	-218.69	-2.419	-0.902	-0	-5.879	1.051
353	3	COMB18	-212.479	-2.419	-0.902	-0	-4.526	4.6794
353	0	COMB19	-277.721	-2.385	8.345	-0	19.927	-2.5344
353	1.5	COMB19	-271.51	-2.385	8.345	-0	7.41	1.0431
353	3	COMB19	-265.299	-2.385	8.345	-0	-5.1069	4.6206
358	0	qy	-24.998	0.026	-0.386	-0	6.5798	0.0294
358	1.5	qy	-24.998	0.026	-0.386	-0	7.1587	-0.0101
358	3	qy	-24.998	0.026	-0.386	-0	7.7376	-0.0497
358	0	COMB7	-853.162	-1.66	60.996	-0.1	71.1431	-0.5493
358	1.5	COMB7	-841.353	-1.66	60.996	-0.1	-20.3516	1.9401
358	3	COMB7	-829.543	-1.66	60.996	-0.1	-111.8462	4.4294
358	0	COMB8	-788.168	-1.728	62	-0.1	54.0355	-0.6257
358	1.5	COMB8	-776.358	-1.728	62	-0.1	-38.9642	1.9664
358	3	COMB8	-764.549	-1.728	62	-0.1	-131.964	4.5586
358	0	COMB9	-769.11	1.421	62.092	-0.1	54.2782	1.3926
358	1.5	COMB9	-757.301	1.421	62.092	-0.1	-38.8593	-0.7385

Lanjutan Tabel Element Force Frame pada basement 1

358	3	COMB9	-745.491	1.421	62.092	-0.1	-131.9968	-2.8696
358	0	COMB10	-834.105	1.489	61.088	-0.1	71.3858	1.469
358	1.5	COMB10	-822.295	1.489	61.088	-0.1	-20.2466	-0.7649
358	3	COMB10	-810.485	1.489	61.088	-0.1	-111.8791	-2.9987
358	0	COMB16	-468.624	-1.603	31.82	-0.1	41.4136	-0.7492
358	1.5	COMB16	-462.413	-1.603	31.82	-0.1	-6.3164	1.6553
358	3	COMB16	-456.202	-1.603	31.82	-0.1	-54.0464	4.0597
358	0	COMB17	-403.629	-1.671	32.823	-0	24.306	-0.8256
358	1.5	COMB17	-397.418	-1.671	32.823	-0	-24.9291	1.6816
358	3	COMB17	-391.207	-1.671	32.823	-0	-74.1641	4.1888
358	0	COMB18	-384.572	1.477	32.915	-0	24.5487	1.1927
358	1.5	COMB18	-378.361	1.477	32.915	-0	-24.8241	-1.0233
358	3	COMB18	-372.15	1.477	32.915	-0	-74.197	-3.2393
358	0	COMB19	-449.566	1.546	31.912	-0	41.6563	1.2691
358	1.5	COMB19	-443.355	1.546	31.912	-0	-6.2115	-1.0497
358	3	COMB19	-437.144	1.546	31.912	-0	-54.0792	-3.3685
363	0	qy	-25.737	0.135	-0.669	-0	6.2722	0.1342
363	1.5	qy	-25.737	0.135	-0.669	-0	7.2756	-0.0678
363	3	qy	-25.737	0.135	-0.669	-0	8.279	-0.2699
363	0	COMB7	-794.515	0.72	60.052	-0.1	69.7355	1.7535
363	1.5	COMB7	-782.705	0.72	60.052	-0.1	-20.3425	0.673
363	3	COMB7	-770.896	0.72	60.052	-0.1	-110.4205	-0.4075
363	0	COMB8	-727.599	0.37	61.791	-0.1	53.4279	1.4045
363	1.5	COMB8	-715.789	0.37	61.791	-0.1	-39.259	0.8494
363	3	COMB8	-703.98	0.37	61.791	-0.1	-131.946	0.2942
363	0	COMB9	-752.916	3.69	61.774	-0.1	53.6423	3.5885
363	1.5	COMB9	-741.106	3.69	61.774	-0.1	-39.0186	-1.9467
363	3	COMB9	-729.297	3.69	61.774	-0.1	-131.6795	-7.482
363	0	COMB10	-819.832	4.04	60.035	-0.1	69.9499	3.9375
363	1.5	COMB10	-808.023	4.04	60.035	-0.1	-20.1021	-2.1231
363	3	COMB10	-796.213	4.04	60.035	-0.1	-110.1541	-8.1837
363	0	COMB16	-427.717	-0.325	31.175	-0.1	40.4904	0.4872
363	1.5	COMB16	-421.506	-0.325	31.175	-0.1	-6.2717	0.9749
363	3	COMB16	-415.295	-0.325	31.175	-0.1	-53.0338	1.4626
363	0	COMB17	-360.8	-0.675	32.914	-0	24.1828	0.1383
363	1.5	COMB17	-354.589	-0.675	32.914	-0	-25.1882	1.1513
363	3	COMB17	-348.378	-0.675	32.914	-0	-74.5593	2.1643
363	0	COMB18	-386.118	2.645	32.897	-0	24.3972	2.3223
363	1.5	COMB18	-379.907	2.645	32.897	-0	-24.9478	-1.6448
363	3	COMB18	-373.696	2.645	32.897	-0	-74.2928	-5.6119
363	0	COMB19	-453.034	2.995	31.157	-0	40.7048	2.6713
363	1.5	COMB19	-446.823	2.995	31.157	-0	-6.0313	-1.8212
363	3	COMB19	-440.612	2.995	31.157	-0	-52.7674	-6.3136
369	0	qy	0	0	0	0	0	0

Lanjutan Tabel Element Force Frame pada basement 1

369	1.5	qy	0	0	0	0	0	0
369	3	qy	0	0	0	0	0	0
369	0	COMB7	-11.81	0	0	0	0	0
369	1.5	COMB7	0	0	0	0	0	0
369	3	COMB7	11.81	0	0	0	0	0
369	0	COMB8	-11.81	0	0	0	0	0
369	1.5	COMB8	0	0	0	0	0	0
369	3	COMB8	11.81	0	0	0	0	0
369	0	COMB9	-11.81	0	0	0	0	0
369	1.5	COMB9	0	0	0	0	0	0
369	3	COMB9	11.81	0	0	0	0	0
369	0	COMB10	-11.81	0	0	0	0	0
369	1.5	COMB10	0	0	0	0	0	0
369	3	COMB10	11.81	0	0	0	0	0
369	0	COMB16	-6.211	0	0	0	0	0
369	1.5	COMB16	0	0	0	0	0	0
369	3	COMB16	6.211	0	0	0	0	0
369	0	COMB17	-6.211	0	0	0	0	0
369	1.5	COMB17	0	0	0	0	0	0
369	3	COMB17	6.211	0	0	0	0	0
369	0	COMB18	-6.211	0	0	0	0	0
369	1.5	COMB18	0	0	0	0	0	0
369	3	COMB18	6.211	0	0	0	0	0
369	0	COMB19	-6.211	0	0	0	0	0
369	1.5	COMB19	0	0	0	0	0	0
369	3	COMB19	6.211	0	0	0	0	0
375	0	qy	-16.348	-0.424	0.599	0	0.5696	-0.4104
375	1.5	qy	-16.348	-0.424	0.599	0	-0.3283	0.2258
375	3	qy	-16.348	-0.424	0.599	0	-1.2261	0.862
375	0	COMB7	-299.045	-1.988	1.362	0	1.2962	-1.9236
375	1.5	COMB7	-287.235	-1.988	1.362	0	-0.747	1.0584
375	3	COMB7	-275.425	-1.988	1.362	0	-2.7902	4.0404
375	0	COMB8	-256.539	-0.885	-0.194	0	-0.1847	-0.8565
375	1.5	COMB8	-244.729	-0.885	-0.194	0	0.1065	0.4713
375	3	COMB8	-232.92	-0.885	-0.194	0	0.3977	1.7991
375	0	COMB9	-233.05	-1.678	-0.074	0	-0.0708	-1.6233
375	1.5	COMB9	-221.241	-1.678	-0.074	0	0.0408	0.8932
375	3	COMB9	-209.431	-1.678	-0.074	0	0.1525	3.4097
375	0	COMB10	-275.556	-2.78	1.482	0	1.4101	-2.6904
375	1.5	COMB10	-263.747	-2.78	1.482	0	-0.8127	1.4803
375	3	COMB10	-251.937	-2.78	1.482	0	-3.0354	5.651
375	0	COMB16	-172.918	-1.119	1.057	0	1.0058	-1.0828
375	1.5	COMB16	-166.707	-1.119	1.057	0	-0.5796	0.5958
375	3	COMB16	-160.496	-1.119	1.057	0	-2.165	2.2745

Lanjutan Tabel Element Force Frame pada basement 1

375	0	COMB17	-130.413	-0.016	-0.499	0	-0.4752	-0.0158
375	1.5	COMB17	-124.202	-0.016	-0.499	0	0.2739	0.0087
375	3	COMB17	-117.991	-0.016	-0.499	0	1.0229	0.0331
375	0	COMB18	-106.924	-0.809	-0.38	0	-0.3613	-0.7826
375	1.5	COMB18	-100.713	-0.809	-0.38	0	0.2082	0.4306
375	3	COMB18	-94.502	-0.809	-0.38	0	0.7777	1.6437
375	0	COMB19	-149.43	-1.912	1.177	0	1.1197	-1.8496
375	1.5	COMB19	-143.219	-1.912	1.177	0	-0.6453	1.0177
375	3	COMB19	-137.008	-1.912	1.177	0	-2.4102	3.885
384	0	qy	-18.608	-0.566	-1.437	0	-1.1819	-0.8952
384	1.5	qy	-18.608	-0.566	-1.437	0	0.9729	-0.0456
384	3	qy	-18.608	-0.566	-1.437	0	3.1277	0.804
384	0	COMB7	-17.035	-2.468	-4.342	0	-5.0862	-4.2224
384	1.5	COMB7	-9.162	-2.468	-4.342	0	1.4272	-0.5204
384	3	COMB7	-1.289	-2.468	-4.342	0	7.9405	3.1815
384	0	COMB8	31.347	-0.995	-0.607	0	-2.0131	-1.8949
384	1.5	COMB8	39.22	-0.995	-0.607	0	-1.1024	-0.4019
384	3	COMB8	47.093	-0.995	-0.607	0	-0.1916	1.0911
384	0	COMB9	32.632	-0.537	-0.451	0	-1.5232	-1.4874
384	1.5	COMB9	40.505	-0.537	-0.451	0	-0.8469	-0.6816
384	3	COMB9	48.378	-0.537	-0.451	0	-0.1705	0.1242
384	0	COMB10	-15.75	-2.01	-4.186	0	-4.5963	-3.8149
384	1.5	COMB10	-7.877	-2.01	-4.186	0	1.6826	-0.8002
384	3	COMB10	-0.003549	-2.01	-4.186	0	7.9615	2.2145
384	0	COMB16	-20.732	-1.756	-3.206	0	-3.5195	-2.8689
384	1.5	COMB16	-16.592	-1.756	-3.206	0	1.2896	-0.2355
384	3	COMB16	-12.451	-1.756	-3.206	0	6.0987	2.3979
384	0	COMB17	27.65	-0.283	0.529	0	-0.4464	-0.5415
384	1.5	COMB17	31.79	-0.283	0.529	0	-1.2399	-0.117
384	3	COMB17	35.931	-0.283	0.529	0	-2.0334	0.3076
384	0	COMB18	28.935	0.175	0.685	0	0.0434	-0.134
384	1.5	COMB18	33.076	0.175	0.685	0	-0.9844	-0.3967
384	3	COMB18	37.216	0.175	0.685	0	-2.0123	-0.6594
384	0	COMB19	-19.447	-1.297	-3.05	0	-3.0296	-2.4614
384	1.5	COMB19	-15.306	-1.297	-3.05	0	1.5451	-0.5153
384	3	COMB19	-11.165	-1.297	-3.05	0	6.1198	1.4309