

Lampiran 4. Data Lembar Resep Puskesmas Karangmojo 1 dan Puskesmas Semanu 1

Puskesmas Karangmojo 1

Januari

No	Usia Anak	Penyakit	R/ Obat	N Item obat dalam resep racikan
1.	An. T 2 Tahun (L)	Demam	R/ Multivitamin syr S. 2.d.d 1 C R/ Paracetamol tab III Ctm tab no III m fla puv dtd no X S. 3.dd 1 pulv	Non Racikan 2 item
2.	An. M 4 Tahun (P)	Panas Batuk	R/ Pamol Syr I S. 3.dd 1 Cth R/ ambroxol tab II Salbutamol tab II Dexametasol tab III m fla dtd pulv no X S.3.dd 1 pilv	Non Racikan 3 item
3.	An. A 1,5 Tahun (P)	Demam Radang	R/ Paracetamol syr S.3.d.d ½ Cth R/ Dexametason tab V CTM tab no IV m. fla pulv dtd no X S 3 d.d 1 pulv	Non racikan 2 item
4.	An. M 2 Tahun (P)	Demam Pilek Radang	R/ CTM tab no II Dexametason tab V m fla pulv dtd no X S 3 dd 1 pulv R/ Amoxilin syr 250 S 3 dd ½ cth R/ Pamol syr I S 3 dd 1 Cth	Racikan 2 item Non Racikan Non Racikan
5.	An. S 3 Tahun (L)	Pilek	R/ Multivitamin syr S 2. dd 1 c R/ Paracetamol tab III CTM tab III m fla pulv no X S 3 dd 1 pulv	Non Racikan 2 item
6.	An. C 2,5 Tahun (L)	Batuk Pilek Demam	R/ Ambroxol tab IV Salbutamol tab V Dexametasol tab V m fla pulv X	3 item

			S. 3 dd 1 pulv R/ Pamol S. 3 dd ½ cth R/ Amoxilin syr 250 I S. 3 dd 1 cth	Non Racikan Non Racikan
7.	An. A 4,5 Tahun (P)	Pilek Demam Batuk	R/ Multivitamin syr S. 3 dd 1 c R/ Paracetamol tab III CTM III B6 m.fl.a pulv X S. 3 dd 1 pulv	Non Racikan 3 item
8.	An. R 3 Tahun (P)	Batuk	R/ Multivitamin syr S. 2 dd 1 c R/ CTM tab III GG tab III m.fl.a pulv X S. 3 dd 1 R/ Pamol syr S. 3 dd 1/3 cth	Non Racikan 2 item Non Racikan
N	An. A 3,5 Tahun (P)	Batuk Demam	R/ Multivitamin syr S. 2 dd 1 c R/ Paracetamol tab III CTM tab III GG m.fl.a pulv X S. 3 dd 1 pulv	Non Racikan 3 item
10.	An. Q 3 Tahun (L)	Demam Batuk	R/ Paracetamol tab III S. 4 dd 1 c R/ GG tab III CTM tab III B6 tab III m.fl.a pulv X S. 3 dd 1 pulv	Non Racikan 3 item

Februari

No.	Usia anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1.	An. M 1 tahun (P)	Batuk Demam Pilek	R/ Pamol syr S. 3 dd 1 ½ cth R/ Ambroxol tab III Salbutamol 4mg III CTM tab no III m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 3 item
2.	An . D 2,5 Tahun (L)	Demam Pilek	R/ Paracetamol syr S. 3 dd 1 cth R/ CTM tab no III Aminopilin tab II m.fla pulv dtd no XII S. 3 dd 1 pulv	Non racikan 2 item
3.	An. A 1,3 tahun (P)	Ispa	R/ Ambroxol tab III Salbutamol 4mg tab III Prednison tab V m.fla pulv dtd no X S. 3 dd 1 pulv R/ Pamol syr S. 3 dd 1 ¼ cth	3 item Non Racikan
4.	An. A 3 tahun (L)	Pilek Demam Batuk	R/ Cotrimoxazol syr S. 2 dd 1 ½ cth R/ Paracetamol tab III CTM tab no III GG tab III m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 3 item
5.	An. E 2 tahun (L)	Batuk Demam	R/ Paracetamol syr S 3 dd 1 cth R/ CTM tab no III GG tab III Vitamin tab III m.fla pulv dtd no XII S. 3 dd 1 pulv	Non Racikan 3 item

6.	An. M 1 tahun (L)	Demam	R/ Paracetamol syr S. 4 dd $\frac{3}{4}$ cth R/ CTM tab no II Vitamin B6 tab II m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 2 item
7.	An. T 5 tahun (P)	Batuk Pilek	R/ Ambroxol tab III Salbutamol 4mg tab IV Prednison tab V CTM tab no III m.fla pulv dtd no X S 3 dd 1 pulv R/ Amoxilin syr 250 S. 3 dd $\frac{3}{4}$ cth	4 item Non Racikan
8.	An. A 1 tahun (L)	Batuk Pilek Demam	R/ Multivitamin syr S. 1 dd 1 c R/ Paracetamol tab II CTM tab no II GG tab II m.fla pulv dtd no X S. 3 dd 1 pulv	Non racikan 3 item
9.	An. A 2,8 Tahun (P)	Demam Pilek Radang	R/ Paracetamol tab II GG tab III CTM tab no III m.fla pulv dtd no X S. 3 dd 1 pulv R/ Cotrimoxazol syr S. 2 dd 1 $\frac{1}{2}$ cth	3 item Non Racikan
10.	An. A 5 tahun (P)	Ashma	R/ Ambroxol tab III Salbutamol 4mg tab III Prednison tab V m.fla pulv dtd no X S. 3 dd 1 pulv R/ Pamol syr 1 S. 3 dd $\frac{1}{4}$ cth	3 item Non Racikan

Maret

No	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1.	An. S 1 tahun (L)	Demam, batuk	R/ GG tab III CTM tab no III Vitamin C tab III m.fla pulv dtd no XII S. 3 dd 1 pulv R/ Paracetamol syr S. 4 dd 1 cth	3 item Non Racikan
2.	An. R 4 tahun (L)	Demam, batuk, sakit kepala	R/ GG tab V CTM tab no V Dexametason tab V m.fla pulv dtd no X S. 3 dd 1 pulv R/ Paracetamol syr S. 4 dd 1 ½ cth R/ Vitamin syr S. 2 dd 1 cth	3 item Non Racikan Non racikan
3.	An. K 2 tahun (L)	Demam, batuk, sakit kepala	R/ GG tab III CTM tab no III Dexametason tab III m.fla pulv dtd no XII S. 3 dd 1 pulv R/ Paracaetamol syr S. 4 dd 1 cth	3 item Non Racikan
4.	An. R 1 tahun (P)	Pneumonia	R/ Cotrimoxazol syr S. 2 dd 1 cth R/ GG tab III CTM tab no III Vitamin C tab III Paracetamol tab III m.fla pulv dtd no XII S. 3 dd 1 pulv	Non Racikan 4 item
5.	An. Y 3 tahun (L)	Demam, batuk	R/ GG tab III CTM tab no III Dexametason tab III m.fla pulv dtd no X S. 3 dd 1 pulv R/ Vitamin syr S. 2 dd 1 cth	3 item Non Racikan

6.	An. M 3 tahun (L)	ISPA	R/ Ambroxol tab III CTM tab no III Prednison tab III m.fla pulv dtd no X S. 3 dd 1 pulv R/ Amoxilin syr S. 3 dd 1 ¼ cth R/ Pamol syr S. 3 dd 1 ⅓ cth	3 item Non Racikan Non Racikan
7.	An. S 1 tahun (P)	Pilek	R/ Paracetamol syr S. 3 dd ¾ cth R/ CTM tab no II Kalsium laktat tab II m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 2 item
8.	An. C 3 tahun (P)		R/ Ambroxol tab IV Salbutamol tab IV Prednison tab IV CTM tab no IV m.fla pulv dtd no X S. 3 dd 1 pulv R/ Amoxilin syr S. 3 dd 1 cth	4 item Non Racikan
9.	An. R 2 tahun (P)	Demam, batuk, pilek	R/ Paracetamol syr S. 3 dd 1 cth R/ CTM tab no III GG tab III Vitamin C tab III m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 3 item
10.	An. M 3 tahun (P)	Faringitis	R/ GG tab III Dexametason tab III CTM tab no III m.fla pulv dtd no IX S. 3 dd 1 pulv R/ Paracetamol syr S. 3 dd 1 ½ cth	3 item Non Racikan

April

No.	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1.	An. S 2 tahun (L)	Batuk, demam	R/ Vitamin C tab III GG tab III CTM tab no III Dexametason tab III m.fla pulv dtd no X S. 3 dd 1 pulv R/ Paracetamol 500mg S. 4 dd ¼ tablet	4 item Non Racikan
2.	An. C 1 tahun (L)	Faringitis	R/ GG tab III Dexametason tab III CTM tab no III Paracetamol tab III m.fla pulv dtd no X S. 3 dd 1 pulv	4 item
3.	An. A 1 tahun (L)	Faringitis	R/ Ambroxol tab II CTM tab no II Salbutamol 4 mg tab III m.fla pulv dtd no X S. 3 dd 1 pulv R/ Amoxilin syr S. 3 dd 1/3 cth	3 item Non Racikan
4.	An. T 4 tahun (L)	Faringitis	R/ Ambroxol tab II Salbutamol tab II CTM tab no II m.fla pulv dtd no X S. 3 dd 1 pulv R/ Amoxilin syr S. 3 dd ¼ cth	3 item Non Racikan
5.	An. A 2,3 tahun (L)	ISPA	R/ Ambroxol tab 1 ½ Salbutamol 4mg tab II Prednison tab III CTM tab no 1 ½ m.fla pulv dtd no X S. 2 dd 1 pulv R/ Amoxilin 500mg tab II m.fla pulv dtd no X S. 3 dd 1 pulv	4 item 1 item

6.	An. A 3 tahun (P)	Ispa	R/ Pamol syr S. 3 dd 1 ¼ cth R/ Ambroxol tab II ½ Salbutamol 4mg tab III Prednison tab IV CTM tab no II ½ m fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 4 item
7.	An. A 4 tahun (P)	Batuk, pilek	R/ Paracetamol syr S. 4 dd 1 cth R/ Ambroxol tab II Salbutamol tab III CTM tab no II m fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 3 item
8.	An. R 1 tahun (P)	Faringitis	R/ Ambroxol tab II Salbutamol 4mg tab III CTM tab no II m fla pulv dtd no X S. 3 dd 1 pulv R/ Amoxilin syr S. 3 dd 1 cth	3 item Non Racikan
9.	An. Y 2,5 tahun (P)	ISPA	R/ Ambroxol tab II Salbutamol 4mg tab III Prednison tab IV m fla pulv dtd no X S. 3 dd 1 pulv R/ Cetrizine syr S. 1 dd 1 cth	3 item Non Racikan
10.	An. V 2 tahun (L)	Batuk, pilek	R/ Paracetamol syr S. 4 dd ¾ cth R/ GG tab II CTM tab II Vitamin C tab III m fla pulv dtd no XII S. 3 dd I pulv	Non Racikan 3 item

Mei

No.	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1.	An. D 4 tahun (P)	Batuk, demam, pilek	R/ GG tab III Prednison tab III CTM tab no III Vitamin B com tab III m fla pulv dtd no X S. 3 dd 1 pulv R/ Paracetamol syr S. 4 dd 1 cth	4 item Non Racikan
2.	An. O 2,5 tahun (P)	ISPA	R/ Ambroxol tab III CTM tab no III Salbutamol 4mg tab III Prednison tab VI m fla pulv dtd no X S. 3 dd 1 pulv R/ Amoxilin syr 250mg S. 3 dd 1 ¾ cth R/ Pamol syr S. 3 dd 1 ½ cth	4 item Non Racikan Non Racikan
3.	An. A 1,5 tahun (L)	Batuk, demam	R/ Pamol syr 1 S. 3 dd ¾ cth R/ Ambroxol tab 1 ½ Salbutamol 4mg tab II CTM tab no II m fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 3 item
4.	An. K 1,5 tahun (L)	ISPA	R/ Pamol syr 1 S. 3 dd 1 ¼ cth R/ Ambroxol tab II ½ Prednison tab V CTM tab no II ½ Salbutamol tab II m fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 4 item
5.	An. C 3 tahun (P)	Faringitis	R/ GG tab III CTM tab no III Prednison tab II Vitamin B com tab III m fla pulv dtd no X S.3 dd 1 pulv R/ Paracetamol syr S. 4 dd 1 cth	4 item Non Racikan

6.	An. L 2 tahun (L)	Faringitis	R/ Ambroxol tab III Salbutamol 4mg tab IV CTM tab no III m fla pulv dtd no X S. 3 dd I pulv R/ Pamol syr S. 3 dd 1 ½ cth	3 item Non Racikan
7.	An. I 2 tahun (P)	Faringitis	R/ Ambroxol tab III ½ Salbutamol 4mg tab IV CTM tab no III m fla pulv dtd no X S 3 dd I pulv R/ Pamol syr S. 3 dd ½ cth R/ Vitamin C syr S. 1 dd 1 cth	3 item Non Racikan Non Racikan
8.	An. A 1 tahun (P)	Batuk, demam	R/ Ambroxol tab I ½ CTM tab no I ½ Salbutamol 4mg tab II m fla pulv dtd no X S. 3 dd 1 pulv R/ Pamol syr S. 3 dd ¾ cth	3 item Non Racikan
9.	An. B 4 tahun (L)	Batuk, demam	R/ Ambroxol tab III Salbutamol 4mg tab IV CTM tab no III m fla pulv dtd no X S. 3 dd 1 pulv R/ Pamol syr S. 3 dd 1 ½ cth	3 item Non Racikan
10.	An. F 3 tahun (L)	Batuk, demam, pilek	R/ Ambroxol tab ½ Salbutamol 4mg tab III Prednison tab V m fla pulv dtd no X S. 3 dd 1 pulv R/ Pamol syr S. 3 dd 1 ¼ cth R/ Amoxilin syr 250mg S. 3 dd ½ cth	3 item Non Racikan Non Racikan

Juni

No.	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1.	An. R 6 tahun (P)	ISPA	R/ Ambroxol tab II ½ Salbutamol 4mg III Prednison tab IV CTM tab no II ½ m fla pulv dtd no X S. 3 dd 1 pulv R/ Amoxilin syr 250mg S. 3 dd ½ cth	4 item Non Racikan
2.	An. A 7 tahun (L)	ISPA	R/ Pamol syr S. 3 dd ¾ cth R/ Ambroxol tab I ½ Prednison tab III Salbutamol 25mg V m fla pulv dtd no X S.3 dd 1 pulv R/ Amoxilin syr S. 3 dd 1 ¼ cth	Non Racikan 3 item
3.	An. R 3 tahun (P)	ISPA	R/ Ambroxol tab I ½ Prednison tab II Salbutamol 2mg V m fla pulv dtd no X S.3 dd 1 pulv R/ Pamol syr S. 3 dd 1 cth	3 item Non Racikan
4.	An. S 8 tahun (P)	Batuk, demam	R/ Ambroxol tab I Salbutamol 2mg III Prednison tab III m fla pulv dtd no X S.3 dd 1 pulv R/ Amoxilin syr 250mg S. 3 dd ¼ cth	3 item Non Rackan
5.	An. F 8 tahun (L)	Alergi, demam	R/ Pamol syr S. 3 dd 1 cth R/ Lorotadin tab II Prednison tab IV m fla pulv dtd no X S. 3 dd I pulv R/ Amoxilin syr 250mg S. 3 dd ½ cth	Non Racikan 2 item Non Racikan

6.	An. G 2 tahun (L)	Faringitis	R/ Ambroxol tab I ½ Prednison tab II Loratadin tab I m.fla pulv dtd no X S. 3 dd 1 pulv R/ Pamol syr S. 3 dd ¾ cth	3 item Non Racikan
7.	An. E 8 tahun (P)	Batuk, demam	R/ Paracetamol syr S. 4 dd 1 cth R/ GG tab III CTM tab no III Vitamin B com tab III Prednison tab II m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 4 item
8.	An. A 4 tahun (L)	Faringitis	R/ Paracetamol syr S. 4 dd 1 cth R/ GG tab II Prednison tab II CTM tab no II Loratadin tab I m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 4 item
9.	An. K 3 tahun (P)	Alergi	R/ Prednison tab III Loratadin tab III CTM tab no III Vitamin C tab III m fla pulv dtd no X S. 3 dd I pulv R/ Amoxilin syr S. 3 dd 1 pulv	4 item Non Racikan
10.	An. D 2 tahun (P)	Demam, batuk, pilek	R/ Pamol syr 1 S. 3 dd ½ cth R/ Ambroxol tab I Salbutamol tab III m.fla pulv dtd no X S. 3 dd 1 pulv R/ Cetirizin syr S. 1 dd ½ cth	Non Racikan 2 item Non Racikan

Juli

No.	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1.	An. M 2 tahun (L)	Demam, batuk	R/ Ambroxol tab 1 ½ Salbutamol 4mg tab II m.fla pulv dtd no X S. 3 dd 1 pulv R/ Pamol syr S. 3 dd ¾ cth	2 item Non Racikan
2.	An. S 2 tahun (P)	Bronkitis	R/ GG tab III CTM tab no III Dexametason tab III Loratadin tab II m.fla pulv dtd no X S. 3 dd 1 pulv R/ Paracetamol syr S. 4 dd 1 cth	4 item Non Racikan
3.	An. M 10 tahun (P)	Alergi, demam	R/ Paracetamol syr S. 4 dd 1 cth R/ GG tab II Dexametason tab II CTM tab no II Larotadin tab II m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 4 item
4.	An. R 9 tahun (P)	Faringitis	R/ Paracetamol syr S. 4 dd 1 cth R/ CTM tab no II Loratadin tab II Prednison tab II Vitamin B com tab III m.fla pulv dtd no X S. 2 dd 1 pulv	Non Racikan 4 item
5.	An. N 5 tahun (L)	Demam, mual muntah	R/ Paracetamol syr S. 3 dd ½ cth R/ Vitamin B6 tab II CTM tab no II Domperidone tab II m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 3 item

6.	An. B 3,2 tahun (L)	Faringitis	R/ Ambroxol tab 1 ½ Salbutamol 4mg tab II m.flu pulv dtd no X S. 3 dd 1 pulv R/ Cetirizin syr S. 1 dd ¼ cth	2 item Non Racikan
7.	An. B 2,4 tahun (P)	Faringitis	R/ Pamol syr 1 S. 3 dd 1 cth R/ Salbutamol 2mg tab V Ambroxol tab 1 ½ m.flu pulv dtd no X S. 3 dd 1 pulv	Non Racikan 2 item
8.	An. A 4 tahun (P)	Faringitis	R/ Paracetamol syr S. 3 dd ½ cth R/ GG tab II CTM tab no II Dexametason tab II Loratadin tab II m.flu pulv dtd no X S. 3 dd 1 pulv	Non Racikan 4 item
9.	An. H 6 tahun (L)	Alergi	R/ Paracetamol syr S. 3 dd 1 cth R/ Dexametason tab III CTM tab no III Loratadin tab III m.flu pulv dtd no X S. 3 dd 1 pulv	Non Racikan 3 item
10.	An. F 5 tahun (L)	Faringitis	R/ Paracetamol syr S. 3 dd 1 cth R/ Prednison tab III CTM tab no III Loratadin tab II Vitamin Becom tab III m.flu pulv dtd no X S. 3 dd 1 pulv	Non Racikan 4 item

Agustus

No.	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1.	An. A 5 tahun (P)	Faringitis	R/ Ambroxol tab 1 ½ Salbutamol 4mg tab II m.fla pulv dtd no X S. 3 dd 1 pulv R/ Cetirizin syr 1 S. 1 dd ½ cth	2 item Non Racikan
2.	An. G 5 tahun (L)	Faringitis	R/ Ambroxol tab II Salbutamol 2mg tab II Prednison tab IV m.fla pulv dtd no X S. 3 dd 1 pulv R/ Cetirizin syr 1 S. 1 dd 1 pulv	3 item Non Racikan
3.	An. C 3 tahun (P)	Faringitis	R/ Ambroxol tab 1 ½ Salbutamol 4mg tab II Prednison tab III m.fla pulv dtd no X S. 3 dd 1 pulv R/ Cetirizin syr 1 S. 1 dd 1 cth R/ Pamol syr 1 S. 3 dd ¾ cth	3 item Non Racikan Non Racikan
4.	An. M 2 tahun (L)	Faringitis	R/ Cetirizin syr 1 S. 1 dd ½ cth R/ Ambroxol tab II Salbutamol 4mg tab III Prednison tab IV m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 3 item
5.	An. R 2 tahun (L)	Faringitis	R/ Cetirizin syr 1 S. 1 dd 1 cth R/ Ambroxol tab III Salbutamol 4mg tab III Prednison tab V m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 3 item

6.	An. A 1 tahun (L)	Asma	R/ Pamol syr S. 3 dd 1 cth R/ Ambroxol tab II Salbutamol 4mg tab III Prednison tab V m.flu pulv dtd no X S. 3 dd 1 pulv R/ Amoxilin syr S. 3 dd 1 cth	Non Racikan 2 item Non Racikan
7.	An. K 4 tahun (L)	Faringitis	R/ Ambroxol tab II Salbutamol 2mg tab V m.flu pulv dtd no X S. 3 dd 1 pulv R/ Cetirizin syr S. 1 dd ½ cth	2 item Non Racikan
8.	An. S 8 tahun (P)	Faringitis	R/ Ambroxol tab II Salbutamol 4mg tab II m.flu pulv dtd no X S. 3 dd 1 pulv R/ Pamol syr S. 3 dd 1 cth R/ Cetirizin syr S. 1 dd ½ cth	2 item Non Racikan Non Racikan
9.	An. C 1 tahun (P)	Faringitis	R/ Paracetamol syr S. 4 dd 1cth R/ CTM tab no III Prednison tab III Vitamin B com tab III m.flu pulv dtd no X S. 3 dd 1 pulv	Non Racikan 3 item
10.	An. A 2 tahun (L)	Faringitis	R/ GG tab III Prednison tab II CTM tab III Loratadin tab III m.flu pulv dtd no X S. 3 dd 1 pulv R/ Paracetamol syr S. 4 dd 1 cth	4 item Non Racikan

September

No	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1.	An. R 1 tahun (P)	Batuk, pilek, demam	R/ Ambroxol 1 ½ Salbutamol 4mg tab II Prednison tab IV m.fla pulv dtd no X S. 3 dd 1 pulv R/ Amoxilin 500mg tab II ½ m.fla pulv dtd no X S. 3 dd 1 pulv	3 item 1 item
2.	An. I 2 tahun (P)	Demam, batuk, pilek	R/ Ambroxol II ½ Salbutamol 4mg tab III Prednison tab IV m.fla pulv dtd no X S. 3 dd 1 pulv R/ Pamol syr 1 S. 3 dd 1 ¼ cth	3 item Non Racikan
3.	An. M 4 tahun (L)	Demam, batuk	R/ Zinc Drops tab I S. 1 dd 1 cth R/ Pamol syr 1 S. 3 dd 1 cth R/ Ambroxol tab II CTM tab no III Salbutamol 4mg tab III m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan Non Racikan 3 item
4.	An. K 1 tahun (P)	Otitis media	R/ Carbogliserom tab 1 S. 3 dd 1 gtt R/ Amoxilin syr 250mg 1 S. 3 dd ¼ cth R/ Ambroxol tab I ½ Salbutamol 4mg tab II CTM tab no II ½ m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan Non Racikan 2 item
5.	An. I 2 tahun (L)	ISPA	R/ Pamol syr 1 S. 3 dd 1/3 cth R/ Ambroxol tab IV Salbutamol tab IV CTM tab no IV Prednison tab IV m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan 2 item

6.	An. D 4 tahun (P)	Alergi	R/ Betason syr 1 S. 2 dd 1 pulv R/ Amoxilin syr 250 1 S. 3 dd ½ cth R/ Prednison tab IV CTM tab no II ½ m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan Non Racikan 2 item
7.	An. A 6 tahun (L)	Batuk, demam	R/ Zinc Drops tab I S. 1 dd 1 cth R/ Pamol syr 1 S. 3 dd 1 cth R/ Ambroxol tab II Salbutamol 2mg tab II CTM tab no II ½ m.fla pulv dtd no X S. 3 dd 1 pulv	Non Racikan Non Racikan 3 item
8.	An. A 4 tahun (L)	batuk	R/ Ambroxol tab II Salbutamol 4mg tab II ½ m.fla pulv dtd no X S. 3 dd 1 pulv R/ Novadril syr 1 S. 3 dd ¼ cth	2 item Non racikan
9.	An. M 5 tahun (L)	demam, batuk	R/ Pamol syr 1 S. 3 dd 1 cth R/ Ambroxol tab II Salbutamol 4mg tab III CTM tab no III m.fla pulv dtd no X S. 3 dd 1 pulv R/ Vitamin C S. 3 dd ¼ cth	Non racikan 3 item Non racikan
10.	An. M 5 tahun (L)	batuk, pilek, demam	R/ Pamol 550 mg tab III m.fla pulv dtd no X S. 3 dd 1 pulv R/ Prednison m.fla pulv dtd no X S. 2 dd 1 pulv R/ Amoxilin syr 250 S. 3 dd ¾ cth	I tem 1 item Non racikan

Oktober

No	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1.	An. H 3 tahun (P)	Faringitis	R/ GG tab III Salbutamol tab III ½ CTM tab no III ½ m.flu pulv dtd no X S. 3 dd 1 pulv R/ Pamol syr S. 3 dd ¼ cth	3 item Non racikan
2.	An. H 2 tahun (P)	Faringitis	R/ Dexametason tab III CTM tab III Vitamin B com tab III GG tab III m.flu pulv dtd no X S. 3 dd 1 pulv R/ Paracetamol syr S. 3 dd ¼ cth	4 item Non racikan
3.	An. M 5 tahun (L)	Batuk, pilek	R/ Ambroxol tab III Salbutamol tab III ½ CTM tab no III ½ m.flu pulv dtd no X S. 3 dd 1 pulv R/ Pamol syr S. 3 dd ¼ cth	3 item Non racikan
4.	An. N 1 tahun (P)	Faringitis	R/ Pamol syr S. 3 dd 1 cth R/ Ambroxol tab II Prednison tab II CTM tab no II Loratadin tab II m.flu pulv dtd no X S. 3 dd 1 pulv	Non racikan 4 item
5.	An. N 1 tahun (P)	Ashma	R/ Ambroxol tab III Dexametason tab IV Aminofilin tab III Loratadin tab III CTM tab no IV m.flu pulv dtd no X S. 3 dd 1 pulv	5 item

6.	An. N 3 tahun (P)	Alergi	R/ Betason S. 2 dd ue R/ CTM tab no III Prednison tab V m.fla pulv dtd no X S. 3 dd 1 pulv R/ Amoxilin syr 250mg S. dd ½ cth R/ Pamol syr S. 3 dd 1 cth	Non racikan 2 item Non racikan Non racikan
7.	An. R 1 tahun (P)	Batuk, pilek	R/ Ambroxol tab I ½ Salbutamol 4mg tab II m.fla pulv dtd no X S. 3 dd 1 pulv R/ Novadril syr S. 3 dd ¼ cth	3 item Non racikan
8.	An. A 3 tahun (L)	Batuk, pilek	R/ Ambroxol tab I ½ Salbutamol 4mg tab II CTM tab no III m.fla pulv dtd no X S. 3 dd 1 pulv R/ Pamol syr I S. 3 dd 1 cth	3 item Non racikan
9.	An. A 4 tahun (P)	Alergi	R/ Gentamisin S. 2 dd ue R/ Amoxilin 250mg syr S. 3 dd ¾ cth R/ CTM tab no III ¼ Prednison tab IV m.fla pulv dtd no X S. 3 dd 1 pulv	Non racikan Non racikan 2 item
10.	An. S 4 tahun (P)	Alergi	R/ Amoxilin 250mg syr S. 3 dd ½ cth R/ CTM tab no III Prednison tab V m.fla pulv dtd no X S. 3 dd 1 pulv R/ Gentamisin S. 2 dd ue	Non racikan 2 item Non racikan

November

No	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1.	An. E 2 tahun (P)	Alergi	R/ Gentamidin S. 2 dd ue R/ Amoxilin 250mg syr S. 3 dd ½ cth R/ Prednison tab V CTM tab No III m.flu pulv dtd no X S. 3 dd 1 pulv	Non racikan Non racikan 2 item
2.	An. A 1 tahun (P)	Faringitis	R/ Ambroxol tab II CTM tab no III Prednison tab II Loratadin tab II m.flu pulv dtd no X S. 3 dd 1 pulv	4 item
3.	An. S 3 tahun (L)	Batuk, pilek	R/ Ambroxol tab II CTM tab no III ½ Salbutamol tab II ½ m.flu pulv dtd no X S. 3 dd 1 pulv R/ Pamol syr S. 3 dd 1 cth	3 item Non racikan
4.	An. U 4 tahun (P)	Faringitis	R/ Prednison tab III CTM tab no III Vitamin B com tab III m.flu pulv dtd no X S. 3 dd 1 pulv R/ Cetrizene syr S. 2 dd 1cth R/ Paracetamol syr S. 4 dd 1 cth	3 item Non racikan Non racikan
5.	An. A 1 tahun (P)	Faringitis	R/ Prenisolon tab II CTM tab no III Loratadin tab II m.flu pulv X S. 2 dd 1 pulv	3 item

6.	An. C 4 tahun (L)	Batuk	R/ Acetylcysteine tab III Prednison tab III CTM tab no III Loratadin tab III m.flu pulv dtd no X S. 2 dd 1 pulv	4 item
7.	An. A 2 tahun (P)	Alergi	R/ CTM tab no II ½ Prednison tab V m.flu pulv dtd no X S. 2 dd 1 pulv R/ Gentamisin S. 2 dd ue	2 item Non racikan
8.	An. W 5 tahun (L)	Diare	R/ Zink tab no X R/ Oralit tab no V R/ Paracetamol III CTM tab no III m.flu pulv dtd no X S. 2 dd 1 pulv	Non racikan Non racikan 2 item
9.	An. A 2 tahun (P)	Faringitis	R/ Paracetamol tab IV S. 3 dd ¼ cth R/ CTM tab no III Vitamin C tab III m.flu pulv dtd no X S. 2 dd 1 pulv R/ Ambroxol syr S. 3 dd ½ cth	Non racikan 2 item Non racikan
10.	An. M 1 tahun (L)	Faringitis	R/ Ambroxol syr S. 3 dd ½ cth R/ Paracetamol III CTM tab no III m.flu pulv dtd no X S. 2 dd 1 pulv	Non racikan 2 item

Desember

No	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1.	An. N 1 tahun (P)	Bronkitis	R/ Acetilsistein tab I CTM tab no I Prednison tab I Loratadin tab I m.fla pulv dtd no X S. 2 dd 1 pulv	4 item
2.	An. R 1 tahun (L)	Faringitis	R/ Prednison tab III CTM tab no III Loratadin tab III Vitamin B com tab III m.fla pulv dtd no X S. 2 dd 1 pulv R/ Paracetamol syr S. 4 dd 1 cth	4 item Non racikan
3.	An. W 2 tahun (P)	Faringitis	R/ Paracetamol syr S. 4 dd 1 cth R/ CTM tab no II Prednison tab II m.fla pulv dtd no X S. 2 dd 1 pulv	Non racikan 2 item
4.	An. A 1 tahun (L)	Batuk, pilek	R/ Paracetamol syr S. 4 dd 1 cth R/ Prednison tab II CTM tab no II Loratadin tab II Vitamin c tab II m.fla pulv dtd no X S. 2 dd 1 pulv	Non racikan 4 item
5.	An. M 1 tahun (P)	Bronkitis	R/ Prednison tab II CTM tab no II Acetylcysteine tab II Loratadin tab II m.fla pulv dtd no X S. 2 dd 1 pulv	4 item

6.	An. C 2 tahun (L)	Faringitis	R/ Prednison tab II CTM tab no II Acetylcysteine tab II Loratadin tab II m.flu pulv dtd no X S. 2 dd 1 pulv R/ Paracetamol S. 4 dd 1 cth	4 item Non racikan
7.	An. R 5 tahun (P)	Pneumonia	R/ Cotrimoxazol S. 2 dd 1 cth R/ Paracetamol syr S. 3 dd 1 cth R/ Acetilsistein tab III CTM no tab III Loratadin tab III Prednison tab III m.flu pulv dtd no X S. 2 dd 1 pulv	Non racikan Non racikan 4 item
8.	An. A 1 tahun (P)	Otitis media	R/ Prednison tab III CTM tab no III Loratadin tab III m.flu pulv dtd no X S. 3 dd 1 pulv R/ Cloramp S. 2 dd 1 gtt	3 item Non racikan
9.	An. A 2 tahun (P)	Faringitis	R/ Prednison tab III CTM tab no III Loratadin tab III Vitamin B com tab III m.flu pulv dtd no X S. 2 dd 1 pulv	4 item
10.	An. M 1,5 tahun (L)	Batuk, pilek	R/ Paracetamol Syr S. 4 dd 1cth R/ Prednison tab III CTM tab no III Loratadin tab III m.flu pulv dtd no X S. 2 dd 1 pulv	Non racikan 3 item

Puskesmas Semanu 1

Januari

NO	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1	An. Z (1,5 bulan) L	Demam	R/ GG tab I CTM tab no I B6 tab I m.fla.pulv dtd no X S 3 dd 1 pulv	3 item
2	An. R (5 bulan) P	Demam	R/ Paracetamol tab I CTM tab no I m.fla.pulv dtd no X S 3 dd 1 pulv	2 item
3	An. N (8 bulan) P	Demam	R/ paracetamol Syr no I S 3 dd 1 cth R/ GG tab no II CTM tab no II m.fla.pulv dtd no X S 3 dd 1 pulv	Non Racikan 2 item
4	An. S (4 tahun) P	Faringitis	R/ CTM tab no II GG tab no II Amoxilin tab no III m.fla.pulv dtd no XII S 3 dd 1 pulv	3 item
5	An. S (3,2 tahun) P	Faringitis	R/ Amoxicilin Syr no I S 3 dd 1 cth R/ Paracetamol no II CTM no II GG no II m.fla pulv dtd no X S 3 dd 1 pulv	Non Racikan 3 item
6	An. S (4 tahun) P	Demam	R/ Paracetamol Syr no I S 3 dd ¼ cth R/ GG no III CTM no III m.fla pulv dtd no X S 3 dd 1 pulv	Non Racikan 2 item
7	An.A (3 tahun) L	Demam	R/ Paracetamol Syr no I S 3 dd 1¼ cth R/ GG no III CTM no III m.fla pulv dtd no X S 3 dd 1 pulv	Non Racikan 2 item

8	An. G (1 tahun) L	Demam, Batuk	R/ Ambroxol no I ½ CTM no I m.fl.a dtd pulv no X S 3 dd 1 pulv	2 item
9	An. A (1,6 tahun) P	demam	R/ GG no I B6 no I CTM no I m.fl.a dtd pulv no XV S 3 dd 1 pulv	3 item
10	An. B (2 tahun) P	Demam	R/ Paracetamol no I CTM no I m.fl.a.pulv dtd no X S 3 dd 1 pulv	2 item

February

No	Usia anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1	An. J (1,2 tahun) P	ISPA	R/ Cotrimoxazol no I S 2 dd ½ cth R/ Ambroxol no I CTM no I m fla.pulv dtd no X S 3 dd 1 pulv	Non Racikan 2 item
2	An A (1,5 tahun) L	Demam,batuk	R/ Lytamin no I S 1 dd 1 cth R/ Ambroxol no I CTM no I m fla.pulv dtd no X S 3 dd 1 pulv	Non Racikan 2 item
3	An I (6 tuhan) L	Demam, batuk, pilek	R/ Paracetamol no I S 3 dd 1½ cth R/ Ambroxol no III CTM no III m fla. pulv dtd no X S 3 dd 1 pulv	Non Racikan 2 item
4	An R (5 bulan) L	Faringitis	R/ CTM no I ½ GG no I ½ Amoxicilin II m fla. pulv dtd no XII S 3 dd 1 pulv	3 item
5	An K (1,3 tahun) P	Faringitis	R/ Amoxicilin no I S 2 dd 1 cth R/ CTM no II GG no II Salbutamol 4 g no I m fla pulv dtd no XII S 3 dd 1 pulv	Non Racikan 3 item
6	An R (10 bulan) L	Demam, batuk,pilek	R/ Paracetamol no I S 3 dd ¾ cth R/ GG no II CTM no II m fla pulv dtd no X S 3 dd 1 pulv	Non Racikan 2 item
7	An A (1,6 tahun)) P	Batuk, pilek	R/ GG no I CTM no I B6 no 1 m fla pulv no XV S 3 dd 1 pulv	3 item

8	An A (1,3 tahun) P	ISPA	R/ Paracetamol no I S 3 dd 1 cth R/ Ambroxol tab no III CTM tab no III m.fla pulv dtd no X S 3 dd 1 pulv	Non Racikan 2 item
9	An U (3 tahun) L	Asma	R/ Paracetamol Syr S 3 dd 1 cth R/ CTM tab no III Salbutamol 2 mg m.fla pulv dtd no X S 3 dd 1 pulv	Non Racikan 2 item
10	An B (9 tahun) P	Batuk, Demam	R/ Paracetamol Syr S 3 dd 1 cth R/ CTM tab no III Vitamin B6 m.fla pulv dtd no X S 3 dd 1 pulv	Non racikan 2 item

Maret

No	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1	An H (4 tahun) L	ISPA	R/ Ambroxol tab III CTM tab no II m.fl.a pulv dtd no X S 3 dd 1 pulv	2 item
2	An E (1,6 tahun) L	Bronkhitis akut	R/ Paracetamol Syr S 3 dd 11/4 cth R/ Ambroxol tab II Salbutamol 2 mg II m.fl.a pulv dtd no X S 3 dd 1 pulv	Non Racikan 2 item
3	An O (4 tahun) L	Infeksi pernafasan bagian atas	R/ Paracetamol Syr S 3 dd 11/4 cth R/ Ambroxol tab III CTM tab no II m.fl.a pulv dtd no X S 3 dd 1 pulv	Non Racikan 2 item
4	An A (4 tahun) P	Pilek	R/ Paracetamol Syr S 3 dd 1 cth R/ Ambroxol tab II 1/2 Salbutamol 2mg II 1/2 Metil prednisolon II 1/2 m.fl.a pulv dtd no X S 3 dd 1 pulv	Non Racikan 3 item
5	An D (5 tahun) P	Demam, batuk pilek	R/ Paracetamol Syr S 3 dd 11/4 cth R/ Ambroxol tab III CTM tab no II m.fl.a pulv dtd no X S 3 dd 1 pulv	Non Racikan 2 item
6	An A (2,5 tahun) P	Asma	R/ Paracetamol Syr S 3 dd 1 cth R/ Ambroxol tab II 1/2 Salbutamol 2mg III Metil prednisolon III m.fl.a pulv dtd no X S 3 dd 1 pulv	Non Racikan 3 item
7	An R (11 tahun) L	ISPA	R/ Paracetamol Syr S 3 dd 1 cth R/ Ambroxol tab III CTM tab no III m.fl.a pulv dtd no X S 3 dd 1 pulv	Non Racikan 2 item

8	An E (11 tahun) L	Asma	R/ paracetamol Syr S 3 dd 1 cth R/ CTM tab no III Salbutamol 2mg m.fla pulv dtd no X S 3 dd 1 pulv	Non Racikan 2 item
9	An J (3 bulan) P	Alergi	R/ Loratadin tab I CTM tab no 11/2 m.fla pulv dtd no X S 2 dd 1 pulv	2 item
10	An S (8 bulan) P	Batuk	R/ Amboroxol tab ½ Loratadin tab I M.fla pulv X S 3 dd 1 pulv	2 item

April

No	Usia anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1	An N (5 tahun) L	Rhinitis alergi	R/ CTM tab no III Methylprednisolon III m.flu pulv dtd no X S 2 dd 1 pulv	2 item
2	An. R (2 tahun) P	Pneumonia	R/ Ambroxol tab III Salbutamol 2mg tab III Metilprednisolon tab III m.flu pulv dtd no X S 3 dd 1 pulv	3 item
3	An L (7 tahun) L	Pilek	R/ Paracetamol Syr S 3 dd ½ cth R/ Ambroxol tab III CTM tab no II ½ m.flu pulv dtd no x S 3 dd 1 pulv	Non racikan 2 item
4	An J (4,5 tahun) P	ISPA	R/ Amoxicilin Syr S 2 dd ½ cth R/ Ambroxol tab I ½ Loratadin I Salbutamol 2mg I m.flu pulv dtd no XII S 3 dd 1 pulv	Non racikan 3 item
5	An Y (2 tahun) L	Pilek	R/ Paracetamol Syr S 3 dd 1 cth R/ Ambroxol tab I CTM tab no I m.flu pulv dtd no X S 3 dd 1 pulv	Non racikan 2 item
6	An F (1 tahun) L	Batuk	R/ Ambroxol tab ½ Loratadin tab I m.flu pulv dtd no X S 3 dd 1 pulv	2 item
7	An C (8 bulan) P	Faringitis akut	R/ Amoxicilin tab I ½ CTM tab no II Ambroxol tab I m.flu pulv dtd no XII S 3 dd 1 pulv R/ Cetirizin Syr S 2 dd ½ cth	3 item Non racikan
8	An M (2 tahun) L	ISPA	R/ Paracetamol Syr S 3 dd ¾ cth R/ Ambroxol tab I ½ CTM tab no II	Non racikan 2 item

			m fla pulv dtd no XII S 3 dd 1 pulv	
9	An D (4,5 tahun) L	Batuk	R/ Ambroxol tab ½ Loratadin I m fla pulv dtd no X S 3 dd 1 pulv	2 item
10	An F (3 tahun) P	Ashma	R/ Ambroxol tab I Salbutamol 2mg I Metilprednisolon 1½ m fla pulv dtd no IX S 3 dd 1 pulv	3 item

Mei

No	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1	An A (1,7 tahun)	Gastritis	R/ Paracetamol Syr S 3 dd 1 cth R/ CTM tab no III Omeprazole tab I ½ m fla pulv dtd no X S 3 dd 1 pulv	Non racikan 2 item
2	An F (2 tahun)	Cacar	R/ CTM tab no II ½ Loratadin II Paracetamol tab II m fla pulv dtd no XII S 3 dd 1 pulv R/ Cefadroxil 50mg tab II m fla pulv dtd no X S 2 dd 1 pulv	3 item 1 item
3	An A (3 tahun)	Asma, pneumonia	R/ GG tab III Salbutamol 2mg tab III Metilprednisolon tab III m fla pulv dtd no X S 3 dd 1 pulv R/ Paracetamol Syr S 3 dd 1 cth R/ Nebulizer	3 item Non racikan Non racikan
4	An R (10 bulan)	Faringitis	R/ CTM tab no II GG tab II Amoxicilin tab II m fla pulv dtd no X S 3 dd 1 pulv	3 item
5	An K (1,3 tahun)	Faringitis	R/ CTM tab no II GG tab II Salbutamol 4mg tab I m fla pulv dtd no XII S 3 dd 1 pulv R/ Amoxicilin Syr S 2 dd 1 cth	3 item Non racikan
6	An A (8 bulan)	Faringitis	R/ Paracetamol Syr S 4 dd ¾ cth R/ CTM tab no I GG tab I Amoxicilin tab II m fla pulv dtd no X S 3 dd 1 pulv	Non racikan 3 item

7	An H (8 bulan)	Pilek	R/ Paracetamol tab I CTM tab no II GG tab II m.fla pulv dtd no X S 3 dd 1 pulv	3 item
8	An E (10 bulan)	Faringitis	R/ CTM tab no II GG tab II Amoxicilin tab II m.fla pulv dtd no X S 3 dd 1 pulv	3 item
9	An M (3 tahun)	Influenza	R/ Paracetamol Syr S 3 dd 1 cth R/ GG tab II ½ CTM tab no II ½ m.fla pulv dtd no X S 3 dd 1 pulv	Non racikan 2 item
10	An R (10 bulan)	Pilek	R/ Paracetamol Syr S 3 dd ¾ cth R/ GG II CTM tab no II m.fla pulv dtd no X S 3 dd 1 pulv	Non racikan 2 item

Juni

No	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1	An R (8 bulan)	Pilek	R/ Paracetamol Syr S 3 dd $\frac{3}{4}$ cth R/ GG tab I CTM tab no I Vitamin B6 tab I m.flu pulv dtd no X S 3 dd 1 pulv	Non racikan 3 item
2	An S (6,5 tahun)	Batuk, Demam	R/ CTM tab no III Vitamin C tab III GG tab III m.flu pulv dtd no X S 3 dd 1 pulv	3 item
3	An R (2 tahun)	Batuk	R/ Ambroxol tab III Vitamin C tab III Vitamin B6 tab III Vitamin B1 tab III m.flu pulv dtd no X S 3 dd 1 pulv	4 item
4	An D (7,5 tahun)	Faringitis	R/ CTM tab no I $\frac{1}{2}$ Ambroxol tab I $\frac{1}{2}$ Salbutamol 4mg I m.flu pulvdtd no XII S 3 dd 1 pulv R/ Amoxicilin Syr S 2 dd $\frac{1}{2}$ cth	3 item Non racikan
5	An B (5 tahun)	Demam,batuk,nyeri	R/ Paracetamol Syr S 4 dd 1 $\frac{1}{4}$ cth R/ Paracetamol Supp S prn no II R/ Diazepam tab I m.flu pulv dtd no III S 3 dd 1 pulv	Non racikan Non racikan 1 item
6	An R (7 Tahun)	Faringitis	R/ Amoxicilin tab I $\frac{1}{2}$ CTM tab no II Ambroxol tab I m.flu pulv dtd noXII S 3 dd 1 pulv R/ Setirizin Syr S 2 dd $\frac{1}{2}$ cth	3 item Non racikan
7	An K (2,8 tahun)	Demam	R/ Ambroxol tab I $\frac{1}{2}$ CTM tab no II Paracetamol tab II M flu pulv dtd no X S 3 dd 1 pulv	3 item

			R/ Lytamin Syr S 3 dd 1 cth	Non racikan
8	An J (2 tahun)	Pilek	R/ Paracetamol Syr S 4 dd 1 cth R/ GG tab II CTM tab no II m fla pulv dtd no X S 3 dd 1 pulv	Non racikan 2 item
9	An K (1,6 tahun)	Pilek	R/ Paracetamol Syr S 4 dd 1 cth R/ GG tab II ½ CTM tab no II m fla pulv dtd no X S 3 dd 1 pulv R/ Gentian violet S 2 dd ue	Non racikan 2 item Non racikan
10	An R (7 tahun)	Bronkitis	R/ Paracetamol Syr S 3 dd 1 ¼ cth R/ Ambroxol tab III Metilprednisolon tab III m fla pu;lv dtd no X S 3 dd 1 pulv R/ Cefadroxil 250mg no X S 2 dd 1 caps	Non racikan 2 item Non racikan

Juli

No	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1	An N (2,7 tahun)	Pilek	R/ Paracetamol Syr S 3 dd 1 cth R/ GG tab II CTM tab no II m fla pulv dtd no X S 3 dd 1 pulv	Non racikan 2 item
2	An A (1 tahun)	Pilek	R/ Ambroxol tab I ½ CTM tab no I m fla pulv dtd no X S 3 dd 1 pulv	2 item
3	An F (2 tahun)	Pneumonia	R/ Paracetamol Syr S 3 dd 1 cth R/ Ambroxol tab II CTM tab no II m fla pulv dtd no X S 3 dd 1 pulv R/ Cotrimoxazol Syr S 2 dd 1 cth R/ Oralit	Non racikan 2 item Non racikan Non racikan
4	An I (5,5 tahun)	Pilek	R/ Paracetamol Syr S 3 dd 1 cth R/ GG tab III CTM tab no II m fla pulv dtd no X S 3 dd 1 pulv	Non racikan 2 item
5	An A (1,4 tahun)	Pilek	R/ GG tab I Vitamin B6 tab I CTM tab no I m fla pulv dtd no XV S 3 dd 1 pulv	3 item
6	An I (7,5 tahun)	Pilek	R/ Paracetamol tab X S 3 dd 1 tab R/ GG tab I ½ CTM tab no I ½ m fla pulv dtd no X S 3 dd 1 pulv	Non racikan 2 item
7	An M (1 tahun)	Pneumonia	R/ Paracetamol tab V S 4 dd ¼ tab R/ GG tab II Salbutamol 2mg II ½ m fla pulv dtd no X S 3 dd 1 pulv R/ Amoxicilin Syr	Non racikan 2 item Non racikan

			S 3 dd ½ cth	
8	An H (3,5 tahun)	Faringitis	R/ Paracetamol tab ½ CTM tab no II Ambroxol tab I m fla pulv dtd no XII S 3 dd 1 pulv	3 item
9	An M (2,5 tahun)	Faringitis	R/ Ambroxol tab III GG tab III CTM tab no III m fla pulv dtd no XII S 3 dd 1 pulv	3 item
10	An A (1,3 tahun)	faringitis	R/ CTM tab no II GG tab I ½ m fla pulv dtd no XII S 3 dd 1 pulv	2 item

Agustus

No	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1	An J (2 tahun)	Faringitis	R/ Amoxicilin Syr S 3 dd 1 cth R/ CTM tab no II Ambroxol tab II Salbutamol 2mg tab II m fla pulv dtd no XII S 3 dd 1 pulv	Non racikan 3 item
2	An I (4,5 tahun)	Faringitis	R/ GG tab IV Amoxicilin tab III CTM tab no IV m fla pulv dtd no XII S 3 dd 1 pulv R/ OBH Syr S 3 dd 1 cth	3 item Non racikan
3	An R (11 bulan)	Faringitis	R/ Amoxicilin Syr S 3 dd 1 cth R/ CTM tab no II Ambroxol tab II Loratadin tab I m fla pulv dtd no XII S 3 dd 1 pulv	Non racikan 3 item
4	An I (8 bulan)	Pilek	R/ GG tab II CTM tab no II m fla pulv dtd no X S 3 dd 1 pulv	2 item
5	An I (3 tahun)	ISPA	R/ CTM tab no III GG tab III Amoxicilin tab III m fla pulv dtd no XII S 3 dd 1 pulv	3 item
6	An A (2 tahun)	Faringitis	R/ CTM tab no II Amoxicilin tab II GG tab II m fla pulv dtd no X S 3 dd 1 pulv	3 item
7	An N (2,2 tahun)	faringitis	R/ GG tab II CTM tab no II Amoxicilin tab II m fla pulv dtd no X S 3 dd 1 pulv	3 item
8	An P (2 tahun)	ISPA	R/ Paracetamol Syr S 3 dd ¾ cth R/ Ambroxol tan I ½	Non racikan 2 item

			CTM tab no II m fla pulv dtd no XII S 3 dd 1 pulv	
9	An R (3,5 tahun)	Faringitis	R/ Amoxicilin tab IV CTM tab no III Loratadin tab I m fla pulv dtd no XII S 3 dd 1 pulv	3 item
10	An D (2 tahun)	faringitis	R/ Amoxicilin tab II CTM tab no II GG tab II m fla pulv dtd no X S 3 dd 1 pulv	3 item

September

No	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1	An Z (3 tahun)	Pilek	R/ Paracetamol Syr S 3 dd ¾ cth R/ GG tab II Salbutamol 2mg tab II CTM tab no II m fla pulv dtd no XIV S 3 dd 1 pulv	Non racikan 3 item
2	An A (8 bulan)	Faringitis	R/ GG tab II CTM tab no II Amoxicilin tab II m fla pulv dtd no XI S 3 dd 1 pulv	3 item
3	An A (4,5 bulan)	ISPA	R/ GG tab I CTM tab no I ½ Loratadin tab I m fla pulv dtd no XII S 3 dd 1 pulv	3 item
4	An F (7 bulan)	Faringitis	R/ Paracetamol I ½ CTM tab no I ½ GG tab I m fla pulv dtd no XII S 3 dd 1 pulv	3 item
5	An Z (10 bulan)	Kandidiasis, faringitis	R/ Kandistatin drop S 3 dd 0,77 cc R/ Amoxicilin tab I ½ Paracetamol tab I ½ CTM tab no I GG tab I ½ m fla pulv dtd no XII S 3 dd 1 pulv	
6	An O (10 bulan)	Faringitis	R/ CTM tab no I ½ Loratadin tab I GG tab I ½ Amoxicilin tab II m fla pulv dtd no XII S 3 dd 1 pulv	4 item
7	An A (11 bulan)	Faringitis	R/ Loratadin tab I Ambroxol tab I ½ m fla pulv dtd no X S 2 dd 1 pulv	2 item
8	An D (2 tahun)	faringitis	R/ CTM tab no II GG tab II Amoxicilin tab II	3 item

			m fla pulv dtd no X S 3 dd 1 pulv R/ Paracetamol Syr S 3 dd 1 cth	Non racikan
9	An V (3 tahun)	faringitis	R/ Loratadin tab II CTM tab no II m fla pulv dtd no VII S 2 dd 1 pulv	2 item
10	An R (5 bulan)	Faringitis	R/ CTM tab no I ½ GG tab I ½ Amoxicilin tab II m fla pulv dtd no XII S 3 dd 1 pulv	3 item

Oktober

No	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1	An R (2 bulan)	ISPA	R/ CTM tab no I GG tab I m fla pulv dtd no X S 3 dd 1 pulv	2 item
2	An J (3 bulan)	Alergi	R/ Loratadin tab I CTM tab no I ½ m fla pulv dtd no X S 2 dd 1 pulv	2 item
3	An A (1,6 tahun)	Faringitis	R/ Amoxicilin tab II CTM tab no II GG tab II m fla pulv dtd no X S 3 dd 1 pulv	3 item
4	An A (1 tahun)	Faringitis	R/ Paracetamol Syr S 4 dd 1 cth R/ CTM tab no II Amoxicilin tab II m fla pulv dtd no X S 3 dd 1 pulv	Non racikan 2 item
5	An I (3 tahun)	Asma	R/ GG tab III Salbutamol 2mg tab III m fla pulv dtd no X S 3 dd 1 pulv	2 item
6	An A (4,5 tahun)	Alergi	R/ Hidrocortison cream S 1 dd ue R/ Loratadin tab ½ CTM tab no I Amoxicilin tab ½ m fla pulv dtd no X S 2 dd 1 pulv	Non racikan 3 item
7	An S (8 bulan)	Batuk	R/ Ambroxol tab ½ Loratadin tab I m fla pulv dtd no X S 3 dd 1 pulv	2 item
8	An A (4,5 tahun)	ISPA	R/ Paracetamol Syr S 3 dd 1 ¼ cth R/ GG tab II CTM tab no II m fla pulv dtd no X S 3 dd 1 pulv	Non racikan 2 item
9	An H (2,5 tahun)	Pneumonia	R/ Paracetamol Syr S 3 dd 1 cth	Non racikan

			R/ GG tab II ½ Salbutamol 2mg II ½ m f pulv dtd no X S 3 dd 1 pulv	2 item
10	An H (2,5 tahun)	Pneumonia	R/ GG tab III Salbutamol 2mg tab II m fla pulv dtd no X S 3 dd 1 pulv R/ Kotrimoxazol tab IV S 2 dd ½ tab	2 item non racikan

November

No	Usia Anak	Penyakit	R/ Obat	N item dalam resep obat racikan
1	An H (7 bulan)	ISPA	R/ Ambroxol tab II Loratadin tab II Amoxicilin tab II m fla pulv dtd no XII S 3 dd 1 pulv	3 item
2	An A (7 bulan)	Pilek	R/ Loratadin tab I Ambroxol tab I CTM tab no ½ m fla pulv dtd no X S 3 dd 1 pulv	3 item
3	An A (1,3 tahun)	Pilek	R/ Paracetamol Syr S 3 dd 1 cth R/ Ambroxol tab II CTM tab no II m fla pulv dtd no X S 3 dd 1 pulv	Non racikan 2 item
4	An I (1 tahun)	ISPA	R/ Ambroxol tab II CTM tab no II m fla pulv dtd no X S 3 dd 1 pulv	2 item
5	An M (11 bulan)	Influenza	R/ Paracetamol Syr S 3 dd ¾ cth R/ GG tab I ½ CTM tab no I ½ m fla pulv dtd no X S 3 dd 1 pulv	Non racikan 2 item
6	An L (3 tahun)	Pneumonia	R/ Ambroxol tab III Salbutamol 2mg tab IV Metilprednisolon tab III m fla pulv dtd no X S 3 dd 1 pulv R/ Cotromoxazol tab VI S 2 dd ¾ tab	3 item Non racikan
7	An M (7 tahun)	Batuk	R/ Paracetamol drop S 3-4 dd 0,8 cc R/ CTM tab no I Ambroxol tab I m fla pulv dtd no X S 3 dd 1 pulv	Non racikan 2 item
8	An I (1 tahun)	Batuk	R/ CTM tab no I ½ Loratadin tab I m fla pulv dtd no X	2 item

			S 3 dd 1 pulv	
9	An F (8 bulan)	Faringitis	R/ Loratadin tab I CTM tab no I Ambroxol tab I m fla pulv dtd no X S 3 dd 1 pilv	3 item
10	An M (1,6 tahun)	Pilek	R/ Paracetamol tab I Ambroxol tab I CTM tab no II m fla pulv dtd no X S 3 dd 1 pulv	3 item

Desember

No	Usia Anak	Penyakit	R/ Obat	N item obat dalam resep racikan
1	An S (9bulan)	Batuk	R/ Paracetamol Syr S 3 dd 1 cth R/ Domperidon tab III m fla pulv dtd no X S 3 dd 1 pulv	Non racikan 1 item
2	An R (2tahun)	Asma	R/ Ambroxol tab III Salbutamol 2mg tab III Metilprednisolon tab III m fla pulv dtd no X S 3 dd 1 pulv	3 item
3	An P (10 bulan)	Pilek	R/ Ambroxol tab II CTM tab no II m fla pulv dtd no X S 3 dd 1 puiv	2 item
4	An Y (10 bulan)	Faringitis	R/ Ambroxol tab IV CTM tab no III m fla pulv dtd no X S 3 dd 1 pulv	2 item
5	An L (3 tahun)	Faringitis	R/ Amoxicilin Syr S 3 dd 1 cth R/ Ambroxol tab II CTM tab no I Salbutamol 4mg tab II S 3 dd 1 pulv	Non racikan 3 item
6	An A (1,5 tahun)	Influenza	R/ Paracetamol Syr S 3 dd $\frac{3}{4}$ cth R/ Ambroxol tab I $\frac{1}{2}$ CTM tab no I $\frac{1}{2}$ m fla pulv dtd no X S 3 dd 1 pulv	Non racikan 2 item
7	An H (4 tahun)	Pneumonia	R/ GG tab III Salbutamol 2mg tab III m fla pulv dtd no X S 3 dd 1 pulv	2 item
8	An A (1,5 tahun)	ISPA	R/ Amoxicilin Syr S 3 dd $\frac{1}{2}$ cth R/ CTM tab no II Ambroxol tab II Salbutamol 4mg I $\frac{1}{2}$ m fla pulv dtd no XII S 3 dd 1 pulv	Non racikan 3 item
9	An V	Faringitis	R/ Amoxicilin tab III	2 item

	(1.8 tahun)		CTM tab no II m fla pulv dtd no XII S 3 dd 1 pulv	
10	An Y (3 tahun)	Asma	R/ Ambroxol tab I Salbutamol 2mg tab I Metilprednisolon I½ m fla pulv dtd no IX S 3 dd 1 pulv	3 item