

LAMPIRAN



KUESIONER

A. KARAKTERISTIK RESPONDEN

Nama (bila berkenan) :

Alamat (bila berkenan) :

Berilah tanda untuk setiap jawaban yang menurut Anda paling benar.

1. Gender :

Pria

Wanita

2. Berapakah usia Anda saat ini :

kurang dari 16 tahun

16 tahun – 25 tahun

26 tahun – 35 tahun

36 tahun – 45 tahun

diatas 45 tahun

3. Tingkat pendidikan yang telah Anda capai :

Tidak tamat SD

Tamat SD

Tamat SLTP

Tamat SMU



Akademia/Sarjana

4. Pekerjaan Anda saat ini :

Pegawai Negeri

Dosen

Wiraswasta/Pegawai Swasta

Pelajar/Mahasiswa

Lain-lain, sebutkan.....

5. Agama yang Anda yakini :

Islam

Kristen

Katholik

Lain-lain, sebutkan.....



B. MOTIVASI KONSUMEN

I. Apa yang menjadi faktor pembentuk motivasi Anda dalam mengambil keputusan menabung di Bank Syariah Mandiri :

(jawaban dapat lebih dari satu)

Fasilitas yang dimiliki Bank Syariah Mandiri

Pelayanan yang diberikan Bank

- Persyaratan menabung yang mudah
- Sistem bagi hasil yang ditawarkan
- Berkaitan dengan ajaran agama
- Lain-lain, sebutkan.....

II. Penilaian keyakinan terhadap faktor motivasi nasabah Bank Syariah Mandiri

1. Fasilitas yang dimiliki Bank Syariah Mandiri menurut Anda :

- Sangat Lengkap (5) Kurang Lengkap (2)
- Lengkap (4) Tidak Lengkap (1)
- Netral (3)

2. Pelayanan yang diberikan Bank Syariah Mandiri menurut Anda :

- Sangat Bagus (5) Kurang Bagus (2)
- Bagus (4) Jelek (1)
- Netral (3)

3. Persyaratan menabung yang ditentukan menurut Anda :

- Sangat Setuju (5) Kurang Setuju (2)
- Setuju (4) Tidak Setuju (1)
- Netral (3)

4. Sistem bagi hasil yang ditawarkan menurut Anda :

- Sangat Bagus (5) Kurang Bagus (2)
- Bagus (4) Tidak Bagus (1)
- Netral (3)

5. Anda menabung di Bank Syariah Mandiri karena berkaitan dengan ajaran agama yang Anda yakini

- Sangat Setuju (5) Kurang Setuju (2)
- Setuju (4) Tidak Setuju (1)
- Netral (3)


III. Penilaian evaluasi terhadap faktor motivasi nasabah Bank Syariah Mandiri

Dari faktor-faktor di bawah ini, urutkan faktor manakah menurut Anda yang paling dominan hingga yang tidak dominan dalam mempengaruhi Anda mengambil keputusan menjadi nasabah Bank Syariah Mandiri dengan menuliskan angka 5 untuk faktor yang paling dominan sampai dengan 1 untuk faktor yang tidak dominan:

- Fasilitas yang dimiliki Bank
- Pelayanan yang diberikan Bank
- Persyaratan yang mudah
- Sistem bagi hasil yang ditawarkan
- Berkaitan dengan agama Anda

NILAI KRITIS CHI-KUADRAT

Tabel ini berisi nilai dari χ^2 yang berhubungan dengan bidang kanan tertentu dan angka tertentu dari (df)



Derajat kebebasan	Bidang kanan			
	0,10	0,05	0,02	0,01
<i>df</i>				
1	2,706	3,841	5,412	6,635
2	4,605	5,991	7,824	9,210
3	6,251	7,815	9,837	11,345
4	7,779	9,488	11,668	13,277
5	9,236	11,070	13,388	15,086
6	10,645	12,592	15,033	16,812
7	12,017	14,067	16,622	18,475
8	13,362	15,507	18,168	20,090
9	14,684	16,919	19,679	21,666
10	15,987	18,307	21,161	23,209
11	17,275	19,675	22,618	24,725
12	18,549	21,026	24,054	26,217
13	19,812	22,362	25,472	27,688
14	21,064	23,685	26,873	29,141
15	22,307	24,996	28,259	30,578
16	23,542	26,296	29,633	32,000
17	24,769	27,587	30,995	33,409
18	25,989	28,869	32,346	34,805
19	27,204	30,144	33,687	36,191
20	28,412	31,410	35,020	37,566
21	29,615	32,671	36,343	38,932
22	30,813	33,924	37,659	40,289
23	32,007	35,172	38,968	41,638
24	33,196	36,415	40,270	42,980
25	34,382	37,652	41,566	44,314
26	35,563	38,885	42,856	45,642
27	36,741	40,113	44,140	46,963
28	37,916	41,337	45,419	48,278
29	39,087	42,557	46,693	49,588
30	40,256	43,773	47,962	50,892

No.	Karakteristik responden				Penilaian					Urutan Prioritas				
	Gender	Usia	Tingkat Pendidikan	Pekerjaan	1	2	3	4	5	1	2	3	4	5
1	2	2	4	4	4	4	4	4	4	3	2	1	5	4
2	2	2	4	4	3	4	4	4	4	5	2	3	1	4
3	1	3	3	3	4	4	4	4	5	1	2	3	4	5
4	2	2	4	4	3	4	4	3	3	2	1	4	5	3
5	2	2	4	4	4	4	3	5	5	2	1	3	4	5
6	2	2	4	4	3	4	3	4	4	2	3	1	4	5
7	1	3	5	3	4	4	4	4	4	4	3	1	2	5
8	2	2	4	4	4	4	4	4	4	1	2	3	4	5
9	1	2	4	4	4	4	4	5	5	4	1	3	2	5
10	1	5	4	3	4	4	4	4	5	4	3	2	1	5
11	2	4	5	5	5	4	4	4	5	2	3	4	1	5
12	2	2	4	4	4	4	4	3	4	5	1	2	3	4
13	1	2	5	4	3	2	3	4	3	4	5	1	3	2
14	1	3	5	3	4	4	4	4	4	4	2	3	1	5
15	1	2	4	4	4	4	4	4	5	2	5	1	3	4
16	2	2	4	4	4	3	3	4	4	5	4	3	2	1
17	1	2	4	4	5	5	5	5	5	3	2	1	4	5
18	2	2	4	4	4	4	4	4	4	2	3	1	4	5
19	1	2	4	4	2	3	4	4	3	3	4	2	5	1
20	2	2	5	4	4	4	4	4	4	5	3	2	1	4
21	1	2	4	4	4	4	4	4	4	5	3	2	1	4
22	1	2	3	4	4	4	4	4	4	2	4	1	3	5
23	1	2	4	4	4	4	4	4	4	5	3	2	1	4
24	1	2	4	4	4	5	5	5	5	3	1	2	4	5
25	2	2	4	4	4	5	5	5	5	1	3	4	2	5
26	1	3	5	3	4	5	5	3	5	2	4	1	3	5
27	2	5	4	5	4	4	4	4	4	5	3	4	1	2
28	1	3	5	3	4	4	4	4	5	1	3	2	4	5
29	1	4	5	3	4	5	5	5	5	1	3	4	2	5
30	2	2	5	3	5	5	5	5	5	1	3	4	2	5
31	2	3	4	3	5	5	5	5	5	1	4	3	2	5
32	1	3	5	3	5	5	5	5	5	1	5	2	3	4
33	2	1	3	4	4	4	4	4	4	1	2	4	3	5
34	2	1	3	4	4	4	4	4	4	1	2	3	4	5
35	1	3	5	3	4	4	4	3	4	2	4	3	1	5
36	2	5	4	5	4	4	4	4	4	1	2	3	4	5
37	1	2	4	3	4	4	4	4	4	5	4	2	1	3
38	1	2	4	3	4	4	4	4	5	1	3	4	2	5
39	1	2	3	3	4	4	4	4	5	1	2	4	3	5
40	2	3	4	5	4	4	4	4	5	4	3	1	2	5
41	1	3	5	3	4	4	4	4	4	1	2	3	4	5
42	1	3	4	3	3	5	5	5	5	1	2	3	4	5
43	1	3	4	3	5	4	4	5	5	1	2	3	4	5
44	1	4	5	3	4	4	4	5	5	2	1	3	4	5
45	2	2	4	4	4	5	4	4	5	1	2	3	4	5
46	2	2	4	4	4	5	5	5	5	3	2	1	4	5
47	2	2	4	4	4	4	3	4	4	4	3	5	2	1
48	1	2	5	4	4	5	4	4	1	1	2	4	3	5
49	1	2	4	3	3	3	4	4	5	3	1	2	4	5
50	2	2	4	4	4	4	4	3	1	3	2	4	1	5
51	1	3	5	5	4	4	4	4	1	2	3	4	1	5
52	2	2	4	4	4	4	4	4	4	2	1	3	4	5

53	2	2	5	5	2	4	4	3	5	2	3	4	1	5
54	1	2	4	4	4	4	4	4	5	3	2	1	4	5
55	1	3	5	3	4	4	4	5	5	1	3	2	4	5
56	1	2	4	4	4	4	4	3	5	2	4	3	1	5
57	1	2	4	4	3	4	4	3	3	4	1	2	3	5
58	1	2	5	1	4	4	4	5	5	3	1	2	4	5
59	1	2	4	4	2	4	4	3	4	4	1	2	3	5
60	1	2	4	4	3	4	4	4	4	3	1	2	4	5
61	1	3	5	3	4	5	4	4	5	2	3	1	4	5
62	1	2	4	4	4	4	4	4	4	1	2	4	3	5
63	1	2	4	4	2	4	4	1	4	1	5	4	2	5
64	1	2	4	3	2	3	2	2	2	4	3	2	1	3
65	1	2	4	4	3	4	4	5	5	1	5	4	2	3
66	1	3	4	1	4	4	4	3	4	1	2	4	3	5
67	1	3	5	3	3	5	5	3	3	1	4	3	2	5
68	1	2	5	4	5	4	4	4	3	4	5	1	3	2
69	1	2	5	4	2	4	4	4	4	1	4	3	2	5
70	1	3	5	3	4	4	4	3	5	2	3	4	1	5
71	2	2	4	3	4	4	4	4	3	3	4	5	2	1
72	1	2	5	4	2	4	5	5	5	1	2	3	5	4
73	1	2	4	4	3	5	5	5	5	1	2	3	4	5
74	1	2	5	5	4	4	4	3	4	1	4	2	3	5
75	1	2	5	3	4	4	4	4	4	3	2	1	4	5
76	2	4	5	1	5	4	4	4	5	3	1	4	2	5
77	2	4	5	1	3	3	3	3	4	5	4	2	1	3
78	1	2	4	4	4	5	4	4	4	1	2	3	4	5
79	2	2	5	2	4	4	4	4	5	1	2	4	3	5
80	2	5	4	1	3	3	3	3	4	5	1	2	3	4
81	2	5	2	5	2	2	3	2	3	4	5	3	2	1
82	2	2	4	4	4	4	4	4	4	3	2	1	5	4
83	2	2	4	4	4	4	4	3	5	4	3	2	1	5
84	1	3	5	3	4	4	4	4	5	3	1	2	4	5
85	2	2	5	5	3	4	4	3	5	2	1	4	3	5
86	1	2	4	4	2	4	5	4	3	1	5	4	2	3
87	2	2	4	4	4	3	4	3	5	1	4	2	3	5
88	2	3	5	3	4	5	1	4	2	3	5	4	1	2
89	2	4	5	1	3	4	3	4	5	4	3	1	2	5
90	1	3	5	3	4	4	4	5	5	4	1	5	2	3
91	2	2	4	4	4	4	5	4	5	4	3	1	2	5
92	2	2	4	4	3	4	4	4	5	2	3	1	4	5
93	2	2	4	4	4	3	4	4	5	3	1	4	2	5
94	2	4	5	1	3	4	4	4	5	4	3	1	2	5
95	2	4	5	1	4	4	4	4	5	2	1	4	3	5
96	2	4	5	1	2	4	5	5	5	1	2	3	4	5
97	1	3	5	3	4	4	4	3	5	4	3	2	1	5
98	1	3	5	3	3	4	4	5	5	1	4	3	2	5
99	2	3	5	3	4	3	3	4	5	3	1	2	4	5
100	1	3	5	3	2	3	3	3	5	1	2	3	4	5
Total	144	256	434	347	367	403	397	396	430	249	265	266	277	443

Crosstabs

USIA * FASILITAS

Crosstab

			FASILITAS				Total
			2	3	4	5	
USIA < 16 tahun	Count	0	0	2	0	2	
	Expected Count	,2	,4	1,3	,1	2,0	
16 tahun-25 tahun	Count	8	11	38	2	59	
	Expected Count	6,5	10,6	37,8	4,1	59,0	
26 tahun-35 tahun	Count	1	3	18	3	25	
	Expected Count	2,8	4,5	16,0	1,8	25,0	
36 tahun-45 tahun	Count	1	3	3	2	9	
	Expected Count	1,0	1,6	5,8	,6	9,0	
> 45 tahun	Count	1	1	3	0	5	
	Expected Count	,6	,9	3,2	,4	5,0	
Total	Count	11	18	64	7	100	
	Expected Count	11,0	18,0	64,0	7,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	11,566 ^a	12	,481
Likelihood Ratio	11,948	12	,450
Linear-by-Linear Association	,049	1	,825
N of Valid Cases	100		

a. 15 cells (75,0%) have expected count less than 5. The minimum expected count is ,14.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,322	,481
N of Valid Cases		100	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

USIA * PELAYANAN

Crosstab

			PELAYANAN				Total
			2	3	4	5	
USIA > 16 tahun	Count	0	0	2	0	2	
	Expected Count	,0	,2	1,4	,3	2,0	
16 tahun-25 tahun	Count	1	6	43	9	59	
	Expected Count	1,2	5,9	41,9	10,0	59,0	
26 tahun-35 tahun	Count	0	2	16	7	25	
	Expected Count	,5	2,5	17,8	4,3	25,0	
36 tahun-45 tahun	Count	0	1	7	1	9	
	Expected Count	,2	,9	6,4	1,5	9,0	
>45 tahun	Count	1	1	3	0	5	
	Expected Count	,1	,5	3,6	,9	5,0	
Total	Count	2	10	71	17	100	
	Expected Count	2,0	10,0	71,0	17,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	13,501 ^a	12	,334
Likelihood Ratio	9,929	12	,622
Linear-by-Linear Association	1,194	1	,275
N of Valid Cases	100		

a. 15 cells (75,0%) have expected count less than 5. The minimum expected count is ,04.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,345	,334
N of Valid Cases		100	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

USIA * PERSYARATAN MENABUNG

Crosstab

		PERSYARATAN MENABUNG					Total
		1	2	3	4	5	
USIA < 16 tahun	Count	0	0	0	2	0	2
	Expected Count	,0	,0	,2	1,4	,3	2,0
16 tahun-25 tahun	Count	1	1	5	43	9	59
	Expected Count	1,2	,6	6,5	41,3	9,1	59,0
26 tahun-35 tahun	Count	1	0	2	17	5	25
	Expected Count	,5	,3	2,8	17,5	4,0	25,0
36 tahun-45 tahun	Count	0	0	2	5	2	9
	Expected Count	,2	,1	1,0	6,3	1,4	9,0
> 45 tahun	Count	0	0	2	3	0	5
	Expected Count	,1	,1	,6	3,5	,8	5,0
Total	Count	2	1	11	70	16	100
	Expected Count	2,0	1,0	11,0	70,0	16,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9,452 ^a	16	,894
Likelihood Ratio	9,566	16	,888
Linear-by-Linear Association	,493	1	,483
N of Valid Cases	100		

a. 20 cells (80,0%) have expected count less than 5. The minimum expected count is ,02.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	,294	,894
N of Valid Cases	100	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

USIA * SISTEM BAGI HASIL

Crosstab

		SISTEM BAGI HASIL				Total
		2	3	4	5	
USIA < 16 tahun	Count	0	0	2	0	2
	Expected Count	,0	,4	1,1	,4	2,0
16 tahun-25 tahun	Count	1	12	35	11	59
	Expected Count	1,2	12,4	33,0	12,4	59,0
26 tahun-35 tahun	Count	0	7	11	7	25
	Expected Count	,5	5,3	14,0	5,3	25,0
36 tahun-45 tahun	Count	0	1	5	3	9
	Expected Count	,2	1,9	5,0	1,9	9,0
> 45 tahun	Count	1	1	3	0	5
	Expected Count	,1	1,1	2,8	1,1	5,0
Total	Count	2	21	56	21	100
	Expected Count	2,0	21,0	56,0	21,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	14,611 ^a	12	,263
Likelihood Ratio	11,727	12	,468
Linear-by-Linear Association	,197	1	,657
N of Valid Cases	100		

a. 13 cells (65,0%) have expected count less than 5. The minimum expected count is ,04.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	,357	,263
N of Valid Cases	100	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

USIA * AGAMA

Crosstab

		AGAMA					Total
		1	2	3	4	5	
USIA < 16 tahun	Count	0	0	0	2	0	2
	Expected Count	,1	,0	,2	,7	1,0	2,0
16 tahun-25 tahun	Count	2	1	7	23	26	59
	Expected Count	1,8	1,2	5,3	20,1	30,7	59,0
26 tahun-35 tahun	Count	1	1	1	5	17	25
	Expected Count	,8	,5	2,3	8,5	13,0	25,0
36 tahun-45 tahun	Count	0	0	0	1	8	9
	Expected Count	,3	,2	,8	3,1	4,7	9,0
> 45 tahun	Count	0	0	1	3	1	5
	Expected Count	,2	,1	,5	1,7	2,6	5,0
Total	Count	3	2	9	34	52	100
	Expected Count	3,0	2,0	9,0	34,0	52,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	17,475 ^a	16	,356
Likelihood Ratio	19,616	16	,238
Linear-by-Linear Association	1,545	1	,214
N of Valid Cases	100		

a. 20 cells (80,0%) have expected count less than 5. The minimum expected count is ,04.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	,386	,356
N of Valid Cases	100	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

TINGKAT PENDIDIKAN * FASILITAS

Crosstab

			FASILITAS				Total
			2	3	4	5	
TINGKAT PENDIDIKAN	Tamat SD	Count	1	0	0	0	1
		Expected Count	,1	,2	,6	,1	1,0
	Tamat SLTP	Count	0	0	5	0	5
		Expected Count	,6	,9	3,2	,4	5,0
	Tamat SMU	Count	5	11	34	3	53
		Expected Count	5,8	9,5	33,9	3,7	53,0
	Akademia/Sarjana	Count	5	7	25	4	41
		Expected Count	4,5	7,4	26,2	2,9	41,0
	Total	Count	11	18	64	7	100
		Expected Count	11,0	18,0	64,0	7,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	11,957 ^a	9	,216
Likelihood Ratio	9,887	9	,360
Linear-by-Linear Association	,218	1	,640
N of Valid Cases	100		

a. 11 cells (68,8%) have expected count less than 5. The minimum expected count is ,07.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,327	,216
N of Valid Cases		100	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

TINGKAT PENDIDIKAN * PELAYANAN

Crosstab

			PELAYANAN				Total
			2	3	4	5	
TINGKAT PENDIDIKAN	Tamat SD	Count	1	0	0	0	1
		Expected Count	,0	,1	,7	,2	1,0
	Tamat SLTP	Count	0	0	5	0	5
		Expected Count	,1	,5	3,6	,9	5,0
	Tamat SMU	Count	0	7	37	9	53
		Expected Count	1,1	5,3	37,6	9,0	53,0
	Akademia/Sarjana	Count	1	3	29	8	41
		Expected Count	,8	4,1	29,1	7,0	41,0
	Total	Count	2	10	71	17	100
		Expected Count	2,0	10,0	71,0	17,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	53,145 ^a	9	,000
Likelihood Ratio	14,383	9	,109
Linear-by-Linear Association	2,638	1	,104
N of Valid Cases	100		

a. 11 cells (68,8%) have expected count less than 5. The minimum expected count is ,02.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,589	,000
N of Valid Cases		100	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

TINGKAT PENDIDIKAN * PERSYARATAN MENABUNG

Crosstab

			PERSYARATAN MENABUNG					Total
			1	2	3	4	5	
TINGKAT PENDIDIKAN	Tamat SD	Count	0	0	1	0	0	1
		Expected Count	,0	,0	,1	,7	,2	1,0
	Tamat SLTP	Count	0	0	0	5	0	5
		Expected Count	,1	,1	,6	3,5	,8	5,0
	Tamat SMU	Count	1	1	5	37	9	53
		Expected Count	1,1	,5	5,8	37,1	8,5	53,0
	Akademia/Sarjana	Count	1	0	5	28	7	41
		Expected Count	,8	,4	4,5	28,7	6,6	41,0
Total		Count	2	1	11	70	16	100
		Expected Count	2,0	1,0	11,0	70,0	16,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	11,354 ^a	12	,499
Likelihood Ratio	9,425	12	,666
Linear-by-Linear Association	,215	1	,643
N of Valid Cases	100		

a. 15 cells (75,0%) have expected count less than 5. The minimum expected count is ,01.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,319	,499
N of Valid Cases		100	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

TINGKAT PENDIDIKAN * AGAMA

Crosstab

			AGAMA					Total
			1	2	3	4	5	
TINGKAT PENDIDIKAN	Tamat SD	Count	0	0	1	0	0	1
		Expected Count	,0	,0	,1	,3	,5	1,0
	Tamat SLTP	Count	0	0	0	3	2	5
		Expected Count	,2	,1	,5	1,7	2,6	5,0
	Tamat SMU	Count	1	1	5	22	24	53
		Expected Count	1,6	1,1	4,8	18,0	27,6	53,0
	Akademia/Sarjana	Count	2	1	3	9	26	41
		Expected Count	1,2	,8	3,7	13,9	21,3	41,0
	Total	Count	3	2	9	34	52	100
		Expected Count	3,0	2,0	9,0	34,0	52,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	16,945 ^a	12	,152
Likelihood Ratio	12,286	12	,423
Linear-by-Linear Association	,682	1	,409
N of Valid Cases	100		

a. 16 cells (80,0%) have expected count less than 5. The minimum expected count is ,02.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,381	,152
N of Valid Cases		100	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

JENIS PEKERJAAN * FASILITAS

Crosstab

			FASILITAS				Total
			2	3	4	5	
JENIS PEKERJAAN	Pegawai Negeri	Count	1	4	3	1	9
		Expected Count	1,0	1,6	5,8	,6	9,0
	Dosen	Count	0	0	1	0	1
		Expected Count	,1	,2	,6	,1	1,0
	Wiraswasta/ Pegawai Swasta	Count	2	4	24	3	33
		Expected Count	3,6	5,9	21,1	2,3	33,0
	Pelajar/ Mahasiswa	Count	6	9	31	2	48
		Expected Count	5,3	8,6	30,7	3,4	48,0
	Lain-Lain	Count	2	1	5	1	9
		Expected Count	1,0	1,6	5,8	,6	9,0
	Total	Count	11	18	64	7	100
		Expected Count	11,0	18,0	64,0	7,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9,815 ^a	12	,632
Likelihood Ratio	9,423	12	,666
Linear-by-Linear Association	,038	1	,845
N of Valid Cases	100		

a. 13 cells (65,0%) have expected count less than 5. The minimum expected count is ,07.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,299	,632
N of Valid Cases		100	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

JENIS PEKERJAAN * PELAYANAN

Crosstab

		PELAYANAN				Total	
		2	3	4	5		
JENIS PEKERJAAN	Pegawai Negeri	Count	0	2	7	0	9
		Expected Count	,2	,9	6,4	1,5	9,0
	Dosen	Count	0	0	1	0	1
		Expected Count	,0	,1	,7	,2	1,0
	Wiraswasta/ Pegawai Swasta	Count	0	4	20	9	33
		Expected Count	,7	3,3	23,4	5,6	33,0
	Pelajar/ Mahasiswa	Count	1	4	35	8	48
		Expected Count	1,0	4,8	34,1	8,2	48,0
	Lain-Lain	Count	1	0	8	0	9
		Expected Count	,2	,9	6,4	1,5	9,0
	Total	Count	2	10	71	17	100
		Expected Count	2,0	10,0	71,0	17,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	13,614 ^a	12	,326
Likelihood Ratio	16,067	12	,188
Linear-by-Linear Association	,010	1	,920
N of Valid Cases	100		

a. 14 cells (70,0%) have expected count less than 5. The minimum expected count is ,02.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	,346	,326
N of Valid Cases	100	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

JENIS PEKERJAAN * PERSYARATAN MENABUNG

Crosstab

			PERSYARATAN MENABUNG					Total
			1	2	3	4	5	
JENIS PEKERJAAN	Pegawai Negeri	Count	0	0	3	5	1	9
		Expected Count	,2	,1	1,0	6,3	1,4	9,0
	Dosen	Count	0	0	0	1	0	1
		Expected Count	,0	,0	,1	,7	,2	1,0
	Wiraswasta/ Pegawai Swasta	Count	1	1	2	22	7	33
		Expected Count	,7	,3	3,6	23,1	5,3	33,0
	Pelajar/ Mahasiswa	Count	1	0	5	34	8	48
		Expected Count	1,0	,5	5,3	33,6	7,7	48,0
	Lain-Lain	Count	0	0	1	8	0	9
		Expected Count	,2	,1	1,0	6,3	1,4	9,0
Total		Count	2	1	11	70	16	100
		Expected Count	2,0	1,0	11,0	70,0	16,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	10,746 ^a	16	,825
Likelihood Ratio	11,627	16	,769
Linear-by-Linear Association	,238	1	,626
N of Valid Cases	100		

a. 18 cells (72,0%) have expected count less than 5. The minimum expected count is ,01.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	,311	,825
N of Valid Cases	100	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

JENIS PEKERJAAN * SISTEM BAGI HASIL

Crosstab

			SISTEM BAGI HASIL				Total
			2	3	4	5	
JENIS PEKERJAAN	Pegawai Negeri	Count	0	3	4	2	9
		Expected Count	,2	1,9	5,0	1,9	9,0
	Dosen	Count	0	0	1	0	1
		Expected Count	,0	,2	,6	,2	1,0
	Wiraswasta/ Pegawai Swasta	Count	1	6	16	10	33
		Expected Count	,7	6,9	18,5	6,9	33,0
	Pelajar/ Mahasiswa	Count	0	9	30	9	48
		Expected Count	1,0	10,1	26,9	10,1	48,0
	Lain-Lain	Count	1	3	5	0	9
		Expected Count	,2	1,9	5,0	1,9	9,0
	Total	Count	2	21	56	21	100
		Expected Count	2,0	21,0	56,0	21,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	11,663 ^a	12	,473
Likelihood Ratio	12,766	12	,386
Linear-by-Linear Association	,752	1	,386
N of Valid Cases	100		

a. 12 cells (60,0%) have expected count less than 5. The minimum expected count is ,02.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,323	,473
N of Valid Cases		100	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

JENIS PEKERJAAN * AGAMA

Crosstab

			AGAMA					Total
			1	2	3	4	5	
JENIS PEKERJAAN	Pegawai Negeri	Count	0	0	0	3	6	9
		Expected Count	,3	,2	,8	3,1	4,7	9,0
	Dosen	Count	0	0	0	0	1	1
		Expected Count	,0	,0	,1	,3	,5	1,0
	Wiraswasta/ Pegawai Swasta	Count	0	2	2	6	23	33
		Expected Count	1,0	,7	3,0	11,2	17,2	33,0
	Pelajar/ Mahasiswa	Count	2	0	6	22	18	48
		Expected Count	1,4	1,0	4,3	16,3	25,0	48,0
	Lain-Lain	Count	1	0	1	3	4	9
		Expected Count	,3	,2	,8	3,1	4,7	9,0
	Total	Count	3	2	9	34	52	100
		Expected Count	3,0	2,0	9,0	34,0	52,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	19,047 ^a	16	,266
Likelihood Ratio	21,280	16	,168
Linear-by-Linear Association	5,122	1	,024
N of Valid Cases	100		

a. 21 cells (84,0%) have expected count less than 5. The minimum expected count is ,02.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,400	,266
N of Valid Cases		100	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

ANOVA

Skor

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	259.600	4	64.900	43.389	.000
Within Groups	740.400	495	1.496		
Total	1000.000	499			

Homogeneous Subsets

Skor

Duncan^a

Minat	N	Subset for alpha = .05	
		1	2
fasilitas	100	2.49	
pelayanan	100	2.65	
persyaratan	100	2.66	
bagi hasil	100	2.77	
Agama	100		4.43
Sig.		.142	1.000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 100.000.