

REVISI UNIVARIAT

Debu

	Frequency	Percent	Valid Percent	Cumulative Percent
<NAB	6	100	100	100
Valid >NAB	0	0	0	100.0
Total	0	100.0	100.0	

Perokok

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Merokok	20	54.1	54.1	54.1
Valid Perokok Ringan	17	45.9	45.9	100.0
Total	37	100.0	100.0	

Olahraga

	Frequency	Percent	Valid Percent	Cumulative Percent
Cukup Olahraga	17	45.9	45.9	45.9
Valid Kurang Olahraga	10	27	27	72.9
Tidak Olahraga	10	27	27	100.0
Total	37	100.0	100.0	

Kapasitas Paru

	Frequency	Percent	Valid Percent	Cumulative Percent
Normal	27	73	73	73
Valid Gangguan Ringan	10	27	27	100.0
Total	37	100.0	100.0	



BIVARIAT

Crosstab

		Kapasitas Paru		Total	
		Normal	Gangguan Ringan		
Debu	<NAB	Count	27	10	37
		% of Total	100%	100%	100%
	>NAB	Count	0	0	0
		% of Total	0	0	0
Total		Count	27	10	37
		% of Total	73%	27%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.194 ^a	1	.109		
Continuity Correction ^b	2.823	1	.093		
Likelihood Ratio	4.118	1	.042		
Fisher's Exact Test				.108	.109
Linear-by-Linear Association	4.080	1	.043		
N of Valid Cases	37				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4.22.

b. Computed only for a 2x2 table

Crosstab

		Kapasitas Paru		Total
		Normal	Gangguan Ringan	
Perokok	Tidak Merokok	Count 16	3	19
		% of Total 43.2%	8.1%	51.4%
Perokok Ringan	Count	9	9	18
		% of Total 24.3%	24.3%	48.6%
Total	Count	25	12	37
		% of Total 67.6%	32.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.937 ^a	1	.026		
Continuity Correction ^b	3.499	1	.061		
Likelihood Ratio	5.099	1	.024		
Fisher's Exact Test				.038	.030
Linear-by-Linear Association	4.803	1	.028		
N of Valid Cases	37				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 5.84.

b. Computed only for a 2x2 table

Crosstab

		Kapasitas Paru		Total	
		Normal	Gangguan Ringan		
Olahraga	Cukup Olahraga	Count	22	4	26
		% of Total	59.5%	10.8%	70.3%
	Kurang Olahraga	Count	2	6	8
		% of Total	5.4%	16.2%	21.6%
	Tidak Olahraga	Count	1	2	3
		% of Total	2.7%	5.4%	8.1%
Total	Count	25	12	37	
	% of Total	67.6%	32.4%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	11.668 ^a	2	.003
Likelihood Ratio	11.485	2	.003
Linear-by-Linear Association	9.001	1	.003
N of Valid Cases	37		

a. 3 cells (50.0%) have expected count less than 5. The minimum expected count is .97.

MULTIVARIAT

Variables not in the Equation

		Score	df	Sig.
Step 0	Variables Perokok	9.251	1	.002
	Olahraga	4.937	1	.026
Overall Statistics		18.382	3	.002

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 1 ^a	Perokok	0.582	0.609	3.647	1	.056	9.251
	Olahraga	0.226	0.209	3.467	1	.063	4.937
	Constant	-3.488	1.177	8.780	1	.003	.031
	Constant	-3.488	1.177	8.780	1	.003	.031