

DAFTAR ISI

Halaman Judul	i
Lembar Pengesahan Dosen Pembimbing	ii
Lembar Pengesahan Dosen Penguji	iii
Pernyataan Keaslian	iv
Halaman Persembahan	v
Halaman Motto	vi
Kata Pengantar atau Ucapan Terima Kasih	vii
Abstrak	viii
<i>Abstract</i>	ix
Daftar Isi	x
Daftar Tabel	xii
Daftar Gambar	xiii
Daftar Notasi	xvi
Bab 1 Pendahuluan	1
1.1 Latar Belakang	1
1.2 Rumusan Masalah	2
1.3 Batasan Masalah	2
1.4 Tujuan Penelitian atau Perancangan	3
1.5 Manfaat Penelitian atau Perancangan	3
1.6 Sistematika Penulisan	3
Bab 2 Tinjauan Pustaka	5
2.1 Kajian Pustaka	5
2.2 Dasar Teori	6
2.2.1 <i>Injection molding</i>	6
2.2.2 <i>Cold runner mold</i>	7
2.2.3 <i>Hot runner mold</i>	7
2.2.4 Polypropylene	8
2.2.5 Cacat pada produk	8
2.2.6 Komponen-komponen <i>molding unit</i>	10
2.2.7 Perancangan <i>mold</i>	10

2.3	Keuntungan Simulasi	16
Bab 3	Metode Penelitian	18
3.1	Alur Penelitian	18
3.2	Studi Litelatur	21
3.3	Input File CAD	21
3.4	Proses Analisis	21
3.5	Alat dan Bahan.....	22
3.5.1	Alat perancangan	22
3.5.2	Bahan perancangan.....	22
Bab 4	Hasil dan Pembahasan	23
4.1	Identifikasi Produk.....	23
4.1.1	Menentukan ukuran runner optimal	24
4.1.2	Menentukan lokasi gate optimal.....	24
4.2	Hasil Analisis <i>Layout</i> dan <i>Runner System</i>	29
4.2.1	Variasi <i>runner system</i> pada <i>layout grid</i>	29
4.2.2	Variasi <i>runner system</i> pada <i>layout radial</i>	35
4.3	Perancangan Mold Berdasarkan Produk Plastik.....	41
4.3.1	Langkah urutan desain.....	42
4.3.2	Hasil desain <i>mold</i>	53
4.4	Penentuan <i>Mold Material</i>	55
4.5	Hasil Analisis Parameter Injeksi.....	55
4.5.1	Variasi <i>melt temperature</i>	55
4.6	Hasil Perhitungan.....	68
4.6.1	Perhitungan <i>clamping force</i>	68
4.6.2	Perhitungan jumlah produksi.....	69
4.7	Pemilihan Mesin	69
Bab 5	Penutup.....	71
5.1	Kesimpulan	71
5.2	Saran atau Penelitian Selanjutnya.....	72
Daftar Pustaka	73

DAFTAR TABEL

Tabel 3-1 Spesifikasi HP pavilion 14.....	22
Tabel 4-1 Data produk.....	23
Tabel 4-2 Daftar tuntutan perancangan	23
Tabel 4-3 Karakteristik polypropylene.....	23
Tabel 4-4 Parameter uji coba lokasi gate.....	24
Tabel 4-5 Parameter variasi <i>runner system</i> pada <i>layout grid</i>	30
Tabel 4-6 Hasil analisis <i>layout grid</i>	35
Tabel 4-7 Parameter variasi <i>runner system</i> pada <i>layout radial</i>	36
Tabel 4-8 Hasil analisis <i>layout radial</i>	41
Tabel 4-9 <i>Mold</i> material	55
Tabel 4-10 Parameter variasi <i>melt temperature</i>	56
Tabel 4-11 Hasil analisis variasi <i>melt temperature</i>	67



DAFTAR GAMBAR

Gambar 2-1 Mesin injeksi	6
Gambar 2-2 <i>Cold runner system</i>	7
Gambar 2-3 <i>Hot runner system</i>	8
Gambar 2-4 Biji plastik polypropylene	8
Gambar 2-5 Komponen <i>molding unit</i>	10
Gambar 2-6 Desain ketebalan dinding produk	11
Gambar 2-7 Perbandingan sudut	12
Gambar 2-8 <i>Parting line</i>	12
Gambar 2-9 <i>Layout cavity</i> dan <i>core</i>	13
Gambar 2-10 Spesifikasi material plastik.....	16
Gambar 3-1 Gambar alur penelitian	20
Gambar 3-2 Produk gabungan sendok dan garpu.....	22
Gambar 4-1 Lokasi <i>gate 1</i>	25
Gambar 4-2 Cacat <i>air traps</i> lokasi <i>gate 1</i>	25
Gambar 4-3 Cacat <i>weld line</i> lokasi <i>gate 1</i>	26
Gambar 4-4 Lokasi <i>gate 2</i>	26
Gambar 4-5 Cacat <i>air traps</i> lokasi <i>gate 2</i>	27
Gambar 4-6 Cacat <i>weld line</i> lokasi <i>gate 2</i>	27
Gambar 4-7 Lokasi <i>gate 3</i>	28
Gambar 4-8 Cacat <i>air traps</i> lokasi <i>gate 3</i>	28
Gambar 4-9 Cacat <i>weld line</i> lokasi <i>gate 3</i>	29
Gambar 4-10 <i>Fill time runner system H</i>	30
Gambar 4-11 <i>Injection pressure runner system H</i>	31
Gambar 4-12 <i>Quality prediction runner system H</i>	31
Gambar 4-13 <i>Weld line runner system H</i>	32
Gambar 4-14 <i>Fill time runner system block</i>	33
Gambar 4-15 <i>Injection pressure runner system block</i>	33
Gambar 4-16 <i>Quality prediction runner system block</i>	34
Gambar 4-17 <i>Weld line runner system block</i>	34
Gambar 4-18 <i>Fill time runner system star</i>	36

Gambar 4-19 <i>Injection pressure runner system star</i>	37
Gambar 4-20 <i>Quality prediction runner system star</i>	37
Gambar 4-21 <i>Weld line runner system star</i>	38
Gambar 4-22 <i>Fill time runner system block</i>	39
Gambar 4-23 <i>Injection pressure runner system block</i>	39
Gambar 4-24 <i>Quality prediction runner system block</i>	40
Gambar 4-25 <i>Weld line runner system block</i>	40
Gambar 4-26 Standar <i>molbase LKM AI 4050</i>	42
Gambar 4-27 <i>Top clamping plate</i>	43
Gambar 4-28 <i>Cavity plate</i>	43
Gambar 4-29 <i>Core plate</i>	44
Gambar 4-30 <i>Cavity</i>	44
Gambar 4-31 <i>Core</i>	45
Gambar 4-32 <i>Support plate</i>	45
Gambar 4-33 <i>Spacer block</i>	46
Gambar 4-34 <i>System ejector</i>	46
Gambar 4-35 <i>Bottom clamping plate</i>	47
Gambar 4-36 Standar <i>molbase LKM AI 6065</i>	48
Gambar 4-37 <i>Top clamping plate</i>	49
Gambar 4-38 <i>Cavity plate</i>	49
Gambar 4-39 <i>Core plate</i>	50
Gambar 4-40 <i>Cavity</i>	50
Gambar 4-41 <i>Core</i>	51
Gambar 4-42 <i>Support plate</i>	51
Gambar 4-43 <i>Spacer block</i>	52
Gambar 4-44 <i>System ejector</i>	52
Gambar 4-45 <i>Bottom clamping plate</i>	53
Gambar 4-46 Hasil perancangan <i>mol layout grid</i>	54
Gambar 4-47 Hasil perancangan <i>mol layout radial</i>	54
Gambar 4-48 <i>Fill time layout grid melt temperature 200°C</i>	57
Gambar 4-49 <i>Injection pressure layout grid melt temperature 200°C</i>	57
Gambar 4-50 <i>Quality prediction layout grid melt temperature 200°C</i>	58

Gambar 4-51 <i>Fill time layout grid melt temperature 210°C</i>	58
Gambar 4-52 <i>Injection pressure layout grid melt temperature 210°C</i>	59
Gambar 4-53 <i>Quality prediction layout grid melt temperature 210°C</i>	59
Gambar 4-54 <i>Fill time layout grid melt temperature 220°C</i>	60
Gambar 4-55 <i>Injection pressure layout grid melt temperature 220°C</i>	60
Gambar 4-56 <i>Quality prediction layout grid melt temperature 220°C</i>	61
Gambar 4-57 <i>Fill time layout grid melt temperature 230°C</i>	61
Gambar 4-58 <i>Injection pressure layout grid melt temperature 230°C</i>	62
Gambar 4-59 <i>Quality prediction layout grid melt temperature 230°C</i>	62
Gambar 4-60 <i>Fill time layout grid melt temperature 240°C</i>	63
Gambar 4-61 <i>Injection pressure layout grid melt temperature 240°C</i>	63
Gambar 4-62 <i>Quality prediction layout grid melt temperature 240°C</i>	64
Gambar 4-63 <i>Fill time layout grid melt temperature 250°C</i>	64
Gambar 4-64 <i>Injection pressure layout grid melt temperature 250°C</i>	65
Gambar 4-65 <i>Quality prediction layout grid melt temperature 250°C</i>	65
Gambar 4-66 <i>Fill time layout grid melt temperature 260°C</i>	66
Gambar 4-67 <i>Injection pressure layout grid melt temperature 260°C</i>	66
Gambar 4-68 <i>Quality prediction layout grid melt temperature 260°C</i>	67
Gambar 4-69 <i>Actual injection pressure</i>	68
Gambar 4-70 <i>Clamp force area</i>	68
Gambar 4-71 <i>Cycle time</i>	69
Gambar 4-72 <i>Mesin injeksi JSW J180AD</i>	70
Gambar 4-73 <i>Data sheet mesin injeksi JSW J180AD</i>	70