

Lampiran 11. Analisis *chi square*

A. Karakteristik Demografi dan Tingkat Pengetahuan

1. Tahun kelulusan * Pengetahuan

Chi-Square Tests			
	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	.148 ^a	1	.700
Continuity Correction ^b	.003	1	.958
Likelihood Ratio	.144	1	.705
Fisher's Exact Test			.743 .461
Linear-by-Linear Association	.147	1	.702
N of Valid Cases	100		

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.42.

b. Computed only for a 2x2 table

Risk Estimate		95% Confidence Interval	
	Value	Lower	Upper
Odds Ratio for Tahun kelulusan (1988-2007 / >2007)	.784	.226	2.719
For cohort Pengetahuan = baik	.952	.729	1.244
For cohort Pengetahuan = kurang	1.215	.457	3.230
N of Valid Cases	100		

2. Lama bekerja * Pengetahuan

Chi-Square Tests					
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.421 ^a	1		.516	
Continuity Correction ^b	.131	1		.718	
Likelihood Ratio	.438	1		.508	
Fisher's Exact Test				.581	.369
Linear-by-Linear Association	.417	1		.519	
N of Valid Cases	100				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 5.13.

b. Computed only for a 2x2 table

Risk Estimate		95% Confidence Interval	
	Value	Lower	Upper
Odds Ratio for Lama bekerja (<4 tahun / 4 tahun atau lebih)	.672	.202	2.242
For cohort Pengetahuan = baik	.933	.767	1.134
For cohort Pengetahuan = kurang	1.387	.505	3.811
N of Valid Cases	100		

3. Pelatihan GCP * Pengetahuan

Chi-Square Tests					
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.061 ^a	1		.804	
Continuity Correction ^b	.000	1		1.000	
Likelihood Ratio	.062	1		.804	
Fisher's Exact Test				1.000	.516

Linear-by-Linear Association	.061	1	.805	
N of Valid Cases	100			

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 6.46.

b. Computed only for a 2x2 table

	Value	Risk Estimate	
		Lower	Upper
Odds Ratio for Pelatihan GCP (ya / tidak)	1.145	.393	3.338
For cohort Pengetahuan = baik	1.026	.843	1.248
For cohort Pengetahuan = kurang	.896	.374	2.148
N of Valid Cases	100		

4. Jenis kelamin * Pengetahuan

	Chi-Square Tests			
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)
Pearson Chi-Square	.701 ^a	1	.403	
Continuity Correction ^b	.309	1	.578	
Likelihood Ratio	.677	1	.411	
Fisher's Exact Test				.411 .284
Linear-by-Linear Association	.694	1	.405	
N of Valid Cases	100			

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 5.51.

b. Computed only for a 2x2 table

	Risk Estimate		95% Confidence Interval	
	Value		Lower	Upper

Odds Ratio for Jenis kelamin (Pria / wanita)	.639	.223	1.832
For cohort Pengetahuan = baik	.913	.725	1.150
For cohort Pengetahuan = kurang	1.428	.625	3.262
N of Valid Cases	100		

5. Apotek * Pengetahuan

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.033 ^a	1	.856		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.033	1	.855		
Fisher's Exact Test				1.000	.551
Linear-by-Linear Association	.033	1	.857		
N of Valid Cases	100				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 5.32.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Apotek (Apotek umum / Apotek Terpadu)	.901	.291	2.787
For cohort Pengetahuan = baik	.981	.798	1.206
For cohort Pengetahuan = kurang	1.089	.433	2.741
N of Valid Cases	100		

B. Karakteristik Demografi dan Implementasi GCP

1. Tahun kelulusan * Implementasi

Chi-Square Tests				
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)
Pearson Chi-Square	3.573 ^a	1	.059	
Continuity Correction ^b	2.296	1	.130	
Likelihood Ratio	6.037	1	.014	
Fisher's Exact Test				.068 .050
Linear-by-Linear Association	3.538	1	.060	
N of Valid Cases	100			

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.52.

b. Computed only for a 2x2 table

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
For cohort Implementasi = baik	1.206	1.093	1.330
N of Valid Cases	100		

2. Lama bekerja * Implementasi

Chi-Square Tests				
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)
Pearson Chi-Square	.020 ^a	1	.886	
Continuity Correction ^b	.000	1	1.000	
Likelihood Ratio	.020	1	.887	
Fisher's Exact Test				1.000 .557
Linear-by-Linear Association	.020	1	.887	
N of Valid Cases	100			

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.78.

b. Computed only for a 2x2 table

		Risk Estimate		
	Value	95% Confidence Interval		
		Lower	Upper	
Odds Ratio for Lama bekerja (<4 tahun / 4 tahun atau lebih)	1.096	.313	3.840	
For cohort Implementasi = baik	1.013	.845	1.215	
For cohort Implementasi = kurang	.925	.316	2.702	
N of Valid Cases	100			

3. Pelatihan GCP * Implementasi

Chi-Square Tests				
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)
Pearson Chi-Square	2.819 ^a	1	.093	
Continuity Correction ^b	1.890	1	.169	
Likelihood Ratio	3.193	1	.074	
Fisher's Exact Test				.130 .080
Linear-by-Linear Association	2.791	1	.095	
N of Valid Cases	100			

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4.76.

b. Computed only for a 2x2 table

		Risk Estimate		
	Value	95% Confidence Interval		
		Lower	Upper	
Odds Ratio for Pelatihan GCP (ya / tidak)	3.556	.748	16.912	
For cohort Implementasi = baik	1.150	.999	1.325	
For cohort Implementasi = kurang	.324	.077	1.364	
N of Valid Cases	100			

4. Jenis kelamin * Implementasi

	Chi-Square Tests				
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.453 ^a	1	.501		
Continuity Correction ^b	.127	1	.722		
Likelihood Ratio	.477	1	.490		
Fisher's Exact Test				.752	.373
Linear-by-Linear Association	.449	1	.503		
N of Valid Cases	100				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4.06.

b. Computed only for a 2x2 table

	Value	Risk Estimate	
		95% Confidence Interval	
Odds Ratio for Jenis kelamin (Pria/wanita)	1.589	.409	6.172
For cohort Implementasi = baik	1.061	.905	1.243
For cohort Implementasi = kurang	.668	.201	2.220
N of Valid Cases	100		

5. Apotek * Implementasi

	Chi-Square Tests				
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.349 ^a	1	.555		
Continuity Correction ^b	.073	1	.787		
Likelihood Ratio	.365	1	.546		
Fisher's Exact Test				.752	.407

Linear-by-Linear Association	.345	1	.557		
N of Valid Cases	100				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.92.

b. Computed only for a 2x2 table

	Value	Risk Estimate		95% Confidence Interval Lower	Upper
Odds Ratio for Apotek (Apotek umum / Apotek Terpadu)	.665			.171	2.590
For cohort Implementasi = baik	.949			.807	1.115
For cohort Implementasi = kurang	1.426			.430	4.733
N of Valid Cases	100				

Lampiran 11. Analisis *chi square* Tingkat pengetahuan dan Implementasi GCP

	Chi-Square Tests			Exact Sig. (2-sided)	Exact Sig. (1-sided)
	Value	df	Asymptotic Significance (2-sided)		
Pearson Chi-Square	.235 ^a	1		.628	
Continuity Correction ^b	.014	1		.906	
Likelihood Ratio	.250	1		.617	
Fisher's Exact Test					1.000 .476
Linear-by-Linear Association	.233	1		.630	
N of Valid Cases	100				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.66.

b. Computed only for a 2x2 table

	Risk Estimate			95% Confidence Interval Lower	Upper
	Value				
Odds Ratio for Pengetahuan (baik / kurang)	.676			.138	3.311
For cohort Implementasi = baik	.952			.796	1.139

For cohort Implementasi = kurang	1.407	.343	5.771
N of Valid Cases	100		

