

```

REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA COLLIN TOL CHANGE ZPP
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Kualitas_pelayanan
  /METHOD=ENTER X1 X2 X3 X4 X5


  /RESIDUALS DURBIN.

```

Regression

		Notes
Output Created		28-Dec-2015 16:21:43
Comments		
Input	Data	E:\Olah Data\g.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	86
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.

Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL CHANGE ZPP /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Kualitas_Pelayanan /METHOD=ENTER X1 X2 X3 X4 X5 /RESIDUALS DURBIN.
Resources	Processor Time	00:00:00.031
	Elapsed Time	00:00:00.014
	Memory Required	3300 bytes
	Additional Memory Required for Residual Plots	0 bytes



[DataSet1] E:\Olah Data\g.sav

Variables Entered/Removed ^b			
Model	Variables Entered	Variables Removed	Method
1	X5, X2, X1, X4, X3 ^a		. Enter
a. All requested variables entered.			
b. Dependent Variable: Kualitas_pelayanan			

Model Summary ^b										
Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics					Durbin-Watson
					R Square Change	F Change	df1	df2	Sig. F Change	
1	.371 ^a	.137	.092	2.288	.137	2.997	5	94	.019	2.054

a. Predictors: (Constant), X5, X2, X1, X4, X3

b. Dependent Variable: Kualitas_Pelayanan

ANOVA ^b						
Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	78.441	5	15.688	2.997	.019 ^a
	Residual	492.119	94	5.235		
	Total	570.560	99			

a. Predictors: (Constant), X5, X2, X1, X4, X3

b. Dependent Variable: Kualitas_Pelayanan

Coefficients ^a												
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations			Collinearity Statistics		
		B	Std. Error	Beta			Zero-order	Partial	Part	Tolerance	VIF	
1	(Constant)	8.633	2.430		4.788	.000						
	X1	.220	.127	.189	1.729	.087	.139	.176	.166	.766	1.305	
	X2	.149	.108	.153	1.886	.017	.126	.141	.132	.748	1.337	
	X3	.040	.132	.188	2.335	.012	.081	.159	.150	.633	1.579	

	X4	.174	.129	.155	2.118	.182	.201	.137	.129	.694	1.441
	X5	.198	.113	.190	1.804	.082	.240	.178	.168	.783	1.277
a. Dependent Variable: Kualitas_Pelayanan											

Collinearity Diagnostics ^a										
Model	Dimensi	Eigenvalue	Condition Index	Variance Proportions						
				(Constant)	X1	X2	X3	X4	X5	
1	1	5.936	1.000	.00	.00	.00	.00	.00	.00	.00
	2	.023	16.014	.00	.02	.34	.03	.11	.21	
	3	.014	20.545	.00	.33	.39	.07	.04	.30	
	4	.012	22.258	.00	.54	.00	.24	.23	.13	
	5	.008	27.261	.15	.00	.12	.63	.33	.35	
	6	.007	28.627	.85	.10	.16	.03	.30	.01	
a. Dependent Variable: Kualitas_Pelayanan										

Residuals Statistics ^a					
	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	12.90	17.41	15.12	.890	86
Residual	-7.308	4.700	.000	2.230	86
Std. Predicted Value	-2.491	2.575	.000	1.000	86
Std. Residual	-3.194	2.054	.000	.974	86
a. Dependent Variable: Kualitas_Pelayanan					