


Lampiran 2. Data Cone Penetration Test (CPT)

 NSE <small>Nur Straits Engineering</small>		Cone Penetration Test (CPT) CPT Log					
Project	DED Bandara Kulon Progo		Date	: 6/13/2017			
Location	Desa Glagah Kec. Temon - Kulon Progo		Operator	: DEDE M			
CPT No.	1		Checked by	: Hasan Tri Atmojo			
Coordinate	E 0397590 N 9125502		Field Condition	: Fair Weather			
Elevation			Page	: 1 of 1			
Depth	R1	R2	(R2-R1)	qc	LF	TF	Rf
m	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm	%
0.0							
0.2							
0.4	17	22.0	5.00	8.78	0.21	4.17	2.37
0.6	43	47.0	4.00	22.21	0.17	3.34	0.75
0.8	60	63.0	3.00	31.00	0.13	5.84	0.40
1.0	92	98.0	6.00	47.53	0.25	10.84	0.53
1.2	125	127.0	2.00	64.58	0.08	1.67	0.13
1.4	147	153.0	6.00	75.94	0.25	6.67	0.33
1.6	152	155.0	3.00	78.52	0.13	9.17	0.16
1.8	140	146.0	6.00	72.32	0.25	5.00	0.35
2.0	132	137.0	5.00	68.19	0.21	9.17	0.31
2.2	125	127.0	2.00	64.58	0.08	10.84	0.13
2.4	118	119.0	1.00	60.96	0.04	0.83	0.07
2.6	117	119.0	2.00	60.44	0.08	2.50	0.14
2.8	127	132.0	5.00	65.61	0.21	6.67	0.32
3.0	152	155.0	3.00	78.52	0.13	2.50	0.16
3.2	170	172.0	2.00	87.82	0.08	4.17	0.09
3.4	153	159.0	6.00	79.04	0.25	9.17	0.32
3.6	142	148.0	6.00	73.36	0.25	5.00	0.34
3.8	135	138.0	3.00	69.74	0.13	7.50	0.18
4.0	136	140.0	4.00	70.26	0.17	10.84	0.24
4.2	152	155.0	3.00	78.52	0.13	2.50	0.16
4.4	155	160.0	5.00	80.07	0.21	6.67	0.26
4.6	197	205.0	8.00	101.77	0.33	13.34	0.33
4.8	234	239.0	5.00	120.88	0.21	4.17	0.17
5.0	250		-250.00	129.15	-10.42	-208.45	-8.07
5.2			0.00	0.00	0.00	0.00	0.00
5.4			0.00	0.00	0.00	0.00	0.00
5.6			0.00	0.00	0.00	0.00	0.00
5.8			0.00	0.00	0.00	0.00	0.00
6.0			0.00	0.00	0.00	0.00	0.00
6.2			0.00	0.00	0.00	0.00	0.00
6.4			0.00	0.00	0.00	0.00	0.00
6.6			0.00	0.00	0.00	0.00	0.00
6.8			0.00	0.00	0.00	0.00	0.00
7.0			0.00	0.00	0.00	0.00	0.00
7.2			0.00	0.00	0.00	0.00	0.00
7.4			0.00	0.00	0.00	0.00	0.00
7.6			0.00	0.00	0.00	0.00	0.00
7.8			0.00	0.00	0.00	0.00	0.00
8.0			0.00	0.00	0.00	0.00	0.00
8.2			0.00	0.00	0.00	0.00	0.00
8.4			0.00	0.00	0.00	0.00	0.00
8.6			0.00	0.00	0.00	0.00	0.00
8.8			0.00	0.00	0.00	0.00	0.00
9.0			0.00	0.00	0.00	0.00	0.00
9.2			0.00	0.00	0.00	0.00	0.00
9.4			0.00	0.00	0.00	0.00	0.00
9.6			0.00	0.00	0.00	0.00	0.00
9.8			0.00	0.00	0.00	0.00	0.00
10.0			0.00	0.00	0.00	0.00	0.00



CONE PENETRATION TEST ASTM D3441



RTT Sisi Udara Bandara New Yogyakarta International Airport



Client : PT. Angkasa Pura I
Location : Desa Glagah Kec. Temon - Kulonprogo
Easting : 397590 m
Northing : 9125502 m
Elevation :

Date Commenced : 13-Jun-2017
Date Completed : 13-Jun-2017
Operator : Dede M
Field Engineer : Hasan Tri Atmojo
Weather : Clear

CPT No :
CPT - 01





Cone Penetration Test (CPT)

CPT Log

Project	DED Bandara Kulon Progo	Date	: 6/13/2017
Location	Desa Glagah Kec. Temon - Kulon Progo	Operator	: DEDE M
CPT No.	2	Checked by	: Hasan Tri Atmojo
Coordinate	E 0397479 N 9125507	Field Condition	: Fair Weather
Elevation		Page	: 1 of 1

Depth	R1	R2	(R2-R1)	qc	LF	TF	Rf
m	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm	%
0.0							
0.2							
0.4	24	27.0	3.00	12.40	0.13	2.50	1.01
0.6	43	46.0	3.00	22.21	0.13	2.50	0.56
0.8	45	47.0	2.00	23.25	0.08	4.17	0.36
1.0	48	52.0	4.00	24.80	0.17	7.50	0.67
1.2	57	63.0	6.00	29.45	0.25	5.00	0.85
1.4	95	97.0	2.00	49.08	0.08	6.67	0.17
1.6	120	123.0	3.00	61.99	0.13	9.17	0.20
1.8	127	132.0	5.00	65.61	0.21	4.17	0.32
2.0	165	168.0	3.00	85.24	0.13	6.67	0.15
2.2	164	168.0	4.00	84.72	0.17	10.01	0.20
2.4	163	157.0	-6.00	84.21	-0.25	-5.00	-0.30
2.6	154	157.0	3.00	79.56	0.13	-2.50	0.16
2.8	133	138.0	5.00	68.71	0.21	1.67	0.30
3.0	117	119.0	2.00	60.44	0.08	1.67	0.14
3.2	80	94.0	14.00	41.33	0.58	13.34	1.41
3.4	70	85.0	15.00	36.16	0.63	25.85	1.73
3.6	62	63.0	1.00	32.03	0.04	0.83	0.13
3.8	60	67.0	7.00	31.00	0.29	6.67	0.94
4.0	54	58.0	4.00	27.90	0.17	10.01	0.60
4.2	45	48.0	3.00	23.25	0.13	2.50	0.54
4.4	55	57.0	2.00	28.41	0.08	4.17	0.29
4.6	84	88.0	4.00	43.39	0.17	7.50	0.38
4.8	126	129.0	3.00	65.09	0.13	2.50	0.19
5.0	172	176.0	4.00	88.86	0.17	5.84	0.19
5.2	192	195.0	3.00	99.19	0.13	8.34	0.13
5.4	224	227.0	3.00	115.72	0.13	2.50	0.11
5.6	232	236.0	4.00	119.85	0.17	5.84	0.14
5.8	250		-250.00	129.15	-10.42	-202.61	-8.07
6.0			0.00	0.00	0.00	0.00	0.00
6.2			0.00	0.00	0.00	0.00	0.00
6.4			0.00	0.00	0.00	0.00	0.00
6.6			0.00	0.00	0.00	0.00	0.00
6.8			0.00	0.00	0.00	0.00	0.00
7.0			0.00	0.00	0.00	0.00	0.00
7.2			0.00	0.00	0.00	0.00	0.00
7.4			0.00	0.00	0.00	0.00	0.00
7.6			0.00	0.00	0.00	0.00	0.00
7.8			0.00	0.00	0.00	0.00	0.00
8.0			0.00	0.00	0.00	0.00	0.00
8.2			0.00	0.00	0.00	0.00	0.00
8.4			0.00	0.00	0.00	0.00	0.00
8.6			0.00	0.00	0.00	0.00	0.00
8.8			0.00	0.00	0.00	0.00	0.00
9.0			0.00	0.00	0.00	0.00	0.00
9.2			0.00	0.00	0.00	0.00	0.00
9.4			0.00	0.00	0.00	0.00	0.00
9.6			0.00	0.00	0.00	0.00	0.00
9.8			0.00	0.00	0.00	0.00	0.00
10.0			0.00	0.00	0.00	0.00	0.00



CONE PENETRATION TEST ASTM D3441





RTT Sisi Udara Bandara New Yogyakarta International Airport




Client : PT. Angkasa Pura I
Location : Desa Glagah Kec. Temon - Kulonprogo
Easting : 397479 m
Northing : 9125507 m
Elevation :

Date Commenced : 13-Jun-2017
Date Completed : 13-Jun-2017
Operator : Dede M
Field Engineer : Hasan Tri Atmojo
Weather : Clear

CPT No :
CPT - 02



— : Friction Ratio, Rf [%]
— : Cone Friction, qc [kg/cm²]
- - - : Friction, LF [kg/cm²]
- - - : Total Friction, TF [kg/cm]





Cone Penetration Test (CPT)

CPT Log

Project	DED Bandara Kulon Progo	Date	: 6/13/2017
Location	Desa Gelagah Kec. Temon - Kulon Progo	Operator	: DEDE M
CPT No.	3	Checked by	: Hasan Tri Atmojo
Coordinate	E 0397403 N 9125568	Field Condition	: Fair Weather
Elevation		Page	: 1 of 1

Depth	R1	R2	(R2-R1)	qc	LF	TF	Rf
m	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm	%
0.0							
0.2							
0.4	20	22.0	2.00	10.33	0.08	1.67	0.81
0.6	30	38.0	8.00	15.50	0.33	6.67	2.15
0.8	37	40.0	3.00	19.11	0.13	9.17	0.65
1.0	55	63.0	8.00	28.41	0.33	15.84	1.17
1.2	63	65.0	2.00	32.55	0.08	1.67	0.26
1.4	70	78.0	8.00	36.16	0.33	8.34	0.92
1.6	81	88.0	7.00	41.84	0.29	14.17	0.70
1.8	92	98.0	6.00	47.53	0.25	5.00	0.53
2.0	104	108.0	4.00	53.73	0.17	8.34	0.31
2.2	123	125.0	2.00	63.54	0.08	10.01	0.13
2.4	137	142.0	5.00	70.77	0.21	4.17	0.29
2.6	155	157.0	2.00	80.07	0.08	5.84	0.10
2.8	167	172.0	5.00	86.27	0.21	10.01	0.24
3.0	184	190.0	6.00	95.05	0.25	5.00	0.26
3.2	205	210.0	5.00	105.90	0.21	9.17	0.20
3.4	200	210.0	10.00	103.32	0.42	17.51	0.40
3.6	211	220.0	9.00	109.00	0.38	7.50	0.34
3.8	220	228.0	8.00	113.65	0.33	14.17	0.29
4.0	232	238.0	6.00	119.85	0.25	19.18	0.21
4.2	233	240.0	7.00	120.37	0.29	5.84	0.24
4.4	250		-250.00	129.15	-10.42	-208.45	-8.07
4.6			0.00	0.00	0.00	0.00	0.00
4.8			0.00	0.00	0.00	0.00	0.00
5.0			0.00	0.00	0.00	0.00	0.00
5.2			0.00	0.00	0.00	0.00	0.00
5.4			0.00	0.00	0.00	0.00	0.00
5.6			0.00	0.00	0.00	0.00	0.00
5.8			0.00	0.00	0.00	0.00	0.00
6.0			0.00	0.00	0.00	0.00	0.00
6.2			0.00	0.00	0.00	0.00	0.00
6.4			0.00	0.00	0.00	0.00	0.00
6.6			0.00	0.00	0.00	0.00	0.00
6.8			0.00	0.00	0.00	0.00	0.00
7.0			0.00	0.00	0.00	0.00	0.00
7.2			0.00	0.00	0.00	0.00	0.00
7.4			0.00	0.00	0.00	0.00	0.00
7.6			0.00	0.00	0.00	0.00	0.00
7.8			0.00	0.00	0.00	0.00	0.00
8.0			0.00	0.00	0.00	0.00	0.00
8.2			0.00	0.00	0.00	0.00	0.00
8.4			0.00	0.00	0.00	0.00	0.00
8.6			0.00	0.00	0.00	0.00	0.00
8.8			0.00	0.00	0.00	0.00	0.00
9.0			0.00	0.00	0.00	0.00	0.00
9.2			0.00	0.00	0.00	0.00	0.00
9.4			0.00	0.00	0.00	0.00	0.00
9.6			0.00	0.00	0.00	0.00	0.00
9.8			0.00	0.00	0.00	0.00	0.00
10.0			0.00	0.00	0.00	0.00	0.00



CONE PENETRATION TEST ASTM D3441



RTT Sisi Udara Bandara New Yogyakarta International Airport



Client : PT. Angkasa Pura I
Location : Desa Glagah Kec. Temon - Kulonprogo
Easting : 397403 m
Northing : 9125568 m
Elevation :

Date Commenced : 13-Jun-2017
Date Completed : 13-Jun-2017
Operator : Dede M
Field Engineer : Hasan Tri Atmojo
Weather : Clear

CPT No :
CPT - 03





Cone Penetration Test (CPT)

CPT Log

Project	DED Bandara Kulon Progo	Date	: 6/10/2017
Location	Desa Siderjo Kec. Temon - Kulon Progo	Operator	: DEDE M
CPT No.	7	Checked by	: Hasan Tri Atmojo
Coordinate	E 0396848 N 9125772	Field Condition	: Fair Weather
Elevation		Page	: 1 of 1

Depth	R1	R2	(R2-R1)	qc	LF	TF	Rf
m	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm	%
0.0							
0.2							
0.4	42	44.0	2.00	21.70	0.08	1.67	0.38
0.6	57	62.0	5.00	29.45	0.21	4.17	0.71
0.8	94	98.0	4.00	48.56	0.17	7.50	0.34
1.0	107	112.0	5.00	55.28	0.21	11.67	0.38
1.2	112	114.0	2.00	57.86	0.08	1.67	0.14
1.4	112	113.0	1.00	57.86	0.04	2.50	0.07
1.6	117	121.0	4.00	60.44	0.17	5.84	0.28
1.8	125	127.0	2.00	64.58	0.08	1.67	0.13
2.0	120	128.0	8.00	61.99	0.33	8.34	0.54
2.2	123	126.0	3.00	63.54	0.13	10.84	0.20
2.4	124	128.0	4.00	64.06	0.17	3.34	0.26
2.6	122	128.0	6.00	63.03	0.25	8.34	0.40
2.8	122	128.0	6.00	63.03	0.25	13.34	0.40
3.0	124	125.0	1.00	64.06	0.04	0.83	0.07
3.2	122	124.0	2.00	63.03	0.08	2.50	0.13
3.4	133	137.0	4.00	68.71	0.17	5.84	0.24
3.6	148	150.0	2.00	76.46	0.08	1.67	0.11
3.8	164	166.0	2.00	84.72	0.08	3.34	0.10
4.0	168	173.0	5.00	86.79	0.21	7.50	0.24
4.2	150	168.0	18.00	77.49	0.75	15.01	0.97
4.4	146	149.0	3.00	75.42	0.13	17.51	0.17
4.6	156	158.0	2.00	80.59	0.08	19.18	0.10
4.8	205	208.0	3.00	105.90	0.13	2.50	0.12
5.0	228	240.0	12.00	117.79	0.50	12.51	0.42
5.2	250		-250.00	129.15	-10.42	-195.94	-8.07
5.4			0.00	0.00	0.00	0.00	0.00
5.6			0.00	0.00	0.00	0.00	0.00
5.8			0.00	0.00	0.00	0.00	0.00
6.0			0.00	0.00	0.00	0.00	0.00
6.2			0.00	0.00	0.00	0.00	0.00
6.4			0.00	0.00	0.00	0.00	0.00
6.6			0.00	0.00	0.00	0.00	0.00
6.8			0.00	0.00	0.00	0.00	0.00
7.0			0.00	0.00	0.00	0.00	0.00
7.2			0.00	0.00	0.00	0.00	0.00
7.4			0.00	0.00	0.00	0.00	0.00
7.6			0.00	0.00	0.00	0.00	0.00
7.8			0.00	0.00	0.00	0.00	0.00
8.0			0.00	0.00	0.00	0.00	0.00
8.2			0.00	0.00	0.00	0.00	0.00
8.4			0.00	0.00	0.00	0.00	0.00
8.6			0.00	0.00	0.00	0.00	0.00
8.8			0.00	0.00	0.00	0.00	0.00
9.0			0.00	0.00	0.00	0.00	0.00
9.2			0.00	0.00	0.00	0.00	0.00
9.4			0.00	0.00	0.00	0.00	0.00
9.6			0.00	0.00	0.00	0.00	0.00
9.8			0.00	0.00	0.00	0.00	0.00
10.0			0.00	0.00	0.00	0.00	0.00



CONE PENETRATION TEST ASTM D3441



RTT Sisi Udara Bandara New Yogyakarta International Airport



Client : PT. Angkasa Pura I
Location : Desa Siderjo Kec. Temon - Kulonprogo
Easting : 396848 m
Northing : 9125772 m
Elevation :

Date Commenced : 10-Jun-2017
Date Completed : 10-Jun-2017
Operator : Dede M
Field Engineer : Hasan Tri Atmojo
Weather : Clear

CPT No :
CPT - 07





Cone Penetration Test (CPT)

CPT Log

Project	DED Bandara Kulon Progo	Date	: 6/9/2017
Location	Desa Siderjo Kec. Temon - Kulon Progo	Operator	: DEDE M
CPT No.	9	Checked by	: Hasan Tri Atmojo
Coordinate	E 0396605 N 9125915	Field Condition	: Fair Weather
Elevation		Page	: 1 of 1

Depth	R1	R2	(R2-R1)	qc	LF	TF	Rf
m	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm	%
0.0							
0.2							
0.4	26	29.0	3.00	13.43	0.13	2.50	0.93
0.6	37	45.0	8.00	19.11	0.33	6.67	1.74
0.8	53	57.0	4.00	27.38	0.17	10.01	0.61
1.0	59	64.0	5.00	30.48	0.21	14.17	0.68
1.2	94	102.0	8.00	48.56	0.33	6.67	0.69
1.4	86	88.0	2.00	44.43	0.08	8.34	0.19
1.6	65	67.0	2.00	33.58	0.08	10.01	0.25
1.8	67	69.0	2.00	34.61	0.08	1.67	0.24
2.0	93	97.0	4.00	48.04	0.17	5.00	0.35
2.2	114	119.0	5.00	58.89	0.21	9.17	0.35
2.4	123	127.0	4.00	63.54	0.17	3.34	0.26
2.6	118	119.0	1.00	60.96	0.04	4.17	0.07
2.8	94	98.0	4.00	48.56	0.17	7.50	0.34
3.0	82	87.0	5.00	42.36	0.21	4.17	0.49
3.2	103	108.0	5.00	53.21	0.21	8.34	0.39
3.4	135	139.0	4.00	69.74	0.17	11.67	0.24
3.6	150	156.0	6.00	77.49	0.25	5.00	0.32
3.8	157	160.0	3.00	81.11	0.13	7.50	0.15
4.0	140	157.0	17.00	72.32	0.71	21.68	0.98
4.2	145	152.0	7.00	74.91	0.29	5.84	0.39
4.4	180	183.0	3.00	92.99	0.13	8.34	0.13
4.6	204	207.0	3.00	105.39	0.13	10.84	0.12
4.8	223	230.0	7.00	115.20	0.29	5.84	0.25
5.0	250		-250.00	129.15	-10.42	-202.61	-8.07
5.2			0.00	0.00	0.00	0.00	0.00
5.4			0.00	0.00	0.00	0.00	0.00
5.6			0.00	0.00	0.00	0.00	0.00
5.8			0.00	0.00	0.00	0.00	0.00
6.0			0.00	0.00	0.00	0.00	0.00
6.2			0.00	0.00	0.00	0.00	0.00
6.4			0.00	0.00	0.00	0.00	0.00
6.6			0.00	0.00	0.00	0.00	0.00
6.8			0.00	0.00	0.00	0.00	0.00
7.0			0.00	0.00	0.00	0.00	0.00
7.2			0.00	0.00	0.00	0.00	0.00
7.4			0.00	0.00	0.00	0.00	0.00
7.6			0.00	0.00	0.00	0.00	0.00
7.8			0.00	0.00	0.00	0.00	0.00
8.0			0.00	0.00	0.00	0.00	0.00
8.2			0.00	0.00	0.00	0.00	0.00
8.4			0.00	0.00	0.00	0.00	0.00
8.6			0.00	0.00	0.00	0.00	0.00
8.8			0.00	0.00	0.00	0.00	0.00
9.0			0.00	0.00	0.00	0.00	0.00
9.2			0.00	0.00	0.00	0.00	0.00
9.4			0.00	0.00	0.00	0.00	0.00
9.6			0.00	0.00	0.00	0.00	0.00
9.8			0.00	0.00	0.00	0.00	0.00
10.0			0.00	0.00	0.00	0.00	0.00



CONE PENETRATION TEST ASTM D3441



RTT Sisi Udara Bandara New Yogyakarta International Airport



Client : PT. Angkasa Pura I
Location : Desa Siderjo Kec. Temon - Kulonprogo
Easting : 396605 m
Northing : 9125915 m
Elevation :

Date Commenced : 9-Jun-2017
Date Completed : 9-Jun-2017
Operator : Dede M
Field Engineer : Hasan Tri Atmojo
Weather : Clear

CPT No :
CPT - 09





Cone Penetration Test (CPT)

CPT Log

Project	DED Bandara Kulon Progo	Date	: 6/8/2017
Location	Desa Palihan Kec. Temon - Kulon Progo	Operator	: DEDE M
CPT No.	11	Checked by	: Hasan Tri Atmojo
Coordinate	E 0396194 N 9125992	Field Condition	: Fair Weather
Elevation		Page	: 1 of 1

Depth	R1	R2	(R2-R1)	qc	LF	TF	Rf
m	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm ²	Kg/cm	%
0.0							
0.2							
0.4	34	37.0	3.00	17.56	0.13	2.50	0.71
0.6	54	60.0	6.00	27.90	0.25	5.00	0.90
0.8	74	92.0	18.00	38.23	0.75	20.01	1.96
1.0	93	98.0	5.00	48.04	0.21	24.18	0.43
1.2	94	102.0	8.00	48.56	0.33	6.67	0.69
1.4	100	107.0	7.00	51.66	0.29	12.51	0.56
1.6	109	115.0	6.00	56.31	0.25	17.51	0.44
1.8	105	113.0	8.00	54.24	0.33	6.67	0.61
2.0	107	118.0	11.00	55.28	0.46	15.84	0.83
2.2	120	132.0	12.00	61.99	0.50	25.85	0.81
2.4	117	126.0	9.00	60.44	0.38	7.50	0.62
2.6	115	120.0	5.00	59.41	0.21	11.67	0.35
2.8	105	117.0	12.00	54.24	0.50	21.68	0.92
3.0	105	110.0	5.00	54.24	0.21	4.17	0.38
3.2	106	109.0	3.00	54.76	0.13	6.67	0.23
3.4	110	114.0	4.00	56.83	0.17	10.01	0.29
3.6	120	124.0	4.00	61.99	0.17	3.34	0.27
3.8	142	148.0	6.00	73.36	0.25	8.34	0.34
4.0	150	67.0	-83.00	77.49	-3.46	-60.87	-4.47
4.2	169	173.0	4.00	87.31	0.17	3.34	0.19
4.4	186	195.0	9.00	96.09	0.38	10.84	0.39
4.6	200	212.0	12.00	103.32	0.50	20.85	0.48
4.8	220	225.0	5.00	113.65	0.21	4.17	0.18
5.0	230	240.0	10.00	118.82	0.42	12.51	0.35
5.2	250		-250.00	129.15	-10.42	-195.94	-8.07
5.4			0.00	0.00	0.00	0.00	0.00
5.6			0.00	0.00	0.00	0.00	0.00
5.8			0.00	0.00	0.00	0.00	0.00
6.0			0.00	0.00	0.00	0.00	0.00
6.2			0.00	0.00	0.00	0.00	0.00
6.4			0.00	0.00	0.00	0.00	0.00
6.6			0.00	0.00	0.00	0.00	0.00
6.8			0.00	0.00	0.00	0.00	0.00
7.0			0.00	0.00	0.00	0.00	0.00
7.2			0.00	0.00	0.00	0.00	0.00
7.4			0.00	0.00	0.00	0.00	0.00
7.6			0.00	0.00	0.00	0.00	0.00
7.8			0.00	0.00	0.00	0.00	0.00
8.0			0.00	0.00	0.00	0.00	0.00
8.2			0.00	0.00	0.00	0.00	0.00
8.4			0.00	0.00	0.00	0.00	0.00
8.6			0.00	0.00	0.00	0.00	0.00
8.8			0.00	0.00	0.00	0.00	0.00
9.0			0.00	0.00	0.00	0.00	0.00
9.2			0.00	0.00	0.00	0.00	0.00
9.4			0.00	0.00	0.00	0.00	0.00
9.6			0.00	0.00	0.00	0.00	0.00
9.8			0.00	0.00	0.00	0.00	0.00
10.0			0.00	0.00	0.00	0.00	0.00



CONE PENETRATION TEST ASTM D3441

RTT Sisi Udara Bandara New Yogyakarta International Airport



Client : PT. Angkasa Pura I

Location : Desa Palihan Kec. Temon - Kulonprogo

Easting : 396194 m

Northing : 9125992 m

Elevation :

Date Commenced : 8-Jun-2017

Date Completed : 8-Jun-2017

Operator : Dede M

Field Engineer : Hasan Tri Atmojo

Weather : Clear

CPT No :

CPT - 11

