

DAFTAR PUSTAKA

- Â, B. G., Yue, Q., Wang, Y., & Zhou, W. (2007). Color removal from dye-containing wastewater by magnesium chloride, 82, 167–172. <https://doi.org/10.1016/j.jenvman.2005.12.019>
- Abdel, O. E., Reiad, N. A., & Elshafei, M. M. (2011). A study of the removal characteristics of heavy metals from wastewater by low-cost adsorbents. *Journal of Advanced Research*, 2(4), 297–303. <https://doi.org/10.1016/j.jare.2011.01.008>
- Aboulhassan, M. A., Souabi, S., Yaacoubi, A., & Baudu, M. (2006). Improvement of paint effluents coagulation using natural and synthetic coagulant aids. *Hazardous Materials*, 138, 40–45. <https://doi.org/10.1016/j.jhazmat.2006.05.040>
- Agustiono, T., Chan, G. Y. S., Lo, W., & Babel, S. (2006). Physico – chemical treatment techniques for wastewater laden with heavy metals. *Chemical Engineering*, 118, 83–98. <https://doi.org/10.1016/j.cej.2006.01.015>
- Ahmed, S., Chughtai, S., & Keane, M. A. (1998). The removal of cadmium and lead from aqueous solution by ion exchange with Na-Y zeolite. *Separation and Purification Technology*, 13, 57–64.
- Akbal, F., & Camci, S. (2010). Comparison of Electrocoagulation and Chemical Coagulation for Heavy Metal Removal. *Metal Removal*, 33(10), 1655–1664. <https://doi.org/10.1002/ceat.201000091>
- Akbal, F., & Camci, S. (2011). Treatment of Metal Plating Wastewater by Electrocoagulation, 00(00). <https://doi.org/10.1002/ep>
- Alvarez-Ayuso, E., Garcia-Sanchez, A., & Querol, X. (2003). Purification of metal electroplating waste waters using zeolites. *Water Research*, 37, 4855–4862. <https://doi.org/10.1016/j.watres.2003.08.009>
- Assiddieq, M., Darmayani, S., & Kudonowarso, W. (2017). The Use of Silica Sand, Zeolite and Active charcoal to Reduce BOD, COD and TSS of Laundry Waste Water. *Biology Education*, 3(3), 202–207.
- Ayoub, G. M., Semerjian, L., Acra, A., Fadel, M. El, & Koopman, B. (2001). Heavy Metal Removal by Coagulation with Seawater Liquid Bitterm. *Environmental Engineering*, 127(3), 196–207.
- Bouguerra, W., Barhoumi, A., Brahmi, K., Ibrahim, N., Aloui, L., & Hamrouni, B. (2015). Desalination and Water Treatment Optimization of the electrocoagulation process for the removal of lead from water using aluminium as electrode material. *Desalination and Water Treatment*, 1–10. <https://doi.org/10.1080/19443994.2015.1015308>

- California State University. (1986). *Operation of Wastewater Treatment Plants Volume IV: Treatment of Wastewater From Electroplating, Metal Finishing, and Printed Circuit Board Manufacturing.*
- Chai, X., Chen, G., Yue, P., & Mi, Y. (1997). Pilot scale membrane separation od electroplating waste water by reverse osmosis. *Membrane Science*, 123, 235–242.
- Chou, W., Wang, C., Chang, W., & Chang, S. (2010). Adsorption treatment of oxide chemical mechanical polishing wastewater from a semiconductor manufacturing plant by electrocoagulation. *Journal of Hazardous Materials*, 180(1–3), 217–224. <https://doi.org/10.1016/j.jhazmat.2010.04.017>
- Daneshvar, N., Ashassi-sorkhabi, H., & Tizpar, A. (2003). Decolorization of orange II by electrocoagulation method. *Separation and Purification Technology*, 31, 153–162.
- Dermentzis, K., Christoforidis, A., & Valsamidou, E. (2011). Removal of nickel , copper , zinc and chromium from synthetic and industrial wastewater by electrocoagulation. *Environmental Sciences*, 1(5), 697–710. <https://doi.org/10.6088/ijessi.00105020001>
- Dermentzis, K., Christoforidis, A., Valsamidou, E., Lazaridou, A., & Kokkinos, N. (2011). Removal of Hexavalent Chromium from Electroplating Wastewater by Electrocoagulation with Iron Electrodes, 13(4), 412–418.
- Dursun, S., & Pala, A. (2007). Lead pollution removal from water using a natural zeolite. *Environmental Application & Science*, 2(1 & 2), 11–19.
- Eckenfelde Jr, W. Wesley. 1999. *Industrial Water Pollution Control Third Edition*. New York: McGraw-Hill.
- Eom, T., Lee, C., Kim, J., & Lee, C. (2005). Development of an ion exchange system for plating wastewater treatment. *Desalination*, 180, 163–172. <https://doi.org/10.1016/j.desal.2004.11.088>
- EPA. (1984). *Guidance Manual for Electroplating and Metal Finishing Pretreatment Standards.*
- EPA. (2002). *Water Treatment Manuals.*
- Fu, F., & Wang, Q. (2011). Removal of heavy metal ions from wastewaters : A review. *Journal of Environmental Management*, 92(3), 407–418. <https://doi.org/10.1016/j.jenvman.2010.11.011>
- Gaikwad, R. W., Sapkal, V. S., & Sapkal, R. S. (2010). Ion exchange system design for removal of heavy metals from acid mine drainage wastewater, 15(4), 298–304.
- Goel, J., Kadirvelu, K., Rajagopal, C., & Kumar, V. (2005). Removal of lead (II) by adsorption using treated granular activated carbon : Batch and column studies. *Hazardous Materials*, 125, 211–220.

- <https://doi.org/10.1016/j.jhazmat.2005.05.032>
- Guo, T., Englehardt, J., & Wu, T. (2014). Review of cost versus scale : water and wastewater treatment and reuse processes. *Water Science & Technology*, 69(2), 223–234. <https://doi.org/10.2166/wst.2013.734>
- Ikai, K. (1954). Deodorizing Experiments with Ion Exchange Resins. *Journal of Investigative Dermatology*, 23(6), 411–422. <https://doi.org/10.1038/jid.1954.123>
- Kempton, S., Sterritt, R. M., & Lester, J. N. (1987). Heavy Metal removal In Primary Sedimentation I. The Influence of Metal Solubility. *The Science of the Total Environment*, 63, 231–246.
- Khandegar, V., & Saroha, A. K. (2013). Electrocoagulation for the treatment of textile industry effluent - A review. *Journal of Environmental Management*, 128, 949–963. <https://doi.org/10.1016/j.jenvman.2013.06.043>
- Kobya, M., Ulu, F., Gebologlu, U., Demirbas, E., & Oncel, M. S. (2011). Treatment of potable water containing low concentration of arsenic with electrocoagulation : Different connection modes and Fe – Al electrodes. *Separation and Purification Technology*, 77(3), 283–293. <https://doi.org/10.1016/j.seppur.2010.12.018>
- Krystynik, P., & Tito, D. N. (2018). Key process parameters affecting performance of electro-coagulation. *Chemical Engineering & Processing: Process Intensification*, 117(April 2017), 106–112. <https://doi.org/10.1016/j.cep.2017.03.022>
- Kuroda, Y., Kawada, Y., & Takahashi, T. (2003). Effect of electrode shape on discharge current and performance with barrier discharge type electrostatic precipitator \$, 57(October 2001), 407–415.
- Lee, C. S., Robinson, J., & Chong, M. F. (2014). A review on application of flocculants in wastewater treatment. *Process Safety and Environmental Protection*. <https://doi.org/10.1016/j.psep.2014.04.010>
- Lee, M., Paik, I. S., Kim, I., Kang, H., & Lee, S. (2007). Remediation of heavy metal contaminated groundwater originated from abandoned mine using lime and calcium carbonate. *Hazardous Materials*, 144, 208–214. <https://doi.org/10.1016/j.jhazmat.2006.10.007>
- Lestari, N. D., & Agung, T. (2014). Penurunan TSS dan Warna Limbah Industri Batik Secara Elektrokoagulasi. *Jurnal Ilmiah Teknik Lingkungan*, 6(1), 37–44.
- Li, Y., Zeng, X., Liu, Y., Yan, S., Hu, Z., & Ni, Y. (2003). Study on the treatment of copper-electroplating wastewater by chemical trapping and flocculation, 31, 91–95.
- Liu, C., Fiol, N., Poch, J., & Villaescusa, I. (2016). A new technology for the treatment of chromium electroplating wastewater based on biosorption.

- Journal of Water Process Engineering*, 11, 143–151.
<https://doi.org/10.1016/j.jwpe.2016.05.002>
- Mansoorian, H. J., Rajabizadeh, A., Bazrafshan, E., & Mahvi, A. H. (2012). Practical assessment of electrocoagulation process in removing nickel metal from aqueous solutions using iron-rod electrodes from aqueous solutions using iron-rod electrodes. *Desalination and Water Treatment*, 44, 29–35. <https://doi.org/10.1080/19443994.2012.691708>
- Martinez, G. V. F., Torres, J. R. P., García, J. L. V., Munive, G. C. T., & Zamarripa, G. G. (2012). Kinetic Aspects of Gold and Silver Recovery in Cementation with Zinc Power and Electrocoagulation Iron Process, 2012(July), 342–349. <https://doi.org/10.4236/aces.2012.23040>
- Masduqi, Ali & Assomadi, Abdu F. 2012. *Operasi & Proses Pengolahan Air*. Surabaya: ITS Press.
- Mollah, M. Y. A., Schennach, R., Parga, J. R., & Cocke, D. L. (2001). Electrocoagulation (EC) — science and applications. *Hazardous Materials*, 84, 29–41.
- Niam, M. Y., Helmy Purwanto, & Respati, S. M. B. (2017). Pengaruh Waktu Pelapisan Elektro Nikel-Krom Dekoratif Terhadap Ketebalan, Kekerasan Dan Kekasaran Lapisan. *Momentum*, 13(1), 7–10.
- Nkwonta, O. I., & Ochieng, G. M. (2010). Total Dissolved Solids Removal in Wastewater Using Roughing Filters Total Dissolved Solids Removal in Wastewater Using Roughing Filters. *Chemical Sciences*. <https://doi.org/10.4172/2150-3508.1000004>
- Nurhasni, Salimin, Z., & Nurifitriyani, I. (2013). Pengolahan Limbah Industri Elektroplating Dengan Proses Koagulasi Flokulasi. *Indonesia. Telp. Pusat Teknologi Pengolahan Limbah Radioaktif BATAN*, 3(2021), 41–4762.
- Owlad, M., Aroua, M. K., Daud, W. A. W., & Baroutian, S. (2009). Removal of Hexavalent Chromium-Contaminated Water and Wastewater: A Review, 200, 59–77. <https://doi.org/10.1007/s11270-008-9893-7>
- Phalakornkule, C., Worachai, W., & Satitayut, T. (2010). Characteristics of Suspended Solids Removal by Electrocoagulation. *Chemical and Molecular Engineering*, 4(5), 293–299.
- Pociecha, M., & Lestan, D. (2010). Using electrocoagulation for metal and chelant separation from washing solution after EDTA leaching of Pb , Zn and Cd contaminated soil. *Hazardous Materials*, 174, 670–678. <https://doi.org/10.1016/j.hazmat.2009.09.103>
- Qin, G., McGuire, M. J., Blute, N. K., Seidel, C., & Fong, L. (2005). Hexavalent Chromium Removal by Reduction with Ferrous Sulfate , Coagulation , and Filtration: A Pilot-Scale Study. *Environmental Science & Technology*, 39(16), 6321–6327.

- Saleem, M., Bukhari, A. A., & Akram, M. N. (2011). Electrocoagulation for the treatment of Wastewater for reuse in irrigation and plantation. *Basic and Applied Science*, 7(1), 11–20.
- Sapari, N., Idris, A., & Hamid, N. H. A. (1996). Total removal of heavy metal from mixed plating rinse wastewater. *Desalination*, 106, 7–10.
- Simangunsong, N. A. (2003). Kesehatan Lingkungan Kerja Home Industri Tembaga Kota Gedhe, 10(24).
- Smoczyńska, L., Kalinowska, S., Ratnaweerab, H., Kosobuckaa, M., Trifescua, M., & Pieczulis-Smoczyńska, K. (2017). Electrocoagulation of municipal wastewater - a pilot-scale test. *Desalination and Water Treatment*, 72, 162–168. <https://doi.org/10.5004/dwt.2017.20654>
- Soemantojo, R. W., & Wulan, P. P. D. K. (2002). Presipitasi Bertahap Logam Berat Limbah Cair Industri Pelapisan Logam Menggunakan Larutan Kaustik Soda. *UI-Press*, 7863516, 1–7.
- Song, Z., Williams, C. J. M., & Edyvean, R. G. J. (2000). Technical Note Sedimentation of Tannery Wastewater, 34(7), 2171–2176.
- Suarez, S., Lema, J. M., & Omil, F. (2009). Bioresource Technology Pre-treatment of hospital wastewater by coagulation – flocculation and flotation. *Bioresource Technology*, 100, 2138–2146. <https://doi.org/10.1016/j.biortech.2008.11.015>
- Subekti, K. (2015). *Metode Elektroplating pada Substrat Tembaga (Cu) dengan Pelapis Perak (Ag) untuk Meningkatkan Keindahan dekoratif dan Ketahanan Korosi Logam*.
- Sumada, K. (2006a). Kajian Instalasi Pengolahan Air Limbah Industri Elektroplating yang Efisien, 1(1), 26–35.
- Sumada, K. (2006b). Kajian Instalasi Pengolahan Air Limbah Industri Elektroplating Yang Efisien. *Jurnal Teknik Kimia*, 1(1), 26–36.
- TPPS. (2010). *Buku Referensi Opsi Sistem dan Teknologi Sanitasi*.
- Uygur, A. (1997). An overview of oxidative and photooxidative decolorisation treatments of textile wastewaters, 113(August), 211–217.
- Vasudevan, S., & Lakshmi, J. (2011). Effects of alternating and direct current in electrocoagulation process on the removal of cadmium from water – A novel approach. *Separation and Purification Technology*, 80(3), 643–651. <https://doi.org/10.1016/j.seppur.2011.06.027>
- Vasudevan, S., & Lakshmi, J. (2012). Effect of alternating and direct current in an electrocoagulation process on the removal of cadmium from water. *Water Science & Technology*, 65(2), 353–360. <https://doi.org/10.2166/wst.2012.859>
- Verma, S. K., Khandegar, V., & Saroha, A. K. (2013). Removal of Chromium

from Electroplating Industry Effluent Using Electrocoagulation. *Hazardous Toxic Radioactive Waste*, 17(2), 146–152.
[https://doi.org/10.1061/\(ASCE\)HZ.2153-5515.0000170](https://doi.org/10.1061/(ASCE)HZ.2153-5515.0000170).

Yudo, S., & Said, N. I. (2005). Pengolahan Air Limbah Industri Kecil Pelapisan Logam, 1(1), 70–84. <https://doi.org/10.1007/s00249-011-0700-9>

Yulianti, P. C. (2012). Desain unit Prasedimentasi Instalasi Pengolahan Air Minum, (1), 1–22.