

## DAFTAR PUSTAKA

- Adelia, F., Monoarfa, A. and Wagiu, A., 2017. 250 Gambaran Benigna Prostat Hiperplasia di RSUP Prof. Dr. RD Kandou Manado Periode Januari 2014–Juli 2017. *e-CliniC*, 5(2).
- Briganti, A., Capitanio, U., Suardi, N., Gallina, A., Salonia, A., Bianchi, M., Montorsi, F. (2009). Benign Prostatic Hyperplasia and Its Aetiologies. *European Urology, Supplements*, 8(13), 865–871.
- Colgan, R., & Williams, M. (2011). Diagnosis and treatment of acute uncomplicated cystitis. *American Family Physician*, 84, 771–776.
- Crawford ED, Wilson SS, McConnell JD, Slawin KM, Lieber MC, Smith JA, et al., Baseline factors as predictors of clinical progression of benign prostatic hyperplasia in men treated with placebo. *J Urol* 175 (4), pp.1422-7. *Eur Urol* 2007;52:827-34
- Foo, K. T. (2017). Pathophysiology of clinical benign prostatic hyperplasia. *Asian Journal of Urology*, 4(3), 152–157.
- Grover, S., Srivastava, A., Lee, R., Tewari, A. K., & te, A. E. (2011). Role of inflammation in bladder function and interstitial cystitis. *Therapeutic Advances in Urology*, 3(1), 19–33
- Hall, J. E. (2011) & Guyton, A. C., Buku Ajar Fisiologi Kedokteran (Edisi 12). 2011.
- Hakenberg, O.W., Linne, C., Manseck, A. and Wirth, M.P., 2000. Bladder wall thickness in normal adults and men with mild lower urinary tract symptoms and benign prostatic enlargement. *Neurourology and Urodynamics: Official Journal of the International Continence Society*, 19(5), pp.585-593.
- Hasanah, N., 2015, Evaluasi Leukosituria pada Tersangka ISK di RSUD Cengkareng Periode Juli–Desember 2014, *Skripsi*, Fakultas Kedokteran dan Ilmu Kesehatan, Universitas Islam Negeri Syarif Hidayatullah Jakarta
- Hidayat, A.A. 2007, Metode Penelitian Keperawatan dan teknik Analisa Data., Penerbit Salemba medika
- Huang, W. *et al.*, 2017. Risk factors for bladder calculi in patients with benign prostatic hyperplasia. *Medicine*, 96(32)
- Kang, M. Y., Ku, J. H., & Oh, S. J. (2010). Non-invasive parameters predicting bladder outlet obstruction in Korean men with lower urinary tract symptoms. *Journal of Korean medical science*, 25(2), 272-275.
- Karakose, A., Aydogdu, O., & Atesci, Y. Z. (2014). The relationship between bladder wall thickness and lower urinary tract symptoms: Does bladder wall thickness change after alpha-blocker therapy with alfuzosin?. *Canadian Urological Association Journal*, 8(1-2), E26.
- Kim, J.W. *et al.*, 2014, Intravesical prostatic protrusion is a risk factor for bladder stone in patients with benign prostatic hyperplasia. *Urology*, 84(5), pp.1026-1029
- Kirby, R. S., Fitzpatrick, J. M., McConnell, J. D., Roehrborn, C. G., & Boyle, P. (2011). Fast Facts: Benign Prostatic Hyperplasia Seventh edition Roger S Kirby MA MD FRCS Professor of Urology The Prostate Centre London, UK Peter, (September), 576.

- Kuspriyanti, N.P., Trusda, S.A.D. dan Nilapsari, N.R., 2015, Perbandingan Kejadian Urolitiasis Berdasarkan Karakteristik Pada Penderita Benign Prostatic Hyperplasia.
- Lee, H., Choo, M., Kim, M., Cho, S. Y., Lee, S. B., Jeong, H., & Son, H. (2014). Changes in bladder wall thickness and detrusor wall thickness after surgical treatment of benign prostatic enlargement in patients with lower urinary tract symptoms: a preliminary report. *Korean journal of urology*, 55(1), 47-51.
- Mochtar, C. A., Umbas, R., Soebadi, D. M., Rasyid, N., Noegroho, B. S., Poernomo, B. B., ... Hamid. (2015). Pedoman Penatalaksanaan Klinis Pembesaran Prostat Jinak (Benign Prostatic Hyperplasia / BPH). *Indonesian Urological Association*, 1-27.
- Musa, A., Sabilal, A., Adi S., Widodo.J.P, 2009. Hubungan antara derajat *intravesical prostatic protrusion* dengan Qmax, volume prostat, dan *international prostate symptom score* pada pasien BPH dnegan LUTS tanpa komplkasi. *JURI*. 16(2):43-7
- Oelke M, Hofner K, Jonas U, et al., 2007. Diagnostic accuracy of noninvasive tests to evaluate bladder outlet obstruction in men: Detrusor wall thickness, uroflowmetry, postvoid residual urine, and prostate volume. *Eur Urol*;52:827-34.
- Pardede, S. O. (2018). Infeksi pada Ginjal dan Saluran Kemih Anak: Manifestasi Klinis dan Tata Laksana, 19(6).
- Park, J. S., Lee, H. W., Lee, S. W., Moon, H. S., Park, H. Y., & Kim, Y. T. (2012). Bladder wall thickness is associated with responsiveness of storage symptoms to alpha-blockers in men with lower urinary tract symptoms. *Korean journal of urology*, 53(7), 487-491.
- Parsons, J. K. (2010). Benign Prostatic Hyperplasia and Male Lower Urinary Tract Symptoms: Epidemiology and Risk Factors. *Current Bladder Dysfunction Reports*, 5(4), 212-218
- Philippou P, Moraitis K, Masood J, Junaid I, Buchholz N. 2012. The management of bladder lithiasis in the modern era of endourology. *Urology*;79:980e6.
- Purnomo, B. B., & Urologi, S. (2014). *Dasar-dasar Urologi*. Jakarta: Sagung Seto
- Rij, S. van, & Giling, P. (2015). Recent advances in laser treatment for benign prostatic hyperplasia. *Journal of the Korean Medical Association*, 60(5), 401-408.
- Rowiyatun, 2016, Hubungan antara Volume Prostat dengan Peningkatan Tekanan Darah Penderita Benign Prostatic Hyperlpasia pada ultrasonografi, Skripsi, Fakultas KEdokteran, Universitas Muhammadiyah Semarang
- Saputra, R.N.I., Wibisono, D.S. and Wahyudi, F., 2016. Kejadian Batu Saluran Kemih Pada Pasien Benign Prostate Hyperplasia (Bph) Periode Januari 2013–Desember 2015 Di Rsup Dr. Kariadi Semarang. *Jurnal Kedokteran Diponegoro*, 5(4), pp.1650-1661.
- Seputra, K. P., Tarmono, Noegroho, B. S., Mochtar, C. A., Wahyuni, I., Renaldo, J., Ghinorawa, T. (2015). *Guideline Penatalaksanaan Infeksi Saluran Kemih dan Genitalia Pria 201*

- Sharma, M., Gupta, S., Dhole, B. and Kumar, A., 2017. The Prostate Gland. *In Basics of Human Andrology* (pp. 17-35). Springer, Singapore.
- Sherwood, L. (2011). Fisiologi manusia : dari sel ke sistem edisi 6. In *Polish Journal of Surgery*.
- Sherwood, L., 2015. *Human physiology: from cells to systems*. Cengage learning.
- Shin, S. H., Kim, J. W., Kim, J. W., Oh, M. M., & Moon, D. G., 2013. Defining the degree of intravesical prostatic protrusion in association with bladder outlet obstruction. *Korean journal of urology*, 54(6), 369-372.
- Steele, G.S., Sullivan, M.P., Sleep, D.J. and Yalla, S.V., 2000, Combination of symptom score, flow rate and prostate volume for predicting bladder outflow obstruction in men with lower urinary tract symptoms. *The Journal of urology*, 164(2), pp.344-348.
- Sukandar, E. (2015). *Ilmu Penyakit Dalam* (VI). Jakarta: Interna Publishing.
- Syamsuhidajat, Jong W de. Buku ajar ilmu bedah. 2005 : 735-784
- Tanguay, S., Awde, M., Brock, G., Casey, R., Kozak, J., Lee, J., Saad, F. (2009). Diagnosis and management of benign prostatic hyperplasia in primary care. *Canadian Urological Association Journal = Journal de l'Association Des Urologues Du Canada*, 3(3 Suppl 2), S92–S100. Retrieved from
- Yang, J. M., & Huang, W. C. (2003). Bladder wall thickness on ultrasonographic cystourethrography: affecting factors and their implications. *Journal of ultrasound in medicine*, 22(8), 777-78
- Youn DH, Park J, Kim HL, et al (2018). Berberine Improves Benign Prostatic Hyperplasia via Suppression of 5 Alpha Reductase and Extracellular Signal-Regulated Kinase *in Vivo* and *in Vitro* [published correction appears in *Front Pharmacol*. 2019 May 22;10:541]. *Front Pharmacol*. 2018;9:773. Published 2018 Jul 16. doi:10.3389/fphar.2018.00773