

## DAFTAR PUSTAKA

- Basu, Swasta Irawan. (1990) *Manajemen Pemasaran Modern*, Liberty, Yogyakarta.
- Basu, Swasta D.H dan T. Hani Handoko. (2000) *Manajemen Pemasaran Analisa Perilaku Konsumen*, Edisi I, BPFE, Yogyakarta..
- Ipada, (2003) *Analisa Sikap Konsumen dalam Menggunakan Jasa Internet PT Kaledia Yogyakarta*, Skripsi Sarjana (Tidak dipublikasikan), Yogyakarta: Fakultas Ekonomi UII.
- Engel, J.F.,R.D.Blackwell, dan P.W.Miniard. (1994). *Perilaku Konsumen*. Jilid I. Edisi Keenam. Jakarta: Binarupa Aksara.
- Nurvita, Hairani. (2004). *Analisis Sikap Nasabah Asuransi Kendaraan Bermotor Roda Dua pada PT Asuransi Jasindo Cabang Yogyakarta*. Skripsi Sarjana (Tidak dipublikasikan), Yogyakarta : Fakultas Ekonomi UII.
- Philip, Kotler.(1995) *Manajemen Pemasaran: Analisis Perencanaan, Implementasi dan Pengendalian (Jilid I)*, Edisi kedelapan, Jakarta, FE UII.
- Zainal, Mustafa E.Q. (1995) *Pengantar Statistik Terapan untuk Ekonomi*, BPFE UII, Yogyakarta..



PEMERINTAH KABUPATEN KEBUMEN  
BADAN PENGELOLAAN RUMAH SAKIT UMUM DAERAH KABUPATEN KEBUMEN  
JL. RUMAH SAKIT NO. 13 KEBUMEN  
TELPON 0287 381101 FAX. 0287 385274  
E-MAIL [rsud-kebumen@plasa.com](mailto:rsud-kebumen@plasa.com)

Nomor : 071/99/2005  
Lamp. :  
Perihal : PENELITIAN

Kebumen, 19 Januari 2004

KEPADA YTH.:

DEKAN FAKULTAS EKONOMI  
UNIVERSITAS ISLAM INDONESIA  
CONDONGCATUR, SLEMAN

DI YOGYAKARTA


Menunjuk Surat Saudara Nomor 017/dek/10/Bag.Um/I/2005 perihal seperti tersebut dalam pokok surat, dengan ini disampaikan bahwa :

Nama : IFFAH AFRILIAWATI WAHIDAH  
NPM : 01311224  
Jurusan : Manajemen  
Alamat : Kalirejo Rt 3/I Nomor 17 Kebumen 54351

Telah selesai melaksanakan penelitian di BPRSUD Kab. Kebumen tentang "ANALISIS SIKAP PASIEN DI BPRSUD KEBUMEN".

Demikian untuk menjadikan periksa.

KEPALA BPRSUD KAB. KEBUMEN  
PLT.,

  
A. DWI BUDI SATRIO, MKes.  
PEMBINA  
140 223 281

Kepada Yth  
Bapak/Ibu/Saudara/i  
Pasien RSUD Kebumen

Dalam rangka penyusunan skripsi kami yang berjudul “Analisis Sikap Pasien di RSUD Kebumen” kami memohon bantuan dari Bapak/Ibu/Saudara/i untuk meluangkan waktu sejenak guna mengisi kuesioner yang berhubungan dengan sikap pasien di RSUD Kebumen untuk itu sudilah kiranya Bapak/Ibu/Saudara/i untuk mengisi daftar pertanyaan ini dengan sejujurnya.

Dalam penelitian ini kami kami tidak mempunyai maksud dan tujuan apapun dibalik pengisian pertanyaan tersebut, kecuali untuk kepentingan ilmiah dan hanya sebagai sarana untuk penulisan skripsi.

Atas segala kesediaan dan bantuan Bapak/Ibu/Saudara/i kami mengucapkan terima kasih.

Hormat Peneliti

Iffah Afriliawati Wahidah  
Mahasiswa FE UII  
Jurusan Manajemen

**A. Data Responden**

Nama :

Alamat :

**B Karakteristik Responden**

**Petunjuk Pengisian**

Jawablah pertanyaan berikut ini dengan memberikan tanda silang (x) pada pilihan yang telah disediakan.

**1. Jenis kelamin**

- a. laki-laki
- b. perempuan

**2. Usia**

- a. Lebih kecil dari 20 tahun
- b. Antara 20 tahun-35 tahun
- c. Lebih besar dari 35 tahun

**3. Pekerjaan**

- a. Pegawai negeri/TNI/POLRI
- b. Pegawai swasta/wiraswasta
- c. Ibu/bapak rumah tangga/pensiunan
- d. Mahasiswa/pelajar

**4. Pendapatan rata-rata anda sebulan**

- a. Kurang dari Rp 1.000.000
- b. Rp 1.000.000—Rp 2.000.000
- c. Lebih dari Rp 2.000.000

C. Silanglah (x) salah satu jawaban pada setiap pertanyaan yang ada dengan kriteria sebagai berikut:

- SP : untuk jawaban pertanyaan sangat penting  
P : untuk jawaban pertanyaan penting  
TP : untuk jawaban pertanyaan tidak penting  
STP : untuk jawaban pertanyaan sangat tidak penting

**Pertanyaannya**

1. Apakah mendapatkan harga yang rendah di RSUD Kebumen penting bagi anda?  
SP            P            TP            STP
2. Apakah mendapatkan pelayanan administrasi yang ramah penting bagi anda?  
SP            P            TP            STP
3. Apakah mendapatkan pelayanan perawat yang ramah penting bagi anda?  
SP            P            TP            STP
4. Apakah mendapatkan pelayanan dokter yang ramah penting bagi anda?  
SP            P            TP            STP
5. Apakah tempat parkir yang cukup luas penting bagi anda?  
SP            P            TP            STP
6. Apakah mendapatkan suasana yang nyaman penting bagi anda?  
SP            P            TP            STP
7. Apakah mendapatkan perawat yang cekatan penting bagi anda?  
SP            P            TP            STP
8. Apakah mendapatkan dokter yang cekatan penting bagi anda?  
SP            P            TP            STP
9. Apakah mendapatkan fasilitas yang lengkap penting bagi anda?  
SP            P            TP            STP
10. Apakah mendapatkan dokter yang handal penting bagi anda?  
SP            P            TP            STP
11. Apakah mendapatkan perawat yang handal penting bagi anda?  
SP            P            TP            STP

D. Silanglah (x) salah satu jawaban pada setiap pertanyaan yang ada dengan kriteria sebagai berikut:

SY : untuk jawaban pertanyaan sangat yakin

Y : untuk jawaban pertanyaan yakin

TY : untuk jawaban pertanyaan tidak yakin

STY : untuk jawaban pertanyaan sangat tidak yakin

Pertanyaannya

1. Apakah anda yakin bisa mendapatkan harga yang rendah di RSUD Kebumen?

SY            Y            TY            STY

2. Apakah anda yakin bisa mendapatkan pelayanan administrasi yang ramah?

SY            Y            TY            STY

3. Apakah anda yakin bisa mendapatkan pelayanan perawat yang ramah?

SY            Y            TY            STY

4. Apakah anda yakin bisa mendapatkan pelayanan dokter yang ramah?

SY            Y            TY            STY

5. Apakah anda yakin bisa mendapatkan tempat parkir yang cukup luas?

SY            Y            TY            STY

6. Apakah anda yakin bisa mendapatkan suasana yang nyaman?

SY            Y            TY            STY

7. Apakah anda yakin bisa mendapatkan perawat yang cekatan?

SY            Y            TY            STY

8. Apakah anda yakin bisa mendapatkan dokter yang cekatan?

SY            Y            TY            STY

9. Apakah anda yakin bisa mendapatkan fasilitas yang lengkap?

SY            Y            TY            STY

10. Apakah anda yakin bisa mendapatkan dokter yang handal?

SY            Y            TY            STY

11. Apakah anda yakin bisa mendapatkan perawat yang handal?

SY            Y            TY            STY









### Analisis Sikap

No	Sikap											Rata-rata Sikap
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	Ao
1	16	16	12	16	9	16	16	12	9	16	16	14.00
2	16	16	12	16	8	16	12	16	16	16	16	14.36
3	16	12	9	12	12	8	12	16	12	9	9	11.55
4	12	12	16	16	8	16	16	16	16	8	12	13.45
5	8	8	8	8	6	8	8	8	6	8	8	7.45
6	12	12	9	12	9	16	16	16	12	12	9	12.27
7	12	12	12	12	9	12	12	12	12	12	12	11.73
8	16	16	16	16	9	9	16	16	16	16	16	14.73
9	8	6	8	12	3	9	9	6	6	9	9	7.73
10	16	16	16	16	16	16	16	16	16	16	16	16.00
11	8	12	9	12	12	12	9	12	12	9	16	11.18
12	9	12	16	12	9	16	12	12	12	12	12	12.18
13	9	12	12	16	9	12	12	12	12	12	12	11.82
14	8	12	9	9	8	9	9	9	6	6	6	8.09
15	8	9	12	12	6	8	12	12	8	12	12	9.91
16	16	12	12	12	12	12	12	12	12	12	12	12.36
17	16	16	16	12	8	16	12	12	12	12	9	12.92
18	9	9	9	9	4	9	9	9	9	9	9	8.55
19	9	9	9	9	9	9	9	9	9	9	9	9.00
20	12	4	9	6	6	12	12	8	16	16	4	9.55
21	8	12	12	12	8	6	12	12	6	9	9	9.64
22	8	9	9	12	4	9	12	12	8	9	9	9.00
23	12	9	9	9	9	9	9	9	9	9	9	9.27
24	9	16	16	16	16	12	16	16	16	16	16	15.00
25	12	12	8	12	8	8	16	12	8	12	8	10.55
26	4	16	16	16	6	4	16	16	12	12	16	12.18
27	8	16	16	16	9	16	16	16	12	16	9	13.64
28	12	12	12	12	9	8	12	12	12	12	12	11.36
29	8	9	12	12	9	12	16	12	9	9	9	10.45
30	12	12	12	12	12	12	12	12	12	16	12	12.36
31	16	16	12	12	12	12	12	12	12	12	12	12.73
32	9	9	9	9	6	8	9	9	9	9	9	8.45
33	12	12	9	12	9	12	12	12	12	12	12	11.45
34	16	16	16	16	16	16	16	16	16	16	16	16.00
35	8	9	12	16	9	12	12	16	12	8	12	11.45
36	9	9	9	9	9	9	9	9	9	9	9	9.00
37	12	12	12	12	9	12	12	12	12	16	12	12.09
38	4	12	16	8	8	12	9	9	12	16	12	10.73
39	9	9	9	9	9	9	9	9	9	9	9	9.00
40	8	8	12	12	8	8	16	16	8	16	16	11.64
41	16	16	16	16	16	16	16	16	16	16	16	16.00
42	8	9	12	16	6	9	16	12	9	16	12	11.36
43	9	9	12	9	12	9	9	9	9	9	9	9.55
44	9	12	16	9	9	12	9	12	9	9	9	10.45
45	9	16	16	16	16	16	16	16	16	16	16	15.36
46	16	12	12	12	12	12	12	16	12	12	12	12.73
47	16	16	12	12	16	12	16	16	16	16	16	14.91
48	16	16	16	16	12	16	16	16	16	16	16	15.64
49	8	8	12	8	3	8	8	8	8	8	8	7.91

50	16	16	16	12	12	16	12	12	12	12	12	13.45
51	16	16	16	16	16	16	16	16	16	16	16	16.00
52	8	8	12	12	12	12	12	12	12	12	12	11.27
53	8	16	16	16	12	12	12	12	12	16	16	13.45
54	16	12	9	9	6	9	9	9	9	9	9	9.64
55	12	12	9	12	12	12	12	16	12	12	9	11.82
56	8	8	12	8	12	9	8	12	8	12	12	9.91
57	8	8	12	12	8	8	8	8	8	12	12	9.45
58	6	8	8	8	9	12	12	8	8	12	6	8.82
59	9	16	16	16	6	9	12	16	12	12	12	12.36
60	12	16	16	16	9	12	12	12	9	9	9	12.00
61	8	9	9	8	8	6	9	8	8	9	9	8.27
62	9	12	12	12	9	12	12	9	9	12	9	10.64
63	12	9	9	9	9	6	9	9	9	9	9	9.00
64	16	12	6	9	12	12	12	12	12	12	12	11.55
65	8	16	12	9	12	9	12	12	12	12	12	11.45
66	12	12	12	16	12	12	12	12	16	12	12	12.73
67	12	12	12	12	12	12	12	12	12	12	12	12.00
68	8	12	8	9	6	6	9	8	6	8	9	7.73
69	6	12	9	8	9	9	8	9	12	9	12	9.36
70	3	12	9	12	16	9	12	12	12	16	16	11.73
71	12	12	16	16	6	16	12	8	12	16	12	12.55
72	12	12	8	12	8	12	12	8	8	8	8	9.82
73	16	16	16	16	8	16	16	16	16	16	16	15.27
74	8	12	12	12	12	12	12	8	12	12	12	11.27
75	16	16	16	12	12	16	16	16	12	12	16	14.55
76	8	8	8	8	8	12	8	8	8	8	8	8.36
77	16	12	12	16	12	12	12	12	12	16	16	13.45
78	16	16	16	16	16	16	16	16	16	16	16	16.00
79	16	16	16	12	12	16	16	12	12	12	12	13.82
80	16	16	16	16	12	16	16	12	12	16	12	14.55
81	8	9	12	12	12	12	12	12	9	12	12	11.09
82	8	12	16	16	16	12	16	16	12	12	12	13.45
83	9	16	16	12	16	12	16	12	12	16	12	13.55
84	6	12	8	8	8	12	12	16	16	12	12	11.09
85	16	12	16	8	6	6	8	16	16	12	16	12.00
86	9	12	12	12	16	12	12	8	16	16	16	12.62
87	16	16	8	16	8	8	8	16	12	12	12	12.00
88	16	16	9	12	12	6	16	12	12	12	12	12.27
89	12	12	12	12	12	16	16	12	12	8	8	12.00
90	16	9	12	12	12	16	12	12	12	16	8	12.45
91	16	8	9	12	12	16	8	16	16	16	6	11.91
92	12	6	12	16	8	16	8	12	16	12	8	11.45
93	9	12	6	12	9	12	9	12	9	12	9	10.09
94	12	16	12	16	12	16	12	16	12	12	12	13.45
95	12	16	12	16	12	16	12	16	8	8	8	12.36
96	12	12	12	16	8	8	6	12	12	12	8	10.73
97	12	16	12	12	16	8	8	6	12	12	12	11.45
98	16	12	12	12	9	12	12	16	12	16	9	12.55
99	12	12	12	12	12	12	16	16	8	6	12	11.82
100	12	16	12	16	12	16	12	16	8	16	16	13.82
Jumlah	1123	1224	1201	1240	1008	1157	1219	1223	1141	1219	1151	1173.27
ata-ra	11.23	12.24	12.01	12.4	10.08	11.57	12.19	12.23	11.41	12.19	11.51	11.73

## Uji Validitas Keyakinan

### Correlations

Correlations

		TOTAL
VAR00001	Pearson Correlation	.618**
	Sig. (2-tailed)	.000
	N	100
VAR00002	Pearson Correlation	.695**
	Sig. (2-tailed)	.000
	N	100
VAR00003	Pearson Correlation	.663**
	Sig. (2-tailed)	.000
	N	100
VAR00004	Pearson Correlation	.693**
	Sig. (2-tailed)	.000
	N	100
VAR00005	Pearson Correlation	.707**
	Sig. (2-tailed)	.000
	N	100
VAR00006	Pearson Correlation	.621**
	Sig. (2-tailed)	.000
	N	100
VAR00007	Pearson Correlation	.674**
	Sig. (2-tailed)	.000
	N	100
VAR00008	Pearson Correlation	.678**
	Sig. (2-tailed)	.000
	N	100
VAR00009	Pearson Correlation	.765**
	Sig. (2-tailed)	.000
	N	100
VAR00010	Pearson Correlation	.698**
	Sig. (2-tailed)	.000
	N	100
VAR00011	Pearson Correlation	.677**
	Sig. (2-tailed)	.000
	N	100
TOTAL	Pearson Correlation	1
	Sig. (2-tailed)	.
	N	100

\*\* . Correlation is significant at the 0.01 level

## Uji Validitas Evaluasi

### Correlations

Correlations

		TOTAL
VAR00001	Pearson Correlation	.493**
	Sig. (2-tailed)	.000
	N	100
VAR00002	Pearson Correlation	.635**
	Sig. (2-tailed)	.000
	N	100
VAR00003	Pearson Correlation	.613**
	Sig. (2-tailed)	.000
	N	100
VAR00004	Pearson Correlation	.686**
	Sig. (2-tailed)	.000
	N	100
VAR00005	Pearson Correlation	.518**
	Sig. (2-tailed)	.000
	N	100
VAR00006	Pearson Correlation	.671**
	Sig. (2-tailed)	.000
	N	100
VAR00007	Pearson Correlation	.711**
	Sig. (2-tailed)	.000
	N	100
VAR00008	Pearson Correlation	.709**
	Sig. (2-tailed)	.000
	N	100
VAR00009	Pearson Correlation	.750**
	Sig. (2-tailed)	.000
	N	100
VAR00010	Pearson Correlation	.674**
	Sig. (2-tailed)	.000
	N	100
VAR00011	Pearson Correlation	.732**
	Sig. (2-tailed)	.000
	N	100
TOTAL	Pearson Correlation	1
	Sig. (2-tailed)	.
	N	100

\*\* . Correlation is significant at the 0.01 level

## Reliability Evaluasi

\*\*\*\*\* Method 1 (space saver) will be used for this analysis \*\*\*\*\*

RELIABILITY ANALYSIS - SCALE (ALPHA)

Reliability Coefficients

N of Cases = 100.0

N of Items = 11

Alpha = .8533

## Reliability Keyakinan

\*\*\*\*\* Method 1 (space saver) will be used for this analysis \*\*\*\*\*

RELIABILITY ANALYSIS - SCALE (ALPHA)

Reliability Coefficients

N of Cases = 100.0

N of Items = 11

Alpha = .8820

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	K1 <sup>a</sup>		Enter

a. All requested variables entered.

b. Dependent Variable: S1

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.832 <sup>a</sup>	.692	.689	2.02839

a. Predictors: (Constant), K1

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	906.503	1	906.503	220.327	.000 <sup>a</sup>
	Residual	403.207	98	4.114		
	Total	1309.710	99			

a. Predictors: (Constant), K1

b. Dependent Variable: S1

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.494	.815		-.606	.548
	K1	3.770	.254	.832	14.843	.000

a. Dependent Variable: S1

## Regression

Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E1 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S1

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.547 <sup>a</sup>	.300	.293	3.05930

a. Predictors: (Constant), E1

ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	392.498	1	392.498	41.937	.000 <sup>a</sup>
	Residual	917.212	98	9.359		
	Total	1309.710	99			

a. Predictors: (Constant), E1

b. Dependent Variable: S1

Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.108	1.777		-.061	.952
	E1	3.141	.485	.547	6.476	.000

a. Dependent Variable: S1



## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E1, K1 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S1

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.993 <sup>a</sup>	.987	.986	.42515

a. Predictors: (Constant), E1, K1

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1292.177	2	646.088	3574.405	.000 <sup>a</sup>
	Residual	17.533	97	.181		
	Total	1309.710	99			

a. Predictors: (Constant), E1, K1

b. Dependent Variable: S1

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-11.689	.297		-39.414	.000
	K1	3.756	.053	.829	70.550	.000
	E1	3.113	.067	.543	46.192	.000

a. Dependent Variable: S1

## Regression

**Variables Entered/Removed<sup>a</sup>**

Model	Variables Entered	Variables Removed	Method
1	K2 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S2

**Model Summary**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.898 <sup>a</sup>	.806	.804	1.35573

a. Predictors: (Constant), K2

**ANOVA<sup>b</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	750.115	1	750.115	408.114	.000 <sup>a</sup>
	Residual	180.125	98	1.838		
	Total	930.240	99			

a. Predictors: (Constant), K2

b. Dependent Variable: S2

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.810	.660		-1.227	.223
	K2	4.028	.199	.898	20.202	.000

a. Dependent Variable: S2

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E2 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S2

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.510 <sup>a</sup>	.261	.253	2.84930

a. Predictors: (Constant), E2

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	242.398	1	242.398	34.536	.000 <sup>a</sup>
	Residual	687.842	98	7.019		
	Total	930.240	99			

a. Predictors: (Constant), E2

b. Dependent Variable: S2

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-1.708	2.388		-.715	.476
	E2	3.700	.630	.510	5.877	.000

a. Dependent Variable: S2

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E2, K2 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S2

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.997 <sup>a</sup>	.994	.994	.24149

a. Predictors: (Constant), E2, K2

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	924.583	2	462.292	7927.163	.000 <sup>a</sup>
	Residual	5.657	97	.058		
	Total	930.240	99			

a. Predictors: (Constant), E2, K2

b. Dependent Variable: S2

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-12.132	.238		-50.962	.000
	K2	3.856	.036	.860	108.156	.000
	E2	3.151	.058	.435	54.696	.000

a. Dependent Variable: S2

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	K3 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S3

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.881 <sup>a</sup>	.776	.773	1.39732

a. Predictors: (Constant), K3

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	661.644	1	661.644	338.869	.000 <sup>a</sup>
	Residual	191.346	98	1.953		
	Total	852.990	99			

a. Predictors: (Constant), K3

b. Dependent Variable: S3

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-1.282	.735		-1.743	.085
	K3	4.141	.225	.881	18.408	.000

a. Dependent Variable: S3

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E3 <sup>b</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S3

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.581 <sup>a</sup>	.337	.330	2.40226

a. Predictors: (Constant), E3

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	287.447	1	287.447	49.810	.000 <sup>a</sup>
	Residual	565.543	98	5.771		
	Total	852.990	99			

a. Predictors: (Constant), E3

b. Dependent Variable: S3

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-2.234	2.033		-1.099	.274
	E3	3.819	.541	.581	7.058	.000

a. Dependent Variable: S3

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E3, K3 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S3

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.997 <sup>a</sup>	.994	.994	.22587

a. Predictors: (Constant), E3, K3

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	848.042	2	424.021	8311.663	.000 <sup>a</sup>
	Residual	4.948	97	.051		
	Total	852.990	99			

a. Predictors: (Constant), E3, K3

b. Dependent Variable: S3

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-11.908	.212		-56.112	.000
	K3	3.846	.037	.818	104.827	.000
	E3	3.103	.051	.472	60.446	.000

a. Dependent Variable: S3

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	K4 <sup>a</sup>		Enter

a. All requested variables entered.

b. Dependent Variable: S4

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.865 <sup>a</sup>	.748	.746	1.44911

a. Predictors: (Constant), K4

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	612.207	1	612.207	291.537	.000 <sup>a</sup>
	Residual	205.793	98	2.100		
	Total	818.000	99			

a. Predictors: (Constant), K4

b. Dependent Variable: S4

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.406	.784		-.532	.596
	K4	3.904	.229	.865	17.074	.000

a. Dependent Variable: S4



## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E4 <sup>a</sup>		Enter

a. All requested variables entered.

b. Dependent Variable: S4

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.502 <sup>a</sup>	.252	.244	2.49931

a. Predictors: (Constant), E4

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	205.837	1	205.837	32.952	.000 <sup>a</sup>
	Residual	612.163	98	6.247		
	Total	818.000	99			

a. Predictors: (Constant), E4

b. Dependent Variable: S4

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.010	2.173		.005	.996
	E4	3.278	.571	.502	5.740	.000

a. Dependent Variable: S4

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E4, K4 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S4

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.998 <sup>a</sup>	.995	.995	.20367

a. Predictors: (Constant), E4, K4

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	813.976	2	406.988	9811.317	.000 <sup>a</sup>
	Residual	4.024	97	.041		
	Total	818.000	99			

a. Predictors: (Constant), E4, K4

b. Dependent Variable: S4

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-12.631	.206		-61.449	.000
	K4	3.891	.032	.862	121.081	.000
	E4	3.245	.047	.497	69.743	.000

a. Dependent Variable: S4

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	K5 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S5

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.766 <sup>a</sup>	.586	.582	2.10823

a. Predictors: (Constant), K5

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	617.788	1	617.788	138.996	.000 <sup>a</sup>
	Residual	435.574	98	4.445		
	Total	1053.360	99			

a. Predictors: (Constant), K5

b. Dependent Variable: S5

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.116	.871		.133	.895
	K5	3.321	.282	.766	11.790	.000

a. Dependent Variable: S5

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E5 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S5

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.625 <sup>a</sup>	.391	.385	2.55875

a. Predictors: (Constant), E5

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	411.732	1	411.732	62.886	.000 <sup>a</sup>
	Residual	641.628	98	6.547		
	Total	1053.360	99			

a. Predictors: (Constant), E5

b. Dependent Variable: S5

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.312	1.335		-.234	.816
	E5	3.093	.390	.625	7.930	.000

a. Dependent Variable: S5

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E5, K5 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S5

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.989 <sup>a</sup>	.977	.977	.49578

a. Predictors: (Constant), E5, K5

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1029.517	2	514.759	2094.223	.000 <sup>a</sup>
	Residual	23.843	97	.248		
	Total	1053.360	99			

a. Predictors: (Constant), E5, K5

b. Dependent Variable: S5

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-10.277	.326		-31.499	.000
	K5	3.321	.066	.766	50.134	.000
	E5	3.093	.076	.825	40.928	.000

a. Dependent Variable: S5

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	K6 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S6

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.897 <sup>a</sup>	.805	.803	1.45247

a. Predictors: (Constant), K6

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	855.782	1	855.782	405.638	.000 <sup>a</sup>
	Residual	206.748	98	2.110		
	Total	1062.510	99			

a. Predictors: (Constant), K6

b. Dependent Variable: S6

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.971	.639		-1.518	.132
	K6	4.007	.199	.897	20.140	.000

a. Dependent Variable: S6

## Regression

Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E6 <sup>a</sup>		Enter

a. All requested variables entered.

b. Dependent Variable: S6

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.561 <sup>a</sup>	.314	.307	2.72667

a. Predictors: (Constant), E6

ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	333.909	1	333.909	44.912	.000 <sup>a</sup>
	Residual	728.601	98	7.435		
	Total	1062.510	99			

a. Predictors: (Constant), E6

b. Dependent Variable: S6

Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-2.848	2.168		-1.312	.192
	E6	3.917	.585	.561	6.702	.000

a. Dependent Variable: S6

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E6, K6 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S6

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.995 <sup>a</sup>	.990	.990	.33162

a. Predictors: (Constant), E6, K6

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1051.843	2	525.922	4782.456	.000 <sup>a</sup>
	Residual	10.667	97	.110		
	Total	1062.510	99			

a. Predictors: (Constant), E6, K6

b. Dependent Variable: S6

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-11.226	.283		-39.617	.000
	K6	3.713	.046	.832	80.799	.000
	E6	3.037	.072	.435	42.226	.000

a. Dependent Variable: S6



## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	K7 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S7

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.886 <sup>a</sup>	.786	.784	1.33001

a. Predictors: (Constant), K7

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	636.036	1	636.036	359.561	.000 <sup>a</sup>
	Residual	173.354	98	1.769		
	Total	809.390	99			

a. Predictors: (Constant), K7

b. Dependent Variable: S7

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.787	.697		-1.129	.262
	K7	4.030	.213	.886	18.962	.000

a. Dependent Variable: S7

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E7 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S7

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.519 <sup>a</sup>	.269	.262	2.45628

a. Predictors: (Constant), E7

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	218.123	1	218.123	36.153	.000 <sup>a</sup>
	Residual	591.267	98	6.033		
	Total	809.390	99			

a. Predictors: (Constant), E7

b. Dependent Variable: S7

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-1.287	2.255		-.571	.570
	E7	3.565	.593	.519	6.013	.000

a. Dependent Variable: S7

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E7, K7 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S7

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.997 <sup>a</sup>	.995	.995	.20433

a. Predictors: (Constant), E7, K7

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	805.340	2	402.670	9644.267	.000 <sup>a</sup>
	Residual	4.050	97	.042		
	Total	809.390	99			

a. Predictors: (Constant), E7, K7

b. Dependent Variable: S7

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-12.214	.209		-58.445	.000
	K7	3.882	.033	.854	118.593	.000
	E7	3.149	.049	.459	63.679	.000

a. Dependent Variable: S7

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	K8 <sup>b</sup>		Enter

a. All requested variables entered.

b. Dependent Variable: S8

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.846 <sup>a</sup>	.717	.714	1.63464

a. Predictors: (Constant), K8

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	661.849	1	661.849	247.693	.000 <sup>a</sup>
	Residual	261.861	98	2.672		
	Total	923.710	99			

a. Predictors: (Constant), K8

b. Dependent Variable: S8

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.088	.789		.111	.912
	K8	3.691	.235	.846	15.738	.000

a. Dependent Variable: S8

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E8 <sup>a</sup>		Enter

a. All requested variables entered.

b. Dependent Variable: S8

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.499 <sup>a</sup>	.249	.242	2.65098

a. Predictors: (Constant), E8

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	230.310	1	230.310	32.550	.000 <sup>a</sup>
	Residual	693.400	98	7.076		
	Total	923.710	99			

a. Predictors: (Constant), E8

b. Dependent Variable: S8

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.237	2.119		.112	.911
	E8	3.224	.565	.499	5.705	.000

a. Dependent Variable: S8

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E8, K8 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S8

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.995 <sup>a</sup>	.989	.989	.32032

a. Predictors: (Constant), E8, K8

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	913.757	2	456.879	4452.712	.000 <sup>a</sup>
	Residual	9.953	97	.103		
	Total	923.710	99			

a. Predictors: (Constant), E8, K8

b. Dependent Variable: S8

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-12.660	.300		-42.183	.000
	K8	3.752	.046	.860	81.614	.000
	E8	3.373	.068	.522	49.549	.000

a. Dependent Variable: S8

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	K9 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S9

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.884 <sup>a</sup>	.782	.780	1.38469

a. Predictors: (Constant), K9

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	674.289	1	674.289	351.676	.000 <sup>a</sup>
	Residual	187.901	98	1.917		
	Total	862.190	99			

a. Predictors: (Constant), K9

b. Dependent Variable: S9

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.618	.656		-.942	.348
	K9	3.931	.210	.884	18.753	.000

a. Dependent Variable: S9

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E9 <sup>a</sup>		Enter

a. All requested variables entered.

b. Dependent Variable: S9

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.535 <sup>a</sup>	.286	.278	2.50670

a. Predictors: (Constant), E9

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	246.400	1	246.400	39.213	.000 <sup>a</sup>
	Residual	615.790	98	6.284		
	Total	862.190	99			

a. Predictors: (Constant), E9

b. Dependent Variable: S9

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-1.595	2.092		-.763	.448
	E9	3.496	.558	.535	6.262	.000

a. Dependent Variable: S9



## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E9, K9 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S9

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.995 <sup>a</sup>	.991	.990	.29052

a. Predictors: (Constant), E9, K9

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	854.003	2	427.002	5059.198	.000 <sup>a</sup>
	Residual	8.187	97	.084		
	Total	862.190	99			

a. Predictors: (Constant), E9, K9

b. Dependent Variable: S9

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-11.207	.268		-41.880	.000
	K9	3.747	.044	.843	84.847	.000
	E9	2.998	.065	.458	46.144	.000

a. Dependent Variable: S9

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	K10 <sup>a</sup>		Enter

a. All requested variables entered.

b. Dependent Variable: S10

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.834 <sup>a</sup>	.695	.692	1.65430

a. Predictors: (Constant), K10

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	611.192	1	611.192	223.331	.000 <sup>b</sup>
	Residual	268.198	98	2.737		
	Total	879.390	99			

a. Predictors: (Constant), K10

b. Dependent Variable: S10

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.551	.868		-.635	.527
	K10	3.861	.258	.834	14.944	.000

a. Dependent Variable: S10

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E10 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S10

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.578 <sup>a</sup>	.334	.327	2.44457

a. Predictors: (Constant), E10

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	293.747	1	293.747	49.155	.000 <sup>a</sup>
	Residual	585.643	98	5.976		
	Total	879.390	99			

a. Predictors: (Constant), E10

b. Dependent Variable: S10

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.887	1.881		-.471	.638
	E10	3.544	.505	.578	7.011	.000

a. Dependent Variable: S10

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E10, K10 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S10

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.995 <sup>a</sup>	.990	.990	.29585

a. Predictors: (Constant), E10, K10

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	870.900	2	435.450	4975.005	.000 <sup>a</sup>
	Residual	8.490	97	.088		
	Total	879.390	99			

a. Predictors: (Constant), E10, K10

b. Dependent Variable: S10

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-12.509	.289		-48.517	.000
	K10	3.755	.046	.811	81.203	.000
	E10	3.335	.081	.544	54.472	.000

a. Dependent Variable: S10

## Regression

**Variables Entered/Removed<sup>a</sup>**

Model	Variables Entered	Variables Removed	Method
1	K11 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S11

**Model Summary**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.784 <sup>a</sup>	.614	.610	1.88399

a. Predictors: (Constant), K11

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	553.146	1	553.146	155.841	.000 <sup>a</sup>
	Residual	347.844	98	3.549		
	Total	900.990	99			

a. Predictors: (Constant), K11

b. Dependent Variable: S11

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.152	.953		-.159	.874
	K11	3.656	.293	.784	12.484	.000

a. Dependent Variable: S11

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E11 <sup>a</sup>	.	Enter

- a. All requested variables entered.  
 b. Dependent Variable: S11

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.598 <sup>a</sup>	.357	.350	2.43135

- a. Predictors: (Constant), E11

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	321.667	1	321.667	54.414	.000 <sup>a</sup>
	Residual	579.323	98	5.911		
	Total	900.990	99			

- a. Predictors: (Constant), E11  
 b. Dependent Variable: S11

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.352	1.626		-.217	.829
	E11	3.286	.445	.598	7.377	.000

- a. Dependent Variable: S11

## Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	E11, K11 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: S11

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.993 <sup>a</sup>	.987	.987	.34806

a. Predictors: (Constant), E11, K11

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	889.239	2	444.619	3670.109	.000 <sup>a</sup>
	Residual	11.751	97	.121		
	Total	900.990	99			

a. Predictors: (Constant), E11, K11

b. Dependent Variable: S11

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-12.432	.292		-42.552	.000
	K11	3.704	.054	.794	68.447	.000
	E11	3.359	.064	.611	52.671	.000

a. Dependent Variable: S11

## Descriptives

Case Summaries

Gender	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11
Laki-laki	55	55	55	55	55	55	55	55	55	55	55
Mean	11.40	12.27	12.25	12.45	10.15	11.67	12.25	12.47	11.58	11.98	11.7
perempuan	45	45	45	45	45	45	45	45	45	45	45
Mean	11.02	12.20	11.71	12.33	10.00	11.44	12.11	11.93	11.20	12.44	11.2
Total	100	100	100	100	100	100	100	100	100	100	100
Mean	11.23	12.24	12.01	12.40	10.08	11.57	12.19	12.23	11.41	12.19	11.5

## Descriptives

Case Summaries

Usia	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11
<20 th	14	14	14	14	14	14	14	14	14	14	14
Mean	11.79	12.57	11.71	12.29	10.00	10.86	11.29	12.21	11.93	12.36	10.86
20-35 th	38	38	38	38	38	38	38	38	38	38	38
Mean	12.00	12.68	12.45	12.87	11.26	12.21	12.74	13.21	12.45	12.82	12.42
>35 th	48	48	48	48	48	48	48	48	48	48	48
Mean	10.46	11.79	11.75	12.06	9.167	11.27	12.02	11.46	10.44	11.65	10.96
Total	100	100	100	100	100	100	100	100	100	100	100
Mean	11.23	12.24	12.01	12.40	10.08	11.57	12.19	12.23	11.41	12.19	11.51



## Descriptives

Case Summaries

Pekerjaan	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11
peg negeri/TNI/Polri	N	13	13	13	13	13	13	13	13	13	13
	Mean	10.08	11.08	11.15	11.54	10.92	11.92	11.23	11.31	12.31	11.08
peg swasta/wiraswasta	N	55	55	55	55	55	55	55	55	55	55
	Mean	10.93	11.87	11.98	12.07	9.745	12.02	12.31	11.29	11.73	11.49
ibu/bpk/Rf/pensiunan	N	25	25	25	25	25	25	25	25	25	25
	Mean	12.32	13.08	12.32	13.48	10.16	12.56	12.88	11.48	12.88	11.28
Mhs/pelajar	N	7	7	7	7	7	7	7	7	7	7
	Mean	11.86	14.29	12.71	12.71	12.29	12.71	11.14	12.29	13.14	13.29
Total	N	100	100	100	100	100	100	100	100	100	100
	Mean	11.23	12.24	12.01	12.40	10.08	12.19	12.23	11.41	12.19	11.51

## Descriptives

Case Summaries

Pendapatan	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11
<1 juta	N	71	71	71	71	71	71	71	71	71	71
	Mean	10.99	12.59	12.49	10.25	11.49	12.45	12.31	11.14	12.07	11.86
1-2 juta	N	27	27	27	27	27	27	27	27	27	27
	Mean	12.04	11.63	11.74	12.56	9.852	11.52	12.04	11.78	12.37	10.85
>2 juta	N	2	2	2	2	2	2	2	2	2	2
	Mean	9.000	8.000	7.000	7.000	12.00	12.00	12.00	16.00	14.00	8.000
Total	N	100	100	100	100	100	100	100	100	100	100
	Mean	11.23	12.24	12.01	12.40	10.08	11.57	12.23	11.41	12.19	11.51

**NPar Tests**  
**Kruskal-Wallis Test**

**Ranks**

	Gender	N	Mean Rank
S1	Laki-laki	55	51.98
	perempuan	45	48.69
	Total	100	
S2	Laki-laki	55	51.22
	perempuan	45	49.62
	Total	100	
S3	Laki-laki	55	53.15
	perempuan	45	47.26
	Total	100	
S4	Laki-laki	55	51.13
	perempuan	45	49.73
	Total	100	
S5	Laki-laki	55	51.30
	perempuan	45	49.52
	Total	100	
S6	Laki-laki	55	51.62
	perempuan	45	49.13
	Total	100	
S7	Laki-laki	55	50.93
	perempuan	45	49.98
	Total	100	
S8	Laki-laki	55	52.69
	perempuan	45	47.82
	Total	100	
S9	Laki-laki	55	52.49
	perempuan	45	48.07
	Total	100	
S10	Laki-laki	55	48.71
	perempuan	45	52.69
	Total	100	
S11	Laki-laki	55	53.22
	perempuan	45	47.18
	Total	100	

Test Statistics<sup>a,b</sup>

	Chi-Square	df	Asymp. Sig.
S1	.337	1	.562
S2	.083	1	.773
S3	1.132	1	.287
S4	.065	1	.799
S5	.098	1	.754
S6	.197	1	.657
S7	.030	1	.863
S8	.775	1	.379
S9	.640	1	.424
S10	.516	1	.473
S11	1.171	1	.279

a. Kruskal Wallis Test

b. Grouping Variable: Gender

## NPar Tests Kruskal-Wallis Test

**Ranks**

	Usia	N	Mean Rank
S1	<20 th	14	54.93
	20-35 th	38	56.20
	>35 th	48	44.70
	Total	100	
S2	<20 th	14	53.75
	20-35 th	38	55.17
	>35 th	48	45.85
	Total	100	
S3	<20 th	14	47.71
	20-35 th	38	54.47
	>35 th	48	48.17
	Total	100	
S4	<20 th	14	49.36
	20-35 th	38	55.14
	>35 th	48	47.16
	Total	100	
S5	<20 th	14	49.43
	20-35 th	38	60.68
	>35 th	48	42.75
	Total	100	
S6	<20 th	14	44.79
	20-35 th	38	55.63
	>35 th	48	48.10
	Total	100	
S7	<20 th	14	41.54
	20-35 th	38	55.89
	>35 th	48	48.84
	Total	100	
S8	<20 th	14	50.79
	20-35 th	38	59.57
	>35 th	48	43.24
	Total	100	
S9	<20 th	14	56.00
	20-35 th	38	59.99
	>35 th	48	41.39
	Total	100	
S10	<20 th	14	51.79
	20-35 th	38	56.42
	>35 th	48	45.44
	Total	100	
S11	<20 th	14	43.89
	20-35 th	38	59.01
	>35 th	48	45.69
	Total	100	

**Test Statistics<sup>a,b</sup>**

	Chi-Square	df	Asymp. Sig.
S1	3.921	2	.141
S2	2.662	2	.264
S3	1.275	2	.529
S4	1.848	2	.397
S5	6.567	2	.014
S6	2.236	2	.327
S7	3.153	2	.207
S8	7.470	2	.024
S9	10.343	2	.006
S10	3.401	2	.183
S11	5.804	2	.055

a. Kruskal Wallis Test

b. Grouping Variable: Usia

**NPar Tests**  
**Kruskal-Wallis Test**

## NPar Tests

### Kruskal-Wallis Test

#### Ranks

	Pekerjaan	N	Mean Rank
S1	1.00	13	42.50
	2.00	55	47.92
	3.00	25	59.20
	4.00	7	54.57
	Total	100	
S2	1.00	13	39.19
	2.00	55	47.52
	3.00	25	57.74
	4.00	7	69.07
	Total	100	
S3	1.00	13	41.62
	2.00	55	50.54
	3.00	25	53.44
	4.00	7	56.21
	Total	100	
S4	1.00	13	41.92
	2.00	55	47.47
	3.00	25	60.74
	4.00	7	53.64
	Total	100	
S5	1.00	13	50.77
	2.00	55	47.45
	3.00	25	51.72
	4.00	7	69.57
	Total	100	
S6	1.00	13	45.35
	2.00	55	46.55
	3.00	25	61.92
	4.00	7	50.36
	Total	100	
S7	1.00	13	48.62
	2.00	55	48.56
	3.00	25	54.20
	4.00	7	56.00
	Total	100	
S8	1.00	13	40.96
	2.00	55	51.36
	3.00	25	56.10
	4.00	7	41.43
	Total	100	

### Ranks

	Pekerjaan	N	Mean Rank
S9	1.00	13	48.35
	2.00	55	49.66
	3.00	25	50.86
	4.00	7	59.79
	Total	100	
S10	1.00	13	51.85
	2.00	55	46.53
	3.00	25	56.20
	4.00	7	58.86
	Total	100	
S11	1.00	13	47.31
	2.00	55	50.63
	3.00	25	47.24
	4.00	7	67.07
	Total	100	

**Test Statistics<sup>a,b</sup>**

	Chi-Square	df	Asymp. Sig.
S1	4.028	3	.259
S2	7.770	3	.051
S3	1.933	3	.586
S4	5.579	3	.134
S5	3.875	3	.275
S6	5.760	3	.124
S7	1.076	3	.783
S8	3.413	3	.332
S9	.932	3	.818
S10	2.884	3	.410
S11	3.010	3	.390

a. Kruskal Wallis Test

b. Grouping Variable: Pekerjaan

**NPar Tests**  
**Kruskal-Wallis Test**



**Ranks**

	Pendapatan	N	Mean Rank
S1	<1 juta	71	48.53
	1-2 juta	27	57.00
	>2 juta	2	32.75
	Total	100	
S2	<1 juta	71	53.39
	1-2 juta	27	44.81
	>2 juta	2	24.75
	Total	100	
S3	<1 juta	71	52.25
	1-2 juta	27	48.57
	>2 juta	2	14.50
	Total	100	
S4	<1 juta	71	51.35
	1-2 juta	27	51.72
	>2 juta	2	3.75
	Total	100	
S5	<1 juta	71	51.92
	1-2 juta	27	49.19
	>2 juta	2	18.00
	Total	100	
S6	<1 juta	71	49.73
	1-2 juta	27	52.15
	>2 juta	2	55.50
	Total	100	
S7	<1 juta	71	52.81
	1-2 juta	27	44.46
	>2 juta	2	50.00
	Total	100	
S8	<1 juta	71	51.37
	1-2 juta	27	48.48
	>2 juta	2	47.00
	Total	100	
S9	<1 juta	71	48.32
	1-2 juta	27	53.28
	>2 juta	2	90.50
	Total	100	
S10	<1 juta	71	49.32
	1-2 juta	27	52.33
	>2 juta	2	67.50
	Total	100	
S11	<1 juta	71	53.52
	1-2 juta	27	44.09
	>2 juta	2	29.75
	Total	100	

**Test Statistics<sup>a,b</sup>**

	<b>Chi-Square</b>	<b>df</b>	<b>Asymp. Sig.</b>
S1	2.569	2	.277
S2	3.690	2	.158
S3	3.822	2	.148
S4	5.998	2	.050
S5	2.882	2	.237
S6	.213	2	.899
S7	1.819	2	.403
S8	.248	2	.883
S9	4.948	2	.084
S10	1.009	2	.604
S11	3.394	2	.183

a. Kruskal Wallis Test

b. Grouping Variable: Pendapatan