

Lampiran 2 : Statistik Deskriptif

Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
CETR	336	-,192	,930	,24599	,129591
D	336	0	1	,29	,457
Gr	336	-,691	,710	-,01175	,198285
CI	336	,008	1,897	,35761	,212034
Valid N (listwise)	336				

Frequencies

D

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	237	70,5	70,5	70,5
1	99	29,5	29,5	100,0
Total	336	100,0	100,0	

Lampiran 3 : Hasil Uji Asumsi Klasik

NPar Tests

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		336
Normal Parameters ^{a,b}	Mean	,0000000
	Std. Deviation	,04304975
Most Extreme Differences	Absolute	,178
	Positive	,178
	Negative	-,096
Kolmogorov-Smirnov Z		1,259
Asymp. Sig. (2-tailed)		,145

a. Test distribution is Normal.

b. Calculated from data.

Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	CI, D, Gr ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: ABS_RES

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,090 ^a	,008	-,001	,54526991

a. Predictors: (Constant), CI, D, Gr

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,801	3	,267	,898	,442 ^a
	Residual	98,710	332	,297		
	Total	99,511	335			

a. Predictors: (Constant), CI, D, Gr

b. Dependent Variable: ABS_RES

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-,041	,163		-,254	,800
	D	,071	,093	,059	,764	,446
	Gr	,331	,548	,120	,603	,547
	Cl	,247	,471	,096	,524	,601

a. Dependent Variable: ABS_RES

Lampiran 4 : Hasil Regresi Linier Berganda

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	CI, D, Gr ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: CETR

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	,943 ^a	,890	,889	,043244	2,079

a. Predictors: (Constant), CI, D, Gr

b. Dependent Variable: CETR

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	5,005	3	1,668	892,165	,000 ^a
	Residual	,621	332	,002		
	Total	5,626	335			

a. Predictors: (Constant), CI, D, Gr

b. Dependent Variable: CETR

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	,175	,013		13,559	,000		
	D	,038	,007	,133	5,137	,000	,494	2,025
	Gr	,935	,043	1,431	21,498	,000	,751	1,323
	CI	-,260	,037	-,426	-6,966	,000	,891	1,228

a. Dependent Variable: CETR

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-,08799	,80322	,24599	,122232	336
Std. Predicted Value	-2,732	4,559	,000	1,000	336
Standard Error of Predicted Value	,003	,032	,004	,002	336
Adjusted Predicted Value	-,08799	,77746	,24665	,120758	336
Residual	-,214411	,210365	,000000	,043050	336
Std. Residual	-4,958	4,865	,000	,996	336
Stud. Residual	-7,442	5,011	-,006	1,054	336
Deleted Residual	-,483043	,223254	-,000661	,050195	336
Stud. Deleted Residual	-8,141	5,205	-,006	1,076	336
Mahal. Distance	,426	185,305	2,991	10,838	336
Cook's Distance	,000	17,347	,059	,947	336
Centered Leverage Value	,001	,553	,009	,032	336

a. Dependent Variable: CETR