

**LAMPIRAN 2**

**HASIL OUTPUT SPSS**

**Karakteristik Responden**

**Frequencies**

		<b>Statistics</b>			
		Umur usaha	Pendidikan	Jumlah karyawn	Lama kerjasama dengan pemasok
N	Valid	50	50	50	50
	Missing	0	0	0	0

**Frequency Table**

		<b>Umur usaha</b>			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	≤ 5 tahun	22	44,0	44,0	44,0
	6 – 10 tahun	13	26,0	26,0	70,0
	> 10 tahun	15	30,0	30,0	100,0
	Total	50	100,0	100,0	

		<b>Pendidikan</b>			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	SD	5	10,0	10,0	10,0
	SMP	7	14,0	14,0	24,0
	SMU	19	38,0	38,0	62,0
	Diploma	6	12,0	12,0	74,0
	Sarjana S1	10	20,0	20,0	94,0
	Sarjana S2	3	6,0	6,0	100,0
	Total	50	100,0	100,0	

**Jumlah karyawan**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid ≤ 10 orang	31	62,0	62,0	62,0
11-20 orang	14	28,0	28,0	90,0
21-30 orang	4	8,0	8,0	98,0
31-40 orang	1	2,0	2,0	100,0
Total	50	100,0	100,0	

**Lama kerjasama dengan pemasok**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid ≤ 5 tahun	22	44,0	44,0	44,0
6 – 10 tahun	13	26,0	26,0	70,0
> 10 tahun	15	30,0	30,0	100,0
Total	50	100,0	100,0	

## Uji Validitas dan Reliabilitas

### Correlations

		X11	X12	X13	X14	StrategiBiayaX1
X11	Pearson Correlation	1	,849**	,378**	,249	,817**
	Sig. (2-tailed)		,000	,007	,081	,000
	N	50	50	50	50	50
X12	Pearson Correlation	,849**	1	,582**	,290*	,893**
	Sig. (2-tailed)	,000		,000	,041	,000
	N	50	50	50	50	50
X13	Pearson Correlation	,378**	,582**	1	,597**	,800**
	Sig. (2-tailed)	,007	,000		,000	,000
	N	50	50	50	50	50
X14	Pearson Correlation	,249	,290*	,597**	1	,628**
	Sig. (2-tailed)	,081	,041	,000		,000
	N	50	50	50	50	50
StrategiBiayaX1	Pearson Correlation	,817**	,893**	,800**	,628**	1
	Sig. (2-tailed)	,000	,000	,000	,000	
	N	50	50	50	50	50

\*\* . Correlation is significant at the 0.01 level (2-tailed).

\* . Correlation is significant at the 0.05 level (2-tailed).

### Reliability

Scale: ALL VARIABLES

		N	%
Cases	Valid	50	100,0
	Excluded <sup>a</sup>	0	,0
	Total	50	100,0

a. Listwise deletion based on all variables in the procedure.

Cronbach's Alpha	N of Items
,799	4

## Correlations

		X21	X22	X23	StrategiKualitas X2
X21	Pearson Correlation	1	,683**	,694**	,910**
	Sig. (2-tailed)		,000	,000	,000
	N	50	50	50	50
X22	Pearson Correlation	,683**	1	,491**	,845**
	Sig. (2-tailed)	,000		,000	,000
	N	50	50	50	50
X23	Pearson Correlation	,694**	,491**	1	,840**
	Sig. (2-tailed)	,000	,000		,000
	N	50	50	50	50
StrategiKualitasX2	Pearson Correlation	,910**	,845**	,840**	1
	Sig. (2-tailed)	,000	,000	,000	
	N	50	50	50	50

\*\* . Correlation is significant at the 0.01 level (2-tailed).

## Reliability

Scale: ALL VARIABLES

### Case Processing Summary

		N	%
Cases	Valid	50	100,0
	Excluded <sup>a</sup>	0	,0
	Total	50	100,0

a. Listwise deletion based on all variables in the procedure.

### Reliability Statistics

Cronbach's Alpha	N of Items
,828	3

## Correlations

		X31	X32	StrategiPengirimanX3
X31	Pearson Correlation	1	,567**	,832**
	Sig. (2-tailed)		,000	,000
	N	50	50	50
X32	Pearson Correlation	,567**	1	,929**
	Sig. (2-tailed)	,000		,000
	N	50	50	50
StrategiPengirimanX3	Pearson Correlation	,832**	,929**	1
	Sig. (2-tailed)	,000	,000	
	N	50	50	50

\*\* . Correlation is significant at the 0.01 level (2-tailed).

## Reliability

### Scale: ALL VARIABLES

#### Case Processing Summary

		N	%
Cases	Valid	50	100,0
	Excluded <sup>a</sup>	0	,0
	Total	50	100,0

a. Listwise deletion based on all variables in the procedure.

#### Reliability Statistics

Cronbach's Alpha	N of Items
,688	2

## Correlations

		X41	X42	X43	StrategiFleksibilitasX4
X41	Pearson Correlation	1	,593**	,546**	,814**
	Sig. (2-tailed)		,000	,000	,000
	N	50	50	50	50
X42	Pearson Correlation	,593**	1	,698**	,889**
	Sig. (2-tailed)	,000		,000	,000
	N	50	50	50	50
X43	Pearson Correlation	,546**	,698**	1	,880**
	Sig. (2-tailed)	,000	,000		,000
	N	50	50	50	50
StrategiFleksibilitasX4	Pearson Correlation	,814**	,889**	,880**	1
	Sig. (2-tailed)	,000	,000	,000	
	N	50	50	50	50

\*\* . Correlation is significant at the 0.01 level (2-tailed).

## Reliability

### Scale: ALL VARIABLES

#### Case Processing Summary

		N	%
Cases	Valid	50	100,0
	Excluded <sup>a</sup>	0	,0
	Total	50	100,0

a. Listwise deletion based on all variables in the procedure.

#### Reliability Statistics

Cronbach's Alpha	N of Items
,825	3

## Correlations

		Y11	Y12	Y13	Y14
Y11	Pearson Correlation	1	,641**	,444**	,340*
	Sig. (2-tailed)		,000	,001	,016
	N	50	50	50	50
Y12	Pearson Correlation	,641**	1	,498**	,521**
	Sig. (2-tailed)	,000		,000	,000
	N	50	50	50	50
Y13	Pearson Correlation	,444**	,498**	1	,608**
	Sig. (2-tailed)	,001	,000		,000
	N	50	50	50	50
Y14	Pearson Correlation	,340*	,521**	,608**	1
	Sig. (2-tailed)	,016	,000	,000	
	N	50	50	50	50
LeanSupplyChainStrategyY	Pearson Correlation	,754**	,870**	,784**	,763**
	Sig. (2-tailed)	,000	,000	,000	,000
	N	50	50	50	50

		LeanSupplyChainStrategyY
Y11	Pearson Correlation	,754
	Sig. (2-tailed)	,000
	N	50
Y12	Pearson Correlation	,870**
	Sig. (2-tailed)	,000
	N	50
Y13	Pearson Correlation	,784**
	Sig. (2-tailed)	,000
	N	50
Y14	Pearson Correlation	,763*
	Sig. (2-tailed)	,000
	N	50
LeanSupplyChainStrategyY	Pearson Correlation	1**
	Sig. (2-tailed)	
	N	50

\*\* . Correlation is significant at the 0.01 level (2-tailed).

\* . Correlation is significant at the 0.05 level (2-tailed).

## Reliability

### Scale: ALL VARIABLES

		N	%
Cases	Valid	50	100,0
	Excluded <sup>a</sup>	0	,0
	Total	50	100,0

a. Listwise deletion based on all variables in the procedure.

Cronbach's Alpha	N of Items
,798	4



## Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
StrategiBiayaX1	50	2,25	5,00	3,86	,674
StrategiKualitasX2	50	2,33	5,00	3,95	,650
StrategiPengirimanX3	50	2,50	5,00	3,86	,525
StrategiFleksibilitasX4	50	2,67	5,00	3,91	,660
LeanSupplyChainStrategyY	50	2,75	5,00	4,32	,503
Valid N (listwise)	50				

## Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
X11	50	2	5	3,96	,925
X12	50	2	5	3,74	,922
X13	50	2	5	3,90	,863
X14	50	3	5	3,84	,681
StrategiBiayaX1	50	2,25	5,00	3,86	,674
Valid N (listwise)	50				

## Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
X21	50	3	5	4,22	,708
X22	50	2	5	3,84	,792
X23	50	2	5	3,80	,756
StrategiKualitasX2	50	2,33	5,00	3,95	,650
Valid N (listwise)	50				

## Descriptives

Descriptive Statistics					
	N	Minimum	Maximum	Mean	Std. Deviation
X31	50	3	5	4,02	,473
X32	50	2	5	3,70	,707
StrategiPengirimanX3	50	2,50	5,00	3,86	,525
Valid N (listwise)	50				

## Descriptives

Descriptive Statistics					
	N	Minimum	Maximum	Mean	Std. Deviation
X41	50	3	5	4,22	,708
X42	50	2	5	3,84	,766
X43	50	2	5	3,68	,819
StrategiFleksibilitasX4	50	2,67	5,00	3,91	,660
Valid N (listwise)	50				

## Descriptives

Descriptive Statistics					
	N	Minimum	Maximum	Mean	Std. Deviation
Y11	50	3	5	4,56	,541
Y12	50	1	5	4,22	,815
Y13	50	3	5	4,22	,582
Y14	50	3	5	4,28	,573
LeanSupplyChainStrategyY	50	2,75	5,00	4,32	,503
Valid N (listwise)	50				

## Uji Asumsi Klasik

### Uji Normalitas

#### NPar Tests

		Unstandardized Residual
N		50
Normal Parameters <sup>a,b</sup>	Mean	,0000000
	Std. Deviation	,33506718
	Absolute	,073
Most Extreme Differences	Positive	,055
	Negative	-,073
	Kolmogorov-Smirnov Z	,514
Asymp. Sig. (2-tailed)		,954

a. Test distribution is Normal.

b. Calculated from data.

### Uji Multikolinieritas

Model	Collinearity Statistics	
	Tolerance	VIF
1	StrategiBiayaX1	,563 1,776
	StrategiKualitasX2	,532 1,880
	StrategiPengirimanX3	,946 1,057
	StrategiFleksibilitasX4	,690 1,448

a. Dependent Variable: LeanSupplyChainStrategyY

## Uji Heteroskedastisitas

Coefficients<sup>a</sup>

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	
	B	Std. Error				Beta
1	(Constant)	,202	,267		,754	,455
	StrategiBiayaX1	-,036	,055	-,125	-,644	,523
	StrategiKualitasX2	,059	,059	,200	,999	,323
	StrategiPengirimanX3	,032	,055	,089	,592	,557
	StrategiFleksibilitasX4	-,038	,051	-,132	-,753	,455

a. Dependent Variable: Abs\_Resid

## Regresi Linier Berganda

### Regression

**Variables Entered/Removed<sup>a</sup>**

Model	Variables Entered	Variables Removed	Method
1	StrategiFleksibilitasX4, StrategiPengirimanX3, StrategiBiayaX1, StrategiKualitasX2 <sup>b</sup>		Enter

a. Dependent Variable: LeanSupplyChainStrategyY

b. All requested variables entered.

**Model Summary**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,745 <sup>a</sup>	,556	,516	,34964

a. Predictors: (Constant), StrategiFleksibilitasX4, StrategiPengirimanX3, StrategiBiayaX1, StrategiKualitasX2

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	6,879	4	1,720	14,067	,000 <sup>b</sup>
	Residual	5,501	45	,122		
	Total	12,380	49			

a. Dependent Variable: LeanSupplyChainStrategyY

b. Predictors: (Constant), StrategiFleksibilitasX4, StrategiPengirimanX3, StrategiBiayaX1, StrategiKualitasX2

Coefficients<sup>a</sup>

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	
	B	Std. Error	Beta			
1	(Constant)	1,912	,477		4,011	,000
	StrategiBiayaX1	,227	,099	,304	2,298	,026
	StrategiKualitasX2	,252	,105	,326	2,394	,021
	StrategiPengirimanX3	-,073	,098	-,076	-,742	,462
	StrategiFleksibilitasX4	,208	,091	,273	2,287	,027

a. Dependent Variable: LeanSupplyChainStrategyY