

## LAMPIRAN 1

### KUISIONER PENELITIAN

“Pengaruh Komitmen, Kepercayaan, dan Kerja Sama Buyer-Supplier Terhadap Kinerja Bisnis UMKM Barang Konsumsi di Yogyakarta”

---

Kepada:

Yth. Para Responden

Di Tempat.

Bersama dengan ini, saya mohon izin kepada anda untuk membantu berpartisipasi dalam penelitian yang saya kerjakan. Penelitian ini dibuat untuk tugas akhir (skripsi) dengan judul “Pengaruh Komitmen, Kepercayaan, dan Kerja Sama Buyer-Supplier Terhadap Kinerja Bisnis UMKM Barang Konsumsi di Yogyakarta” sebagai syarat untuk menyelesaikan studi saya di Program Sarjana (S1) Universitas Islam Indonesia (UII).

Berkaitan dengan hal tersebut, saya mohon kesediaan Anda untuk meluangkan waktu melengkapi kuesioner ini. Semua informasi yang diterima akan dijaga kerahasiannya dan hanya akan digunakan untuk keperluan akademis semata. Dengan demikian saya berharap pengisian kuisisioner dapat dilakukan seobyektif mungkin tanpa ada paksaan dari pihak manapun.


Saya ucapkan terima kasih atas segala usaha dan waktu saudara – saudari yang telah meluangkan untuk mengisi kuisisioner ini.

## DATA RESPONDEN

### Bagian I

Pertanyaan bagian I berupa identitas konsumen. Berilah tanda (√) pada jawaban anda

1. Nama : ..... (boleh tidak diisi)
2. Jenis Kelamin :  Pria  Wanita
3. Umur :  < 20 tahun  21-30 tahun  
 31-40 tahun  lebih dari 41 tahun
4. Jabatan :  Manajer Pemasaran  
 Manajer keuangan  
 Manajer SDM  
 Manajer Operasional  
 Manajer Lainnya : .....
6. Lama Usaha :  < 5 tahun  
 5 sampai dengan 10 tahun  
 > 10 tahun



## Bagian II

Pertanyaan pada point II merupakan tolak ukur pengaruh dari variabel penelitian ini. Oleh Karena itu saudara/i dimohon memberikan tanda (√) pada salah satu kolom jawaban sesuai dengan pilihan anda.

### Keterangan :

STS : Sangat Tidak Setuju

TS : Tidak setuju

N : Ragu-ragu

S : Setuju

SS : Sangat Setuju

### ITEM PERNYATAAN:

#### 1. Komitmen Buyer dan Supplier

No	Pertanyaan	STS	TS	N	S	SS
1	Kami selalu membayar pemasok kami tepat waktu					
2	Pemasok kami memberikan jumlah dan kualitas barang dan jasa yang tepat					
3	Pemasok kami mengirimkan produk tepat waktu					
4	Biaya pengadaan produk pemasok kami sangat kompetitif					
5	Kami tidak memiliki niat untuk mengubah pemasok kami saat ini					

#### 2. Kepercayaan Buyer dan Supplier

No	Pertanyaan	STS	TS	N	S	SS
1.	Hubungan antara bisnis kami dan pemasok utamanya ditandai dengan tingkat kepercayaan yang tinggi.					
2.	Kami umumnya percaya pemasok utama kami untuk tetap dalam ketentuan kontrak.					
3.	Pemasok utama kami tidak mencoba mengubah fakta untuk mendapatkan konsesi dari kami.					
4.	Kami percaya bahwa pemasok kami akan mengirimkan barang dan jasa tepat waktu					

5	Kami percaya bahwa pemasok kami akan memberikan kualitas tinggi hampir setiap waktu.					
6	Kami mengalami konflik minimum dengan pemasok kami					

### 3. Kerja sama Buyer dan Supplier

No	Pertanyaan	STS	TS	N	S	SS
1.	Kami senang dengan hubungan yang kami miliki dengan pemasok kami					
2.	Sebagian dari keuntungan kami direalisasikan dari penghematan biaya pengadaan.					
3.	Pemasok kami bergantung pada bisnis kami untuk mencapai tujuan bisnis mereka					
4	Pemasok kami memiliki beberapa tingkat daya tawar					
5	Kami berusaha untuk mencapai sinergi melalui bekerja sama dengan pemasok kami					
6	Biaya pengadaan produk pemasok kami sangat kompetitif					
7	Kami memiliki program manajemen hubungan pemasok					

### 4. Kinerja Bisnis

No	Pertanyaan	STS	TS	N	S	SS
1.	Perusahaan kami memiliki tingkat keuntungan yang tinggi.					
2.	Perusahaan kami memiliki tingkat pertumbuhan penjualan yang tinggi					
3.	Ada inovasi tingkat tinggi di perusahaan ini					
4	perusahaan kami memiliki tingkat Kepuasan Karyawan yang tinggi					
5	perusahaan kami memiliki tingkat Kepuasan konsumen yang tinggi					

## LAMPIRAN 2

### DATA PENELITIAN

#### Komitmen Buyer-Supplier

RES	X1.1	X1.2	X1.3	X1.4	X1.5	JUMLAH	Mean
1	5	5	5	4	4	23	4.6
2	5	5	4	5	5	24	4.8
3	5	5	5	5	5	25	5
4	5	5	4	5	5	24	4.8
5	5	5	4	5	5	24	4.8
6	5	5	5	5	5	25	5
7	4	4	4	4	4	20	4
8	4	4	5	5	4	22	4.4
9	5	5	5	5	5	25	5
10	4	4	4	4	4	20	4
11	4	4	4	4	4	20	4
12	4	4	4	4	4	20	4
13	4	4	4	4	4	20	4
14	5	5	4	4	5	23	4.6
15	4	4	4	5	4	21	4.2
16	5	5	2	5	4	21	4.2
17	5	2	5	4	5	21	4.2
18	4	5	2	5	4	20	4
19	4	5	5	5	5	24	4.8
20	4	5	4	4	5	22	4.4
21	5	5	5	4	5	24	4.8
22	5	5	4	5	5	24	4.8
23	4	4	4	3	4	19	3.8
24	3	4	4	4	4	19	3.8
25	4	4	4	4	4	20	4
26	4	3	4	4	4	19	3.8
27	4	4	3	4	4	19	3.8
28	3	3	3	3	3	15	3
29	3	4	4	3	3	17	3.4
30	5	4	4	4	5	22	4.4
31	4	5	4	5	4	22	4.4
32	5	5	5	5	5	25	5
33	5	5	5	5	5	25	5
34	4	4	5	5	4	22	4.4

35	5	4	4	5	5	23	4.6
36	4	4	4	4	4	20	4
37	4	5	5	5	5	24	4.8
38	5	5	5	4	5	24	4.8
39	4	5	5	4	4	22	4.4
40	4	5	4	4	4	21	4.2
41	5	5	4	5	5	24	4.8
42	5	5	4	5	4	23	4.6
43	4	4	4	5	4	21	4.2
44	4	4	4	4	4	20	4
45	2	2	2	2	2	10	2
46	3	3	3	3	2	14	2.8
47	2	3	3	3	2	13	2.6
48	3	3	3	2	3	14	2.8
49	3	3	3	3	3	15	3
50	4	4	4	4	5	21	4.2
51	4	4	4	4	5	21	4.2
52	4	4	4	5	5	22	4.4
53	5	5	4	4	4	22	4.4
54	4	4	4	4	5	21	4.2
55	4	4	5	5	5	23	4.6
56	5	5	5	4	5	24	4.8
57	4	5	4	5	4	22	4.4
58	4	4	4	4	5	21	4.2
59	4	4	4	4	5	21	4.2
60	5	5	5	5	5	25	5
61	4	4	4	4	4	20	4
62	5	5	5	5	5	25	5
63	4	5	5	5	5	24	4.8
64	5	4	4	4	4	21	4.2
65	5	4	5	5	5	24	4.8
66	4	5	5	5	5	24	4.8
67	2	3	2	2	3	12	2.4
68	3	2	3	3	2	13	2.6
69	3	2	3	3	3	14	2.8
70	3	3	3	2	2	13	2.6
71	5	4	4	5	4	22	4.4
72	4	4	5	5	4	22	4.4
73	5	5	4	4	5	23	4.6
74	5	4	4	4	5	22	4.4
75	5	5	5	5	5	25	5

76	4	2	4	4	4	18	3.6
77	4	4	4	4	4	20	4
78	4	5	5	5	4	23	4.6
Mean	4.179487	4.192308	4.089744	4.217949	4.24359	4.184615	

### Kepercayaan Buyer-Supplier

RES	X2.1	X2.2	X2.3	X2.4	X2.5	X2.6	JUMLAH	Mean
1	4	5	4	4	4	5	26	4.333333
2	4	5	4	4	4	5	26	4.333333
3	4	4	5	5	4	4	26	4.333333
4	4	5	4	5	4	5	27	4.5
5	4	4	5	5	4	4	26	4.333333
6	5	4	4	4	5	4	26	4.333333
7	4	5	5	4	5	4	27	4.5
8	5	5	5	5	5	4	29	4.833333
9	3	5	5	5	5	4	27	4.5
10	4	4	5	5	5	4	27	4.5
11	5	4	4	5	5	4	27	4.5
12	5	5	4	5	4	4	27	4.5
13	4	5	4	4	4	5	26	4.333333
14	5	4	4	5	5	4	27	4.5
15	5	4	4	5	4	4	26	4.333333
16	4	4	5	4	4	5	26	4.333333
17	4	5	4	5	5	5	28	4.666667
18	5	5	4	4	4	4	26	4.333333
19	4	5	4	4	4	4	25	4.166667
20	4	4	4	4	5	4	25	4.166667
21	5	5	5	5	5	5	30	5
22	5	5	5	4	5	4	28	4.666667
23	3	4	3	3	4	4	21	3.5
24	4	4	4	4	3	4	23	3.833333
25	4	4	3	3	3	3	20	3.333333
26	4	4	4	3	4	4	23	3.833333
27	4	4	3	4	3	3	21	3.5
28	3	4	5	5	5	5	27	4.5
29	4	4	4	4	4	4	24	4
30	5	5	5	4	4	5	28	4.666667
31	4	4	4	5	5	4	26	4.333333
32	4	5	5	5	5	4	28	4.666667

33	5	5	4	5	5	5	29	4.833333
34	5	5	4	5	5	4	28	4.666667
35	4	5	5	4	4	5	27	4.5
36	3	4	4	3	3	3	20	3.333333
37	5	4	4	5	5	5	28	4.666667
38	5	4	5	5	5	4	28	4.666667
39	4	5	4	5	4	4	26	4.333333
40	4	5	4	5	5	5	28	4.666667
41	5	5	4	5	5	5	29	4.833333
42	5	5	4	5	5	5	29	4.833333
43	5	4	4	4	4	5	26	4.333333
44	5	4	4	4	4	4	25	4.166667
45	3	3	2	3	2	2	15	2.5
46	2	3	3	2	3	3	16	2.666667
47	2	2	3	2	3	2	14	2.333333
48	3	2	3	3	3	2	16	2.666667
49	2	3	3	2	3	3	16	2.666667
50	4	4	5	4	4	4	25	4.166667
51	4	5	4	4	4	4	25	4.166667
52	4	5	4	4	4	5	26	4.333333
53	5	4	4	4	5	4	26	4.333333
54	4	4	4	5	4	4	25	4.166667
55	5	4	5	5	4	4	27	4.5
56	5	4	4	4	5	4	26	4.333333
57	4	5	4	5	4	5	27	4.5
58	4	4	4	4	4	4	24	4
59	4	4	4	4	4	4	24	4
60	5	5	5	5	5	5	30	5
61	4	4	4	4	4	4	24	4
62	5	5	5	5	5	5	30	5
63	5	4	5	5	4	5	28	4.666667
64	4	4	4	4	4	4	24	4
65	5	5	5	5	5	5	30	5
66	4	4	5	4	5	4	26	4.333333
67	3	3	3	3	3	3	18	3
68	3	3	3	3	3	3	18	3
69	3	3	4	4	3	4	21	3.5
70	2	3	2	3	2	2	14	2.333333
71	4	5	5	4	4	5	27	4.5
72	4	4	5	4	5	4	26	4.333333
73	4	5	4	5	4	4	26	4.333333



74	5	5	4	4	4	5	27	4.5
75	4	5	5	5	5	5	29	4.833333
76	4	4	4	4	5	4	25	4.166667
77	4	4	4	4	5	4	25	4.166667
78	5	4	4	5	5	5	28	4.666667
	4.128205	4.269231	4.141026	4.230769	4.217949	4.141026	4.188034	

### Kerja sama Buyer-Supplier

RE S	X3.1	X3.2	X3.3	X3.4	X3.5	X3.6	X3.7	JUML AH	Mean
1	4	5	5	4	4	4	5	31	4.428571
2	4	5	4	5	4	5	5	32	4.571429
3	5	5	4	5	5	5	4	33	4.714286
4	4	4	5	4	5	4	4	30	4.285714
5	5	5	4	5	4	4	5	32	4.571429
6	4	5	5	4	5	5	5	33	4.714286
7	4	4	5	4	5	4	5	31	4.428571
8	4	4	5	4	4	4	5	30	4.285714
9	4	4	5	4	4	4	5	30	4.285714
10	4	4	5	4	5	5	5	32	4.571429
11	5	5	5	4	4	4	4	31	4.428571
12	5	5	4	5	4	5	4	32	4.571429
13	4	5	4	5	5	4	5	32	4.571429
14	4	4	5	4	4	4	5	30	4.285714
15	5	5	4	4	4	5	5	32	4.571429
16	5	4	5	5	4	5	4	32	4.571429
17	5	4	4	4	4	5	4	30	4.285714

18	4	5	4	4	4	5	4	30	4.2857 14
19	5	5	4	4	5	4	5	32	4.5714 29
20	5	5	4	4	5	4	5	32	4.5714 29
21	2	5	5	5	4	5	4	30	4.2857 14
22	4	5	5	5	5	4	5	33	4.7142 86
23	3	4	3	3	4	5	4	26	3.7142 86
24	4	3	4	4	3	5	4	27	3.8571 43
25	4	3	3	3	4	5	3	25	3.5714 29
26	3	4	4	4	3	3	4	25	3.5714 29
27	3	4	4	4	4	5	4	28	4
28	5	4	4	4	5	5	4	31	4.4285 71
29	3	3	3	3	4	5	3	24	3.4285 71
30	5	4	4	4	4	2	5	28	4
31	4	4	5	5	5	4	4	31	4.4285 71
32	4	4	5	5	5	5	5	33	4.7142 86
33	4	5	4	4	4	4	4	29	4.1428 57
34	5	4	5	5	4	4	5	32	4.5714 29
35	5	4	5	5	4	4	5	32	4.5714 29
36	4	3	3	3	4	4	5	26	3.7142 86
37	5	4	5	5	5	4	5	33	4.7142 86
38	5	5	4	4	5	5	5	33	4.7142 86
39	5	4	5	5	3	4	5	31	4.4285 71
40	5	4	5	5	4	4	5	32	4.5714 29
41	5	4	5	5	4	5	5	33	4.7142 86

42	5	4	5	5	5	4	4	32	4.5714 29
43	5	5	4	4	4	5	5	32	4.5714 29
44	5	5	4	4	4	4	5	31	4.4285 71
45	3	3	2	2	2	5	3	20	2.8571 43
46	3	2	2	2	3	5	2	19	2.7142 86
47	3	3	3	3	3	2	2	19	2.7142 86
48	3	3	3	3	3	2	2	19	2.7142 86
49	3	2	2	2	3	5	2	19	2.7142 86
50	5	4	5	5	4	4	4	31	4.4285 71
51	5	4	4	4	5	5	5	32	4.5714 29
52	5	5	5	5	5	2	4	31	4.4285 71
53	5	4	4	4	4	2	5	28	4
54	4	5	5	5	4	2	5	30	4.2857 14
55	4	5	5	5	5	5	5	34	4.8571 43
56	5	5	4	4	5	2	4	29	4.1428 57
57	4	5	4	4	5	2	5	29	4.1428 57
58	5	5	4	4	4	2	4	28	4
59	5	5	5	5	4	5	4	33	4.7142 86
60	5	4	4	4	4	4	5	30	4.2857 14
61	5	5	4	4	5	5	5	33	4.7142 86
62	5	5	4	4	5	5	4	32	4.5714 29
63	5	4	4	4	5	4	5	31	4.4285 71
64	5	4	5	5	4	5	4	32	4.5714 29
65	5	5	5	5	5	4	5	34	4.8571 43

66	5	5	4	4	4	5	4	31	4.4285 71
67	3	2	3	3	2	3	3	19	2.7142 86
68	3	2	3	3	5	5	3	24	3.4285 71
69	2	3	3	3	5	2	3	21	3
70	3	3	3	3	3	3	3	21	3
71	5	5	4	4	5	4	4	31	4.4285 71
72	5	4	4	4	5	4	5	31	4.4285 71
73	4	5	4	4	4	5	4	30	4.2857 14
74	4	5	4	4	4	5	4	30	4.2857 14
75	4	5	5	5	5	4	5	33	4.7142 86
76	3	4	3	3	3	4	4	24	3.4285 71
77	5	5	4	4	4	4	4	30	4.2857 14
78	4	5	4	4	5	5	4	31	4.4285 71
	4.2692 31	4.2307 69	4.1538 46	4.1025 64	4.2179 49	4.1410 26	4.2820 51	4.1996 34	

### Kinerja Bisnis

RES	Y1	Y2	Y3	Y4	Y5	JUMLAH	Mean
1	5	5	5	4	4	23	4.6
2	4	5	5	4	5	23	4.6
3	5	5	4	4	4	22	4.4
4	5	4	5	4	4	22	4.4
5	4	5	4	4	5	22	4.4
6	4	5	5	5	4	23	4.6
7	4	4	5	4	4	21	4.2
8	4	4	4	5	5	22	4.4
9	4	4	4	5	5	22	4.4
10	4	5	4	5	4	22	4.4
11	4	5	5	4	4	22	4.4
12	4	5	4	4	5	22	4.4
13	5	4	4	4	5	22	4.4
14	5	5	5	5	4	24	4.8

15	5	4	4	5	4	22	4.4
16	4	4	5	4	5	22	4.4
17	4	5	4	4	4	21	4.2
18	4	4	4	5	4	21	4.2
19	5	4	4	5	5	23	4.6
20	5	4	5	4	5	23	4.6
21	4	5	5	4	5	23	4.6
22	5	4	5	4	5	23	4.6
23	4	4	4	3	3	18	3.6
24	4	4	3	4	3	18	3.6
25	5	3	3	4	4	19	3.8
26	5	3	3	4	4	19	3.8
27	4	4	3	3	3	17	3.4
28	5	5	5	4	4	23	4.6
29	5	3	4	4	4	20	4
30	5	4	4	5	5	23	4.6
31	5	4	4	4	4	21	4.2
32	5	5	5	4	5	24	4.8
33	5	5	4	4	5	23	4.6
34	5	5	5	5	4	24	4.8
35	4	5	5	5	5	24	4.8
36	4	4	4	5	4	21	4.2
37	4	5	5	4	5	23	4.6
38	4	5	4	4	4	21	4.2
39	4	4	3	3	5	19	3.8
40	5	5	5	5	4	24	4.8
41	5	4	4	5	4	22	4.4
42	4	5	4	4	4	21	4.2
43	4	4	5	4	4	21	4.2
44	5	4	4	3	5	21	4.2
45	2	2	2	2	2	10	2
46	3	2	2	3	3	13	2.6
47	4	3	2	3	2	14	2.8
48	4	3	3	2	2	14	2.8
49	3	2	2	3	3	13	2.6
50	4	5	4	4	5	22	4.4
51	5	5	4	5	4	23	4.6
52	4	4	5	4	5	22	4.4
53	5	5	4	5	4	23	4.6
54	5	5	4	5	5	24	4.8
55	5	3	4	3	4	19	3.8

56	4	5	5	5	5	24	4.8
57	5	5	5	5	4	24	4.8
58	4	5	5	4	4	22	4.4
59	4	4	4	5	4	21	4.2
60	5	2	4	4	4	19	3.8
61	5	4	5	4	5	23	4.6
62	5	5	5	3	5	23	4.6
63	5	5	5	5	4	24	4.8
64	5	5	5	5	5	25	5
65	5	4	4	4	4	21	4.2
66	4	5	5	5	5	24	4.8
67	5	3	3	3	2	16	3.2
68	2	3	3	3	2	13	2.6
69	5	3	3	4	3	18	3.6
70	2	3	2	3	3	13	2.6
71	5	4	5	5	4	23	4.6
72	4	5	4	5	5	23	4.6
73	5	5	4	5	5	24	4.8
74	5	4	5	4	5	23	4.6
75	4	5	4	5	4	22	4.4
76	2	4	4	4	3	17	3.4
77	5	5	4	4	4	22	4.4
78	5	5	5	5	5	25	5
	4.371795	4.230769	4.141026	4.153846	4.153846	4.210256	

جامعة بغداد

### LAMPIRAN 3

#### HASIL OLAH DATA UJI VALIDITAS DAN RELIABILITAS

#### Correlations

Notes	
Output Created	20-NOV-2019 19:07:27
Comments	
Input	Active Dataset DataSet1
	Filter <none>
	Weight <none>
	Split File <none>
	N of Rows in Working Data 78
Missing Value Handling	File
	Definition of Missing User-defined missing values are treated as missing.
Syntax	Cases Used Statistics for each pair of variables are based on all the cases with valid data for that pair.
	CORRELATIONS /VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time 00:00:00,05
	Elapsed Time 00:00:00,06

[DataSet1]

#### Correlations

	X1.1	X1.2	X1.3	X1.4	X1.5	TOTAL
X1.1 Pearson Correlation	1	.653**	.579**	.695**	.785**	.872**

	Sig. (2-tailed)		.000	.000	.000	.000	.000
	N	78	78	78	78	78	78
	Pearson Correlation	.653**	1	.503**	.678**	.652**	.827**
X1.2	Sig. (2-tailed)	.000		.000	.000	.000	.000
	N	78	78	78	78	78	78
	Pearson Correlation	.579**	.503**	1	.600**	.657**	.782**
X1.3	Sig. (2-tailed)	.000	.000		.000	.000	.000
	N	78	78	78	78	78	78
	Pearson Correlation	.695**	.678**	.600**	1	.709**	.868**
X1.4	Sig. (2-tailed)	.000	.000	.000		.000	.000
	N	78	78	78	78	78	78
	Pearson Correlation	.785**	.652**	.657**	.709**	1	.897**
X1.5	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	78	78	78	78	78	78
	Pearson Correlation	.872**	.827**	.782**	.868**	.897**	1
TOTAL	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	78	78	78	78	78	78

\*\* . Correlation is significant at the 0.01 level (2-tailed).

## Correlations

### Notes

Output Created		20-NOV-2019 19:11:03
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	78
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.



	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=VAR00007 VAR00008 VAR00009 VAR00010 VAR00011 VAR00012 VAR00013 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,05
	Elapsed Time	00:00:00,11

[DataSet1]

		Correlations					
		X2.1	X2.2	X2.3	X2.4	X2.5	X2.6
X2.1	Pearson Correlation	1	.574**	.505**	.670**	.629**	.603**
	Sig. (2-tailed)		.000	.000	.000	.000	.000
	N	78	78	78	78	78	78
X2.2	Pearson Correlation	.574**	1	.546**	.620**	.552**	.746**
	Sig. (2-tailed)	.000		.000	.000	.000	.000
	N	78	78	78	78	78	78
X2.3	Pearson Correlation	.505**	.546**	1	.619**	.662**	.634**
	Sig. (2-tailed)	.000	.000		.000	.000	.000
	N	78	78	78	78	78	78
X2.4	Pearson Correlation	.670**	.620**	.619**	1	.681**	.647**
	Sig. (2-tailed)	.000	.000	.000		.000	.000
	N	78	78	78	78	78	78
X2.5	Pearson Correlation	.629**	.552**	.662**	.681**	1	.625**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	78	78	78	78	78	78
X2.6	Pearson Correlation	.603**	.746**	.634**	.647**	.625**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	78	78	78	78	78	78
TOTAL	Pearson Correlation	.808**	.810**	.793**	.857**	.837**	.857**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000
	N	78	78	78	78	78	78

**Correlations**

		TOTAL
X2.1	Pearson Correlation	.808
	Sig. (2-tailed)	.000
	N	78
X2.2	Pearson Correlation	.810**
	Sig. (2-tailed)	.000
	N	78
X2.3	Pearson Correlation	.793**
	Sig. (2-tailed)	.000
	N	78
X2.4	Pearson Correlation	.857**
	Sig. (2-tailed)	.000
	N	78
X2.5	Pearson Correlation	.837**
	Sig. (2-tailed)	.000
	N	78
X2.6	Pearson Correlation	.857**
	Sig. (2-tailed)	.000
	N	78
TOTAL	Pearson Correlation	1**
	Sig. (2-tailed)	
	N	78

\*\* . Correlation is significant at the 0.01 level (2-tailed).

## Correlations

Notes	
Output Created	20-NOV-2019 19:18:22
Comments	
Input	Active Dataset DataSet1 Filter <none> Weight <none> Split File <none> N of Rows in Working Data 78 File Definition of Missing User-defined missing values are treated as missing. Missing Value Handling Statistics for each pair of variables are based on all the cases with valid data for that pair. Cases Used
Syntax	CORRELATIONS /VARIABLES=VAR00014 VAR00015 VAR00016 VAR00017 VAR00018 VAR00019 VAR00020 VAR00021 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time 00:00:00,05 Elapsed Time 00:00:00,08

[DataSet1]

		X3.1	X3.2	X3.3	X3.4	X3.5	X3.6
X3.1	Pearson Correlation	1	.516**	.479**	.555**	.383**	.064
	Sig. (2-tailed)		.000	.000	.000	.001	.580
	N	78	78	78	78	78	78
X3.2	Pearson Correlation	.516**	1	.552**	.626**	.490**	.053
	Sig. (2-tailed)	.000		.000	.000	.000	.643
	N	78	78	78	78	78	78

	Pearson Correlation	.479**	.552**	1	.859**	.459**	.021
X3.3	Sig. (2-tailed)	.000	.000		.000	.000	.853
	N	78	78	78	78	78	78
	Pearson Correlation	.555**	.626**	.859**	1	.448**	.048
X3.4	Sig. (2-tailed)	.000	.000	.000		.000	.676
	N	78	78	78	78	78	78
	Pearson Correlation	.383**	.490**	.459**	.448**	1	.081
X3.5	Sig. (2-tailed)	.001	.000	.000	.000		.483
	N	78	78	78	78	78	78
	Pearson Correlation	.064	.053	.021	.048	.081	1
X3.6	Sig. (2-tailed)	.580	.643	.853	.676	.483	
	N	78	78	78	78	78	78
	Pearson Correlation	.561**	.601**	.666**	.630**	.481**	.061
X3.7	Sig. (2-tailed)	.000	.000	.000	.000	.000	.595
	N	78	78	78	78	78	78
	Pearson Correlation	.720**	.776**	.808**	.836**	.664**	.310**
TOTAL	Sig. (2-tailed)	.000	.000	.000	.000	.000	.006
	N	78	78	78	78	78	78

**Correlations**

		X3.7	TOTAL
X3.1	Pearson Correlation	.561	.720**
	Sig. (2-tailed)	.000	.000
	N	78	78
X3.2	Pearson Correlation	.601**	.776
	Sig. (2-tailed)	.000	.000
	N	78	78
X3.3	Pearson Correlation	.666**	.808**
	Sig. (2-tailed)	.000	.000
	N	78	78
X3.4	Pearson Correlation	.630**	.836**
	Sig. (2-tailed)	.000	.000
	N	78	78
X3.5	Pearson Correlation	.481**	.664**
	Sig. (2-tailed)	.000	.000
	N	78	78
X3.6	Pearson Correlation	.061	.310
	Sig. (2-tailed)	.595	.006
	N	78	78

X3.7	Pearson Correlation	1**	.807**
	Sig. (2-tailed)		.000
	N	78	78
TOTAL	Pearson Correlation	.807**	1**
	Sig. (2-tailed)	.000	
	N	78	78

\*\* . Correlation is significant at the 0.01 level (2-tailed).

## Correlations

Notes	
Output Created	20-NOV-2019 19:22:04
Comments	
Input	Active Dataset DataSet1
	Filter <none>
	Weight <none>
	Split File <none>
	N of Rows in Working Data 78
File	
Missing Value Handling	Definition of Missing User-defined missing values are treated as missing.
	Cases Used Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=VAR00022 VAR00023 VAR00024 VAR00025 VAR00026 VAR00027 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time 00:00:00,02
	Elapsed Time 00:00:00,08

[DataSet1]

### Correlations

		Y1	Y2	Y3	Y4	Y5	TOTAL
Y1	Pearson Correlation	1	.296**	.445**	.380**	.423**	.642**
	Sig. (2-tailed)		.008	.000	.001	.000	.000
	N	78	78	78	78	78	78
Y2	Pearson Correlation	.296**	1	.685**	.566**	.566**	.809**
	Sig. (2-tailed)	.008		.000	.000	.000	.000
	N	78	78	78	78	78	78
Y3	Pearson Correlation	.445**	.685**	1	.530**	.639**	.856**
	Sig. (2-tailed)	.000	.000		.000	.000	.000
	N	78	78	78	78	78	78
Y4	Pearson Correlation	.380**	.566**	.530**	1	.514**	.762**
	Sig. (2-tailed)	.001	.000	.000		.000	.000
	N	78	78	78	78	78	78
Y5	Pearson Correlation	.423**	.566**	.639**	.514**	1	.813**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	78	78	78	78	78	78
TOTAL	Pearson Correlation	.642**	.809**	.856**	.762**	.813**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	78	78	78	78	78	78

\*\* . Correlation is significant at the 0.01 level (2-tailed).

### Reliability

#### Notes

Output Created	20-NOV-2019 19:23:57	
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>

	N of Rows in Working Data	78
	File	
	Matrix Input	
	Definition of Missing	User-defined missing values are treated as missing.
Missing Value Handling	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,02

[DataSet1]

**Scale: ALL VARIABLES**

**Case Processing Summary**

		N	%
Cases	Valid	78	100.0
	Excluded <sup>a</sup>	0	.0
	Total	78	100.0

a. Listwise deletion based on all variables in the procedure.

**Reliability Statistics**

Cronbach's Alpha	N of Items
.903	5

**Reliability**

		Notes
Output Created		20-NOV-2019 19:25:00
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	78
Missing Value Handling	File	
	Matrix Input	
	Definition of Missing	User-defined missing values are treated as missing.
Cases Used		Statistics are based on all cases with valid data for all variables in the procedure.
		RELIABILITY
Syntax		/VARIABLES=VAR00007 VAR00008 VAR00009 VAR00010 VAR00011 VAR00012
		/SCALE('ALL VARIABLES') ALL /MODEL=ALPHA.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02

[DataSet1]

**Scale: ALL VARIABLES**



**Case Processing Summary**

		N	%
Cases	Valid	78	100.0
	Excluded <sup>a</sup>	0	.0
	Total	78	100.0

a. Listwise deletion based on all variables in the procedure.

**Reliability Statistics**

Cronbach's Alpha	N of Items
.907	6

**Reliability**

**Notes**

Output Created	20-NOV-2019 19:25:52
Comments	
Input	Active Dataset DataSet1 Filter <none> Weight <none> Split File <none> N of Rows in Working Data 78 File Matrix Input Definition of Missing User-defined missing values are treated as missing. Missing Value Handling Statistics are based on all cases with valid data for all variables in the procedure. Cases Used

Syntax	RELIABILITY /VARIABLES=VAR00014 VAR00015 VAR00016 VAR00017 VAR00018 VAR00019 VAR00020 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA.
Resources	Processor Time 00:00:00,02 Elapsed Time 00:00:00,09

[DataSet1]

**Scale: ALL VARIABLES**

**Case Processing Summary**

		N	%
Cases	Valid	78	100.0
	Excluded <sup>a</sup>	0	.0
	Total	78	100.0

a. Listwise deletion based on all variables in the procedure.

**Reliability Statistics**

Cronbach's Alpha	N of Items
.816	7

## Reliability

Notes	
Output Created	20-NOV-2019 19:26:15
Comments	
Input	Active Dataset DataSet1 Filter <none> Weight <none> Split File <none> N of Rows in Working Data 78 File Matrix Input
Missing Value Handling	Definition of Missing User-defined missing values are treated as missing. Cases Used Statistics are based on all cases with valid data for all variables in the procedure.
Syntax	RELIABILITY /VARIABLES=VAR00022 VAR00023 VAR00024 VAR00025 VAR00026 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA.
Resources	Processor Time 00:00:00,02 Elapsed Time 00:00:00,01

[DataSet1]

### Scale: ALL VARIABLES

**Case Processing Summary**

		N	%
Cases	Valid	78	100.0
	Excluded <sup>a</sup>	0	.0
	Total	78	100.0

a. Listwise deletion based on all variables in the procedure.

**Reliability Statistics**

Cronbach's Alpha	N of Items
.838	5



## LAMPIRAN 4

### HASIL OLAH DATA UJI REGRESI

#### Regression

		Notes
Output Created		21-NOV-2019 06:20:46
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	78
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT VAR00004 /METHOD=ENTER VAR00001 VAR00002 VAR00003 /SCATTERPLOT=(*SRESID *ZPRED) /RESIDUALS DURBIN /SAVE RESID.
Resources	Processor Time	00:00:00,67
	Elapsed Time	00:00:02,94
	Memory Required	2060 bytes
	Additional Memory Required for Residual Plots	224 bytes
Variables Created or Modified	RES_6	Unstandardized Residual

[DataSet0]

**Variables Entered/Removed<sup>a</sup>**

Model	Variables Entered	Variables Removed	Method
1	X3, X1, X2 <sup>b</sup>	.	Enter

- a. Dependent Variable: Y  
 b. All requested variables entered.

**Model Summary<sup>b</sup>**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.859 <sup>a</sup>	.737	.726	.33713	2.096

- a. Predictors: (Constant), X3, X1, X2  
 b. Dependent Variable: Y

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	23.581	3	7.860	69.160	.000 <sup>b</sup>
	Residual	8.410	74	.114		
	Total	31.992	77			

- a. Dependent Variable: Y  
 b. Predictors: (Constant), X3, X1, X2

**Coefficients<sup>a</sup>**

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		

	(Constant)	.332	.284		1.169	.246
1	X1	.233	.112	.254	2.074	.042
	X2	.338	.131	.336	2.580	.012
	X3	.353	.137	.317	2.583	.012

**Coefficients<sup>a</sup>**

Model		Collinearity Statistics	
		Tolerance	VIF
1	(Constant)		
	X1	.237	4.228
	X2	.210	4.761
	X3	.236	4.237

a. Dependent Variable: Y

**Collinearity Diagnostics<sup>a</sup>**

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions			
				(Constant)	X1	X2	X3
1	1	3.977	1.000	.00	.00	.00	.00
	2	.016	15.893	.82	.08	.02	.00
	3	.004	31.971	.12	.92	.27	.22
	4	.003	36.431	.06	.00	.71	.78

a. Dependent Variable: Y


**Residuals Statistics<sup>a</sup>**

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	2.6539	4.8597	4.2103	.55340	78
Std. Predicted Value	-2.812	1.174	.000	1.000	78
Standard Error of Predicted Value	.040	.171	.072	.025	78
Adjusted Predicted Value	2.6707	4.8850	4.2104	.55141	78
Residual	-.90445	.71961	.00000	.33050	78
Std. Residual	-2.683	2.135	.000	.980	78
Stud. Residual	-2.804	2.192	.000	1.013	78

Deleted Residual	-.98814	.75884	-.00014	.35330	78
Stud. Deleted Residual	-2.946	2.251	-.004	1.028	78
Mahal. Distance	.117	18.905	2.962	3.072	78
Cook's Distance	.000	.239	.018	.041	78
Centered Leverage Value	.002	.246	.038	.040	78

a. Dependent Variable: Y

Charts





## NPar Tests

		Notes	
Output Created			21-NOV-2019 06:33:48
Comments			
Input	Active Dataset	DataSet0	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File		78
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.	
Syntax		NPAR TESTS /K-S(NORMAL)=RES_6 /MISSING ANALYSIS.	
Resources	Processor Time		00:00:00,03
	Elapsed Time		00:00:00,05
	Number of Cases Allowed <sup>a</sup>		196608

a. Based on availability of workspace memory.

[DataSet0]

### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		78
Normal Parameters <sup>a,b</sup>	Mean	.000000

	Std. Deviation	.33049534
	Absolute	.065
Most Extreme Differences	Positive	.042
	Negative	-.065
Kolmogorov-Smirnov Z		.577
Asymp. Sig. (2-tailed)		.893

a. Test distribution is Normal.

b. Calculated from data.

