

evaluasi konsumen

	harga	njk	frek	ap3d	d_tahan	repair	canggih	desain
1	4	4	4	3	4	2	3	3
2	3	4	3	3	4	4	3	4
3	3	4	3	2	3	2	3	3
4	3	4	3	3	3	4	4	4
5	4	3	2	4	3	2	3	2
6	3	4	3	4	3	3	4	2
7	4	4	3	4	3	4	3	3
8	4	3	3	4	3	4	2	3
9	3	2	2	4	4	4	3	4
10	2	3	3	3	2	4	4	3
11	2	3	3	4	2	3	3	3
12	4	4	3	3	4	3	2	3
13	2	4	4	4	3	4	3	2
14	3	4	4	3	3	4	4	3
15	4	3	4	4	2	4	2	3
16	4	2	3	4	4	3	4	4
17	4	1	4	4	3	2	4	4
18	3	4	3	4	4	4	4	3
19	4	3	4	4	3	3	4	2
20	3	4	3	4	3	3	4	2
21	4	4	3	4	3	4	3	4
22	4	3	3	4	3	4	3	3
23	3	2	3	4	4	3	4	4
24	2	3	3	3	3	4	3	1
25	2	3	3	4	4	2	3	3
26	1	4	3	3	4	3	3	4
27	2	4	4	4	3	4	2	4
28	3	4	4	4	2	3	3	3
29	2	3	3	3	2	3	3	4
30	3	4	4	4	1	4	2	3
31	3	4	3	4	3	3	4	4
32	4	3	4	4	4	3	4	2
33	3	4	3	4	3	3	4	2
34	4	4	3	4	3	4	3	4
35	4	3	3	4	3	4	3	2
36	3	2	2	4	4	4	2	4
37	2	3	3	3	2	4	2	3
38	2	3	3	4	2	3	3	3
39	1	4	3	3	3	3	2	3

evaluasi konsumen

	nyaman
1	4
2	4
3	4
4	3
5	2
6	2
7	2
8	2
9	4
10	4
11	4
12	4
13	2
14	4
15	3
16	3
17	3
18	4
19	3
20	2
21	2
22	3
23	4
24	4
25	3
26	3
27	4
28	2
29	4
30	3
31	4
32	3
33	2
34	2
35	3
36	4
37	4
38	4
39	4

evaluasi konsumen

	harga	njk	frek	ap3d	d_tahan	repair	canggih	desain
40	2	4	4	4	3	4	3	2
41	3	4	4	4	2	3	3	3
42	2	3	3	3	2	3	3	4
43	3	4	4	4	1	4	3	4
44	3	4	3	3	3	3	2	3
45	4	3	4	4	3	3	3	4
46	3	4	3	4	3	3	3	4
47	4	4	3	4	3	4	4	3
48	4	3	3	4	3	4	3	4
49	3	2	2	4	4	4	4	4
50	2	3	3	3	2	4	4	3
51	2	3	3	4	2	3	3	2
52	1	4	3	3	3	3	2	3
53	2	4	4	4	3	4	2	3
54	4	4	4	2	3	3	3	2
55	3	3	3	2	3	3	4	2
56	4	4	4	1	4	3	3	3
57	4	3	3	3	3	4	3	3
58	3	4	4	3	3	4	2	3
59	4	3	4	3	3	4	2	2
60	4	3	4	3	4	3	4	2
61	3	3	4	3	4	3	2	3
62	2	2	4	4	4	2	4	4
63	3	3	3	2	4	2	3	4
64	3	3	4	2	3	3	3	4
65	4	3	3	3	3	2	3	4
66	4	4	4	3	4	3	2	2
67	3	3	4	2	3	3	3	4
68	4	3	3	3	3	4	3	3
69	4	4	4	3	4	4	4	4
70	4	4	2	3	3	4	4	2
71	3	3	2	3	3	3	3	2
72	4	4	4	3	4	2	3	2
73	3	4	3	3	4	2	3	3
74	3	4	4	2	3	2	3	3
75	3	4	3	3	3	3	4	3
76	4	3	4	4	3	3	4	2
77	3	4	3	4	3	3	4	2
78	4	4	3	4	3	4	3	4

evaluasi konsumen

	nyaman
40	2
41	2
42	2
43	4
44	3
45	4
46	3
47	4
48	3
49	3
50	3
51	2
52	3
53	3
54	3
55	4
56	3
57	4
58	4
59	4
60	3
61	4
62	4
63	4
64	4
65	3
66	3
67	2
68	3
69	3
70	3
71	3
72	4
73	4
74	4
75	3
76	3
77	2
78	2

evaluasi konsumen

	harga	njk	frek	ap3d	d_tahan	repair	canggih	desain
79	4	3	3	4	3	4	3	2
80	3	2	2	4	4	4	2	4
81	2	3	3	3	2	4	2	3
82	2	3	3	4	2	3	3	3
83	1	4	3	3	3	3	2	3
84	2	4	4	4	3	4	3	2
85	4	4	4	3	2	3	2	1
86	3	3	4	3	4	3	2	3
87	2	2	4	4	4	2	4	4
88	3	3	3	2	4	2	3	4
89	3	3	4	2	3	3	3	4
90	4	3	3	3	3	2	3	4
91	4	4	4	3	4	3	2	2
92	3	3	4	2	3	3	3	4
93	4	3	3	3	3	4	3	3
94	3	3	4	3	4	3	2	3
95	2	2	4	4	4	2	4	4
96	3	3	3	2	4	2	3	4
97	3	3	4	2	3	3	3	4
98	4	3	3	3	3	2	3	4
99	4	4	4	3	4	3	2	2
100	3	3	4	2	3	3	3	4

evaluasi konsumen

	nyaman
79	3
80	4
81	4
82	4
83	4
84	2
85	4
86	4
87	3
88	2
89	3
90	3
91	2
92	2
93	3
94	3
95	3
96	3
97	4
98	3
99	3
100	2

deni1

	harga	njk	frek	tek3d	dtahan	perbaika	canggih	desain
1	1	1	1	1	1	1	1	0
2	1	1	1	1	1	1	1	1
3	1	1	0	1	1	1	1	0
4	0	1	1	1	1	1	1	1
5	0	1	0	0	0	0	0	1
6	1	1	1	1	1	1	0	0
7	1	0	1	0	1	1	1	1
8	1	0	0	1	1	1	1	1
9	1	1	1	1	1	1	1	0
10	1	1	1	1	1	0	1	1
11	1	1	0	1	0	1	1	1
12	1	1	1	1	1	1	1	1
13	1	1	1	1	1	1	0	1
14	1	1	1	1	1	1	1	1
15	0	0	1	1	1	1	1	1
16	0	1	1	1	0	1	1	1
17	1	1	1	0	1	1	1	0
18	1	1	1	1	1	1	1	1
19	1	0	1	1	1	0	1	1
20	1	1	1	1	1	0	1	1
21	1	1	0	1	1	1	1	1
22	1	1	1	1	1	0	1	1
23	1	1	1	1	1	1	0	1
24	1	1	1	1	0	1	1	1
25	0	0	1	1	0	0	1	1
26	0	1	1	1	1	1	1	1
27	1	1	1	0	1	1	1	1
28	1	1	1	1	1	0	1	0
29	1	0	1	1	1	1	1	1
30	0	1	1	1	0	1	1	1
31	1	1	1	1	1	1	1	1
32	1	1	1	1	1	1	1	1
33	1	1	0	1	1	1	1	0
34	0	0	1	1	1	1	0	1
35	1	1	1	1	1	1	1	0
36	1	1	1	0	1	1	1	1
37	1	1	1	0	1	1	1	1
38	0	1	0	0	1	0	1	1
39	1	0	1	1	0	1	1	1

deni1

	nyaman
1	1
2	1
3	0
4	1
5	0
6	1
7	1
8	1
9	1
10	1
11	1
12	1
13	1
14	1
15	0
16	1
17	1
18	1
19	1
20	0
21	1
22	1
23	1
24	1
25	1
26	0
27	1
28	0
29	1
30	0
31	1
32	1
33	1
34	1
35	1
36	1
37	1
38	1
39	0

deni1

	harga	njk	frek	tek3d	dtahan	perbaika	canggih	desain
40	0	1	1	1	1	1	1	1
41	1	1	1	0	1	1	1	1
42	0	1	0	1	1	1	1	0
43	1	1	1	1	1	1	1	1
44	1	1	1	1	0	1	1	1
45	1	0	1	1	0	1	1	1
46	0	1	1	1	1	0	1	1
47	1	1	1	1	1	1	0	1
48	1	1	0	1	1	1	1	0
49	1	1	0	1	1	1	1	1
50	0	1	1	1	1	0	1	1
51	1	1	1	1	1	1	1	1
52	1	1	1	1	1	0	0	0
53	1	1	1	1	1	1	1	1
54	1	0	0	0	0	1	0	1
55	0	1	1	1	0	0	1	1
56	1	0	1	1	1	1	1	1
57	1	1	1	1	1	1	1	1
58	1	1	1	1	1	0	1	0
59	1	1	1	0	1	1	1	1
60	0	1	0	1	1	1	1	1
61	1	1	1	1	1	1	1	1
62	1	1	1	1	0	1	1	1
63	1	1	1	1	0	1	1	0
64	1	1	1	1	1	1	1	1
65	1	1	1	1	0	0	0	1
66	1	1	1	1	1	1	1	1
67	0	0	0	0	1	0	1	0
68	1	1	1	0	0	1	1	1
69	0	1	1	1	1	1	1	1
70	1	1	1	1	1	1	1	1
71	1	1	1	1	0	1	0	1
72	1	1	0	1	1	1	1	1
73	1	0	1	1	1	1	1	1
74	1	1	1	1	1	1	1	0
75	1	1	1	0	1	1	1	0
76	1	1	1	1	1	1	0	1
77	1	1	1	1	1	0	1	1
78	1	0	1	1	1	1	1	1

deni1

	nyaman
40	1
41	0
42	1
43	0
44	1
45	1
46	1
47	0
48	1
49	1
50	1
51	0
52	0
53	1
54	1
55	1
56	1
57	1
58	1
59	0
60	1
61	0
62	1
63	1
64	1
65	1
66	1
67	1
68	1
69	1
70	1
71	1
72	1
73	1
74	1
75	1
76	1
77	0
78	1

deni1

	harga	njk	frek	tek3d	dtahan	perbaika	canggih	desain
79	0	1	1	1	0	1	1	0
80	1	1	1	1	1	1	0	1
81	1	1	0	1	1	1	1	1
82	1	1	0	1	0	1	1	1
83	1	1	1	1	1	1	1	1
84	1	1	0	1	1	1	1	0
85	1	1	1	1	1	0	1	1
86	1	1	1	1	1	1	1	1
87	0	1	1	1	1	0	0	0
88	1	1	1	1	1	1	1	1
89	1	0	0	0	0	1	0	1
90	1	1	1	1	0	0	1	1
91	1	0	1	1	1	1	1	1
92	0	1	1	1	1	1	1	1
93	1	1	1	1	1	0	1	0
94	1	1	1	0	1	1	1	1
95	1	1	0	1	1	1	1	1
96	0	1	1	1	1	1	1	1
97	1	1	1	1	0	1	1	1
98	1	1	1	1	1	1	1	0
99	1	1	1	1	1	1	0	1
100	0	1	1	1	1	1	1	1

deni1

	nyaman
79	1
80	1
81	0
82	1
83	0
84	1
85	1
86	0
87	1
88	1
89	1
90	0
91	1
92	1
93	1
94	1
95	1
96	0
97	1
98	1
99	1
100	0

reg

	timbang	evaluasi	keyakina
1	8.00	31.00	29.00
2	9.00	32.00	31.00
3	6.00	27.00	28.00
4	8.00	31.00	30.00
5	2.00	25.00	26.00
6	7.00	28.00	30.00
7	7.00	30.00	31.00
8	7.00	28.00	28.00
9	8.00	30.00	30.00
10	8.00	28.00	30.00
11	7.00	27.00	27.00
12	9.00	30.00	32.00
13	8.00	28.00	33.00
14	9.00	32.00	33.00
15	6.00	29.00	26.00
16	7.00	31.00	26.00
17	7.00	29.00	26.00
18	9.00	33.00	32.00
19	7.00	30.00	28.00
20	7.00	28.00	28.00
21	8.00	31.00	32.00
22	8.00	30.00	29.00
23	8.00	31.00	30.00
24	8.00	29.00	32.00
25	5.00	27.00	26.00
26	7.00	28.00	28.00
27	8.00	31.00	33.00
28	6.00	28.00	29.00
29	8.00	27.00	29.00
30	6.00	28.00	29.00
31	9.00	32.00	33.00
32	9.00	31.00	32.00
33	7.00	28.00	28.00
34	6.00	31.00	25.00
35	8.00	29.00	31.00
36	8.00	29.00	32.00

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,068 ^a	1	,794		
Continuity Correction ^a	,000	1	1,000		
Likelihood Ratio	,068	1	,795		
Fisher's Exact Test				,780	,504
Linear-by-Linear Association	,067	1	,795		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5,55.

tiga dimensi * pendapatan

Crosstab

			pendapatan					Total
			<1500000	1500000 < p < 1999999	2000000 < p < 2499999	2500000 < p < 2999999	> 3000000	
tiga dimensi	tidak	Count	2	3	3	6	1	15
		Expected Count	2,7	3,8	3,8	3,8	1,1	15,0
	ya	Count	16	22	22	19	6	85
		Expected Count	15,3	21,3	21,3	21,3	6,0	85,0
Total		Count	18	25	25	25	7	100
		Expected Count	18,0	25,0	25,0	25,0	7,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,157 ^a	4	,707
Likelihood Ratio	1,996	4	,737
Linear-by-Linear Association	,989	1	,320
N of Valid Cases	100		

a. 5 cells (50,0%) have expected count less than 5. The minimum expected count is 1,05.

tiga dimensi * pekerjaan

Crosstab

			pekerjaan			Total
			pegawai	swasta	pelajar/mhs	
tiga dimensi	tidak	Count	4	10	1	15
		Expected Count	3,9	9,2	2,0	15,0
	ya	Count	22	51	12	85
		Expected Count	22,1	51,9	11,0	85,0
Total		Count	26	61	13	100
		Expected Count	26,0	61,0	13,0	100,0

reg

	timbang	evaluasi	keyakina
37	8.00	26.00	29.00
38	5.00	27.00	28.00
39	6.00	26.00	28.00
40	8.00	28.00	31.00
41	7.00	28.00	30.00
42	6.00	25.00	33.00
43	8.00	31.00	31.00
44	8.00	27.00	30.00
45	7.00	32.00	27.00
46	7.00	30.00	25.00
47	7.00	33.00	25.00
48	7.00	31.00	29.00
49	8.00	30.00	28.00
50	7.00	27.00	33.00
51	8.00	24.00	31.00
52	5.00	25.00	31.00
53	9.00	29.00	29.00
54	4.00	28.00	31.00
55	6.00	27.00	30.00
56	8.00	29.00	33.00
57	9.00	30.00	31.00
58	7.00	30.00	30.00
59	7.00	29.00	27.00
60	7.00	30.00	26.00
61	8.00	29.00	29.00
62	8.00	30.00	29.00
63	7.00	28.00	28.00
64	9.00	29.00	28.00
65	6.00	28.00	28.00
66	9.00	29.00	31.00
67	3.00	27.00	29.00
68	7.00	29.00	28.00
69	8.00	34.00	26.00
70	9.00	29.00	27.00
71	7.00	25.00	28.00
72	8.00	30.00	29.00

reg

	timbang	evaluasi	keyakina
73	8.00	29.00	33.00
74	8.00	28.00	29.00
75	7.00	29.00	27.00
76	8.00	30.00	30.00
77	7.00	28.00	27.00
78	8.00	31.00	26.00
79	6.00	29.00	28.00
80	8.00	29.00	31.00
81	7.00	26.00	28.00
82	7.00	27.00	30.00
83	8.00	26.00	28.00
84	7.00	28.00	26.00
85	8.00	27.00	27.00
86	8.00	29.00	30.00
87	5.00	29.00	28.00
88	9.00	26.00	29.00
89	4.00	28.00	28.00
90	6.00	28.00	33.00
91	8.00	28.00	28.00
92	8.00	27.00	29.00
93	7.00	29.00	28.00
94	8.00	28.00	28.00
95	8.00	29.00	27.00
96	7.00	27.00	28.00
97	8.00	29.00	32.00
98	8.00	28.00	29.00
99	8.00	29.00	25.00
100	7.00	27.00	29.00

Regression

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	41,060	2	20,530	16,121	,000 ^a
	Residual	123,530	97	1,274		
	Total	164,590	99			

a. Predictors: (Constant), Kepercayaan, Evaluasi

b. Dependent Variable: Sikap

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-5,500	2,261		-2,432	,017
	Evaluasi	,267	,060	,392	4,456	,000
	Kepercayaan	,176	,053	,295	3,348	,001

a. Dependent Variable: Sikap

Correlations

Correlations

		Sikap	Evaluasi	Kepercayaan
Sikap	Pearson Correlation	1,000	,403**	,310**
	Sig. (2-tailed)		,000	,002
	N	100	100	100
Evaluasi	Pearson Correlation	,403**	1,000	,038
	Sig. (2-tailed)	,000		,708
	N	100	100	100
Kepercayaan	Pearson Correlation	,310**	,038	1,000
	Sig. (2-tailed)	,002	,708	
	N	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Crosstabs harga * umur

Crosstab

			umur				Total
			< 20 th	21 <u< 30	31 <u< 40	> 41 th	
harga	tidak	Count	1	12	7	2	22
		Expected Count	2,4	9,2	8,1	2,2	22,0
	ya	Count	10	30	30	8	78
		Expected Count	8,6	32,8	28,9	7,8	78,0
Total		Count	11	42	37	10	100
		Expected Count	11,0	42,0	37,0	10,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,353 ^a	3	,502
Likelihood Ratio	2,524	3	,471
Linear-by-Linear Association	,001	1	,972
N of Valid Cases	100		

a. 2 cells (25,0%) have expected count less than 5. The minimum expected count is 2,20.

harga * jenis kelamin

Crosstab

			jenis kelamin		Total
			perempuan	laki-laki	
harga	tidak	Count	6	16	22
		Expected Count	4,2	17,8	22,0
	ya	Count	13	65	78
		Expected Count	14,8	63,2	78,0
Total		Count	19	81	100
		Expected Count	19,0	81,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,254 ^a	1	,263		
Continuity Correction ^a	,660	1	,417		
Likelihood Ratio	1,175	1	,278		
Fisher's Exact Test				,355	,205
Linear-by-Linear Association	1,242	1	,265		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 4,18.

harga * pembelian athlon 6 bulan terakhir

Crosstab

			pembelian athlon 6 bulan terakhir		Total
			tidak	ya	
harga	tidak	Count	10	12	22
		Expected Count	8,1	13,9	22,0
	ya	Count	27	51	78
		Expected Count	28,9	49,1	78,0
Total		Count	37	63	100
		Expected Count	37,0	63,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,865 ^a	1	,352		
Continuity Correction ^b	,462	1	,497		
Likelihood Ratio	,850	1	,357		
Fisher's Exact Test				,454	,246
Linear-by-Linear Association	,856	1	,355		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8,14.

harga * pendapatan

Crosstab

		pendapatan					Total
		<1500000	1500000 < p < 1999999	2000000 < p < 2499999	2500000 < p < 2999999	> 3000000	
harga tidak	Count	6	5	3	8	0	22
	Expected Count	4,0	5,5	5,5	5,5	1,5	22,0
ya	Count	12	20	22	17	7	78
	Expected Count	14,0	19,5	19,5	19,5	5,5	78,0
Total	Count	18	25	25	25	7	100
	Expected Count	18,0	25,0	25,0	25,0	7,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6,294 ^a	4	,178
Likelihood Ratio	7,757	4	,101
Linear-by-Linear Association	,688	1	,407
N of Valid Cases	100		

a. 2 cells (20,0%) have expected count less than 5. The minimum expected count is 1,54.

harga * pekerjaan

Crosstab

		pekerjaan			Total
		pegawai	swasta	pelajar/mhs	
harga tidak	Count	7	13	2	22
	Expected Count	5,7	13,4	2,9	22,0
ya	Count	19	48	11	78
	Expected Count	20,3	47,6	10,1	78,0
Total	Count	26	61	13	100
	Expected Count	26,0	61,0	13,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,716 ^a	2	,699
Likelihood Ratio	,727	2	,695
Linear-by-Linear Association	,708	1	,400
N of Valid Cases	100		

a. 1 cells (16,7%) have expected count less than 5. The minimum expected count is 2,86.

nilai jual kembali * umur

Crosstab

			umur				Total
			< 20 th	21 <u< 30	31 <u< 40	> 41 th	
nilai jual kembali	tidak	Count	1	8	7	0	16
		Expected Count	1,8	6,7	5,9	1,6	16,0
	ya	Count	10	34	30	10	84
		Expected Count	9,2	35,3	31,1	8,4	84,0
Total	Count		11	42	37	10	100
	Expected Count		11,0	42,0	37,0	10,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,820 ^a	3	,420
Likelihood Ratio	4,438	3	,218
Linear-by-Linear Association	,204	1	,652
N of Valid Cases	100		

a. 2 cells (25,0%) have expected count less than 5. The minimum expected count is 1,60.

nilai jual kembali * jenis kelamin

Crosstab

			jenis kelamin		Total
			perempuan	laki-laki	
nilai jual kembali	tidak	Count	1	15	16
		Expected Count	3,0	13,0	16,0
	ya	Count	18	66	84
		Expected Count	16,0	68,0	84,0
Total	Count		19	81	100
	Expected Count		19,0	81,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,012 ^b	1	,156		
Continuity Correction ^a	1,147	1	,284		
Likelihood Ratio	2,474	1	,110		
Fisher's Exact Test				,294	,140
Linear-by-Linear Association	1,992	1	,158		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 3,04.

nilai jual kembali * pembelian athlon 6 bulan terakhir

Crosstab

			pembelian athlon 6 bulan terakhir		Total
			tidak	ya	
nilai jual kembali	tidak	Count	8	8	16
		Expected Count	5,9	10,1	16,0
	ya	Count	29	55	84
		Expected Count	31,1	52,9	84,0
Total	Count		37	63	100
	Expected Count		37,0	63,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,381 ^b	1	,240		
Continuity Correction ^a	,797	1	,372		
Likelihood Ratio	1,343	1	,247		
Fisher's Exact Test				,268	,185
Linear-by-Linear Association	1,367	1	,242		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5,92.

nilai jual kembali * pendapatan

Crosstab

			pendapatan					Total
			<1500000	1500000 < p < 1999999	2000000 < p < 2499999	2500000 < p < 2999999	> 3000000	
nilai jual kembali	tidak	Count	2	3	6	5	0	16
		Expected Count	2,9	4,0	4,0	4,0	1,1	16,0
	ya	Count	16	22	19	20	7	84
		Expected Count	15,1	21,0	21,0	21,0	5,9	84,0
Total		Count	18	25	25	25	7	100
		Expected Count	18,0	25,0	25,0	25,0	7,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3,439 ^a	4	,487
Likelihood Ratio	4,456	4	,348
Linear-by-Linear Association	,117	1	,732
N of Valid Cases	100		

a. 5 cells (50,0%) have expected count less than 5. The minimum expected count is 1,12.

nilai jual kembali * pekerjaan

Crosstab

			pekerjaan			Total
			pegawai	swasta	pelajar/mhs	
nilai jual kembali	tidak	Count	4	11	1	16
		Expected Count	4,2	9,8	2,1	16,0
	ya	Count	22	50	12	84
		Expected Count	21,8	51,2	10,9	84,0
Total		Count	26	61	13	100
		Expected Count	26,0	61,0	13,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,862 ^a	2	,650
Likelihood Ratio	,988	2	,610
Linear-by-Linear Association	,167	1	,683
N of Valid Cases	100		

a. 2 cells (33,3%) have expected count less than 5. The minimum expected count is 2,08.

clock frek kec tinggi * umur

Crosstab

			umur				Total
			< 20 th	21 <u< 30	31 <u< 40	> 41 th	
clock frek kec tinggi	tidak	Count	2	7	9	1	19
		Expected Count	2,1	8,0	7,0	1,9	19,0
	ya	Count	9	35	28	9	81
		Expected Count	8,9	34,0	30,0	8,1	81,0
Total	Count	11	42	37	10	100	
	Expected Count	11,0	42,0	37,0	10,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,361 ^a	3	,715
Likelihood Ratio	1,410	3	,703
Linear-by-Linear Association	,007	1	,936
N of Valid Cases	100		

a. 2 cells (25,0%) have expected count less than 5. The minimum expected count is 1,90.

clock frek kec tinggi * jenis kelamin

Crosstab

			jenis kelamin		Total
			perempuan	laki-laki	
clock frek kec tinggi	tidak	Count	5	14	19
		Expected Count	3,6	15,4	19,0
	ya	Count	14	67	81
		Expected Count	15,4	65,6	81,0
Total	Count	19	81	100	
	Expected Count	19,0	81,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,816 ^a	1	,366		
Continuity Correction ^a	,334	1	,563		
Likelihood Ratio	,766	1	,382		
Fisher's Exact Test				,350	,273
Linear-by-Linear Association	,808	1	,369		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 3,61.

clock frek kec tinggi * pembelian athlon 6 bulan terakhir

Crosstab

			pembelian athlon 6 bulan terakhir		Total
			tidak	ya	
clock frek kec tinggi	tidak	Count	5	14	19
		Expected Count	7,0	12,0	19,0
	ya	Count	32	49	81
		Expected Count	30,0	51,0	81,0
Total	Count	37	63	100	
	Expected Count	37,0	63,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,149 ^a	1	,284		
Continuity Correction ^a	,653	1	,419		
Likelihood Ratio	1,195	1	,274		
Fisher's Exact Test				,429	,211
Linear-by-Linear Association	1,137	1	,286		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 7,03.

clock frek kec tinggi * pendapatan

Crosstab

			pendapatan					Total
			<1500000	1500000 < p < 1999999	2000000 < p < 2499999	2500000 < p < 2999999	> 3000000	
clock frek kec tinggi	tidak	Count	2	4	4	8	1	19
		Expected Count	3,4	4,8	4,8	4,8	1,3	19,0
	ya	Count	16	21	21	17	6	81
		Expected Count	14,6	20,3	20,3	20,3	5,7	81,0
Total	Count	18	25	25	25	7	100	
	Expected Count	18,0	25,0	25,0	25,0	7,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3,867 ^a	4	,424
Likelihood Ratio	3,635	4	,458
Linear-by-Linear Association	1,692	1	,193
N of Valid Cases	100		

a. 5 cells (50,0%) have expected count less than 5. The minimum expected count is 1,33.

clock frek kec tinggi * pekerjaan

Crosstab

		pekerjaan			Total
		pegawai	swasta	pelajar/mhs	
clock frek kec tinggi	tidak	Count	4	13	2
		Expected Count	4,9	11,6	2,5
	ya	Count	22	48	11
		Expected Count	21,1	49,4	10,5
Total	Count	26	61	13	
	Expected Count	26,0	61,0	13,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,543 ^a	2	,762
Likelihood Ratio	,555	2	,758
Linear-by-Linear Association	,038	1	,845
N of Valid Cases	100		

a. 2 cells (33,3%) have expected count less than 5. The minimum expected count is 2,47.

tiga dimensi * umur

Crosstab

		umur				Total
		< 20 th	21 <u< 30	31 <u< 40	> 41 th	
tiga dimensi	tidak	Count	2	6	7	0
		Expected Count	1,7	6,3	5,6	1,5
	ya	Count	9	36	30	10
		Expected Count	9,4	35,7	31,5	8,5
Total	Count	11	42	37	10	
	Expected Count	11,0	42,0	37,0	10,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,315 ^a	3	,510
Likelihood Ratio	3,768	3	,288
Linear-by-Linear Association	,419	1	,517
N of Valid Cases	100		

a. 2 cells (25,0%) have expected count less than 5. The minimum expected count is 1,50.

tiga dimensi * jenis kelamin

Crosstab

			jenis kelamin		Total
			perempuan	laki-laki	
tiga dimensi	tidak	Count	3	12	15
		Expected Count	2,9	12,2	15,0
	ya	Count	16	69	85
		Expected Count	16,2	68,9	85,0
Total		Count	19	81	100
		Expected Count	19,0	81,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,011 ^b	1	,915		
Continuity Correction ^a	,000	1	1,000		
Likelihood Ratio	,011	1	,915		
Fisher's Exact Test				1,000	,578
Linear-by-Linear Association	,011	1	,915		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 2,85.

tiga dimensi * pembelian athlon 6 bulan terakhir

Crosstab

			pembelian athlon 6 bulan terakhir		Total
			tidak	ya	
tiga dimensi	tidak	Count	6	9	15
		Expected Count	5,6	9,5	15,0
	ya	Count	31	54	85
		Expected Count	31,5	53,6	85,0
Total		Count	37	63	100
		Expected Count	37,0	63,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,068 ^b	1	,794		
Continuity Correction ^a	,000	1	1,000		
Likelihood Ratio	,068	1	,795		
Fisher's Exact Test				,780	,504
Linear-by-Linear Association	,067	1	,795		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5,55.

tiga dimensi * pendapatan

Crosstab

			pendapatan					Total
			<1500000	1500000 < p < 1999999	2000000 < p < 2499999	2500000 < p < 2999999	> 3000000	
tiga dimensi	tidak	Count	2	3	3	6	1	15
		Expected Count	2,7	3,8	3,8	3,8	1,1	15,0
	ya	Count	16	22	22	19	6	85
		Expected Count	15,3	21,3	21,3	21,3	6,0	85,0
Total		Count	18	25	25	25	7	100
		Expected Count	18,0	25,0	25,0	25,0	7,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,157 ^a	4	,707
Likelihood Ratio	1,996	4	,737
Linear-by-Linear Association	,989	1	,320
N of Valid Cases	100		

a. 5 cells (50,0%) have expected count less than 5. The minimum expected count is 1,05.

tiga dimensi * pekerjaan

Crosstab

			pekerjaan			Total
			pegawai	swasta	pelajar/mhs	
tiga dimensi	tidak	Count	4	10	1	15
		Expected Count	3,9	9,2	2,0	15,0
	ya	Count	22	51	12	85
		Expected Count	22,1	51,9	11,0	85,0
Total		Count	26	61	13	100
		Expected Count	26,0	61,0	13,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,640 ^a	2	,726
Likelihood Ratio	,737	2	,692
Linear-by-Linear Association	,229	1	,632
N of Valid Cases	100		

a. 2 cells (33,3%) have expected count less than 5. The minimum expected count is 1,95.

daya tahan * umur

Crosstab

			umur				Total
			< 20 th	21 <u< 30	31 <u< 40	> 41 th	
daya tahan	tidak	Count	1	10	7	2	20
		Expected Count	2,2	8,4	7,4	2,0	20,0
	ya	Count	10	32	30	8	80
		Expected Count	8,8	33,6	29,6	8,0	80,0
Total		Count	11	42	37	10	100
		Expected Count	11,0	42,0	37,0	10,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,226 ^a	3	,747
Likelihood Ratio	1,372	3	,712
Linear-by-Linear Association	,059	1	,808
N of Valid Cases	100		

a. 2 cells (25,0%) have expected count less than 5. The minimum expected count is 2,00.

daya tahan * jenis kelamin

Crosstab

			jenis kelamin		Total
			perempuan	laki-laki	
daya tahan	tidak	Count	3	17	20
		Expected Count	3,8	16,2	20,0
	ya	Count	16	64	80
		Expected Count	15,2	64,8	80,0
Total		Count	19	81	100
		Expected Count	19,0	81,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,260 ^a	1	,610		
Continuity Correction ^b	,037	1	,848		
Likelihood Ratio	,272	1	,602		
Fisher's Exact Test				,757	,440
Linear-by-Linear Association	,257	1	,612		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 3,80.

daya tahan * pembelian athlon 6 bulan terakhir

Crosstab

			pembelian athlon 6 bulan terakhir		Total
			tidak	ya	
daya tahan	tidak	Count	7	13	20
		Expected Count	7,4	12,6	20,0
	ya	Count	30	50	80
		Expected Count	29,6	50,4	80,0
Total		Count	37	63	100
		Expected Count	37,0	63,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,043 ^b	1	,836		
Continuity Correction ^a	,000	1	1,000		
Likelihood Ratio	,043	1	,835		
Fisher's Exact Test				1,000	,526
Linear-by-Linear Association	,042	1	,837		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7,40.

daya tahan * pendapatan

Crosstab

			pendapatan					Total
			<1500000	1500000 < p < 1999999	2000000 < p < 2499999	2500000 < p < 2999999	> 3000000	
daya tahan	tidak	Count	4	4	6	5	1	20
		Expected Count	3,6	5,0	5,0	5,0	1,4	20,0
	ya	Count	14	21	19	20	6	80
		Expected Count	14,4	20,0	20,0	20,0	5,6	80,0
Total		Count	18	25	25	25	7	100
		Expected Count	18,0	25,0	25,0	25,0	7,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,698 ^a	4	,952
Likelihood Ratio	,712	4	,950
Linear-by-Linear Association	,015	1	,901
N of Valid Cases	100		

a. 2 cells (20,0%) have expected count less than 5. The minimum expected count is 1,40.

daya tahan * pekerjaan

Crosstab

			pekerjaan			Total
			pegawai	swasta	pelajar/mhs	
daya tahan	tidak	Count	8	10	2	20
		Expected Count	5,2	12,2	2,6	20,0
	ya	Count	18	51	11	80
		Expected Count	20,8	48,8	10,4	80,0
Total		Count	26	61	13	100
		Expected Count	26,0	61,0	13,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,554 ^a	2	,279
Likelihood Ratio	2,393	2	,302
Linear-by-Linear Association	1,917	1	,166
N of Valid Cases	100		

a. 1 cells (16,7%) have expected count less than 5. The minimum expected count is 2,60.

kemudahan perbaikan * umur

Crosstab

			umur				Total
			< 20 th	21 <u< 30	31 <u< 40	> 41 th	
kemudahan perbaikan	tidak	Count	1	11	8	1	21
		Expected Count	2,3	8,8	7,8	2,1	21,0
	ya	Count	10	31	29	9	79
		Expected Count	8,7	33,2	29,2	7,9	79,0
Total		Count	11	42	37	10	100
		Expected Count	11,0	42,0	37,0	10,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,360 ^a	3	,501
Likelihood Ratio	2,651	3	,449
Linear-by-Linear Association	,039	1	,844
N of Valid Cases	100		

a. 2 cells (25,0%) have expected count less than 5. The minimum expected count is 2,10.

kemudahan perbaikan * jenis kelamin

Crosstab

			jenis kelamin		Total
			perempuan	laki-laki	
kemudahan perbaikan	tidak	Count	5	16	21
		Expected Count	4,0	17,0	21,0
	ya	Count	14	65	79
		Expected Count	15,0	64,0	79,0
Total		Count	19	81	100
		Expected Count	19,0	81,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,400 ^a	1	,527		
Continuity Correction ^a	,102	1	,750		
Likelihood Ratio	,383	1	,536		
Fisher's Exact Test				,539	,362
Linear-by-Linear Association	,396	1	,529		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 3,99.

kemudahan perbaikan * pembelian athlon 6 bulan terakhir

Crosstab

			pembelian athlon 6 bulan terakhir		Total
			tidak	ya	
kemudahan perbaikan	tidak	Count	8	13	21
		Expected Count	7,8	13,2	21,0
	ya	Count	29	50	79
		Expected Count	29,2	49,8	79,0
Total		Count	37	63	100
		Expected Count	37,0	63,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,014 ^b	1	,907		
Continuity Correction ^a	,000	1	1,000		
Likelihood Ratio	,014	1	,907		
Fisher's Exact Test				1,000	,549
Linear-by-Linear Association	,014	1	,907		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 7,77.

kemudahan perbaikan * pendapatan

Crosstab

			pendapatan					Total
			<1500000	1500000 < p < 1999999	2000000 < p < 2499999	2500000 < p < 2999999	> 3000000	
kemudahan perbaikan	tidak	Count	3	5	6	7	0	21
		Expected Count	3,8	5,3	5,3	5,3	1,5	21,0
	ya	Count	15	20	19	18	7	79
		Expected Count	14,2	19,8	19,8	19,8	5,5	79,0
Total		Count	18	25	25	25	7	100
		Expected Count	18,0	25,0	25,0	25,0	7,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,954 ^a	4	,566
Likelihood Ratio	4,349	4	,361
Linear-by-Linear Association	,016	1	,900
N of Valid Cases	100		

a. 2 cells (20,0%) have expected count less than 5. The minimum expected count is 1,47.

kemudahan perbaikan * pekerjaan

Crosstab

		pekerjaan			Total	
		pegawai	swasta	pelajar/mhs		
kemudahan perbaikan	tidak	Count	8	9	4	21
		Expected Count	5,5	12,8	2,7	21,0
	ya	Count	18	52	9	79
		Expected Count	20,5	48,2	10,3	79,0
Total	Count	26	61	13	100	
	Expected Count	26,0	61,0	13,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3,678 ^a	2	,159
Likelihood Ratio	3,599	2	,165
Linear-by-Linear Association	,258	1	,612
N of Valid Cases	100		

a. 1 cells (16,7%) have expected count less than 5. The minimum expected count is 2,73.

kecanggihan feature * umur

Crosstab

		umur				Total	
		< 20 th	21 <u< 30	31 <u< 40	> 41 th		
kecanggihan feature	tidak	Count	2	8	5	15	
		Expected Count	1,7	6,3	5,6	1,5	15,0
	ya	Count	9	34	32	10	85
		Expected Count	9,4	35,7	31,5	8,5	85,0
Total	Count	11	42	37	10	100	
	Expected Count	11,0	42,0	37,0	10,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,456 ^a	3	,483
Likelihood Ratio	3,904	3	,272
Linear-by-Linear Association	1,767	1	,184
N of Valid Cases	100		

a. 2 cells (25,0%) have expected count less than 5. The minimum expected count is 1,50.

kecanggihan feature * jenis kelamin

Crosstab

			jenis kelamin		Total
			perempuan	laki-laki	
kecanggihan feature	tidak	Count	2	13	15
		Expected Count	2,9	12,2	15,0
	ya	Count	17	68	85
		Expected Count	16,2	68,9	85,0
Total	Count	19	81	100	
	Expected Count	19,0	81,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,368 ^b	1	,544		
Continuity Correction ^a	,062	1	,803		
Likelihood Ratio	,396	1	,529		
Fisher's Exact Test				,729	,422
Linear-by-Linear Association	,365	1	,546		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 2,85.

kecanggihan feature * pembelian athlon 6 bulan terakhir

Crosstab

			pembelian athlon 6 bulan terakhir		Total
			tidak	ya	
kecanggihan feature	tidak	Count	4	11	15
		Expected Count	5,6	9,5	15,0
	ya	Count	33	52	85
		Expected Count	31,5	53,6	85,0
Total	Count	37	63	100	
	Expected Count	37,0	63,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,808 ^b	1	,369		
Continuity Correction ^a	,371	1	,542		
Likelihood Ratio	,842	1	,359		
Fisher's Exact Test				,563	,276
Linear-by-Linear Association	,800	1	,371		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 5,55.

kecanggihan feature * pendapatan

Crosstab

			pendapatan				Total	
			<1500000	1500000 < p < 1999999	2000000 < p < 2499999	2500000 < p < 2999999		> 3000000
kecanggihan feature	tidak	Count	2	5	4	3	15	
		Expected Count	2,7	3,8	3,8	3,8	1,1	15,0
	ya	Count	16	20	21	22	6	85
		Expected Count	15,3	21,3	21,3	21,3	6,0	85,0
Total	Count	18	25	25	25	7	100	
	Expected Count	18,0	25,0	25,0	25,0	7,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,903 ^a	4	,924
Likelihood Ratio	,892	4	,926
Linear-by-Linear Association	,026	1	,871
N of Valid Cases	100		

a. 5 cells (50,0%) have expected count less than 5. The minimum expected count is 1,05.

kecanggihan feature * pekerjaan

Crosstab

			pekerjaan			Total
			pegawai	swasta	pelajar/mhs	
kecanggihan feature	tidak	Count	6	7	2	15
		Expected Count	3,9	9,2	2,0	15,0
	ya	Count	20	54	11	85
		Expected Count	22,1	51,9	11,0	85,0
Total	Count	26	61	13	100	
	Expected Count	26,0	61,0	13,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,926 ^a	2	,382
Likelihood Ratio	1,815	2	,403
Linear-by-Linear Association	,875	1	,350
N of Valid Cases	100		

a. 2 cells (33,3%) have expected count less than 5. The minimum expected count is 1,95.

keindahan desain * umur

Crosstab

			umur				Total
			< 20 th	21 <u< 30	31 <u< 40	> 41 th	
keindahan desain	tidak	Count	1	10	9	1	21
		Expected Count	2,3	8,8	7,8	2,1	21,0
	ya	Count	10	32	28	9	79
		Expected Count	8,7	33,2	29,2	7,9	79,0
Total	Count	11	42	37	10	100	
	Expected Count	11,0	42,0	37,0	10,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,116 ^a	3	,549
Likelihood Ratio	2,428	3	,488
Linear-by-Linear Association	,010	1	,919
N of Valid Cases	100		

a. 2 cells (25,0%) have expected count less than 5. The minimum expected count is 2,10.

keindahan desain * jenis kelamin

Crosstab

			jenis kelamin		Total
			perempuan	laki-laki	
keindahan desain	tidak	Count	3	18	21
		Expected Count	4,0	17,0	21,0
	ya	Count	16	63	79
		Expected Count	15,0	64,0	79,0
Total	Count	19	81	100	
	Expected Count	19,0	81,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,384 ^b	1	,536		
Continuity Correction ^a	,094	1	,759		
Likelihood Ratio	,405	1	,525		
Fisher's Exact Test				,756	,394
Linear-by-Linear Association	,380	1	,538		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 3,99.

keindahan desain * pembelian athlon 6 bulan terakhir

Crosstab

			pembelian athlon 6 bulan terakhir		Total
			tidak	ya	
keindahan desain	tidak	Count	7	14	21
		Expected Count	7,8	13,2	21,0
	ya	Count	30	49	79
		Expected Count	29,2	49,8	79,0
Total	Count	37	63	100	
	Expected Count	37,0	63,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,153 ^b	1	,695		
Continuity Correction ^a	,019	1	,891		
Likelihood Ratio	,155	1	,694		
Fisher's Exact Test				,802	,451
Linear-by-Linear Association	,152	1	,697		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7,77.

keindahan desain * pendapatan

Crosstab

			pendapatan					Total
			<1500000	1500000 < p < 1999999	2000000 < p < 2499999	2500000 < p < 2999999	> 3000000	
keindahan desain	tidak	Count	3	4	6	7	1	21
		Expected Count	3,8	5,3	5,3	5,3	1,5	21,0
	ya	Count	15	21	19	18	6	79
		Expected Count	14,2	19,8	19,8	19,8	5,5	79,0
Total		Count	18	25	25	25	7	100
		Expected Count	18,0	25,0	25,0	25,0	7,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,645 ^a	4	,801
Likelihood Ratio	1,644	4	,801
Linear-by-Linear Association	,539	1	,463
N of Valid Cases	100		

a. 2 cells (20,0%) have expected count less than 5. The minimum expected count is 1,47.

keindahan desain * pekerjaan

Crosstab

			pekerjaan			Total
			pegawai	swasta	pelajar/mhs	
keindahan desain	tidak	Count	3	14	4	21
		Expected Count	5,5	12,8	2,7	21,0
	ya	Count	23	47	9	79
		Expected Count	20,5	48,2	10,3	79,0
Total		Count	26	61	13	100
		Expected Count	26,0	61,0	13,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,291 ^a	2	,318
Likelihood Ratio	2,427	2	,297
Linear-by-Linear Association	2,225	1	,136
N of Valid Cases	100		

a. 1 cells (16,7%) have expected count less than 5. The minimum expected count is 2,73.

kenyamanan penggunaan * umur

Crosstab

			umur				Total
			< 20 th	21 <u< 30	31 <u< 40	> 41 th	
kenyamanan penggunaan	tidak	Count	3	10	7	2	22
		Expected Count	2,4	9,2	8,1	2,2	22,0
	ya	Count	8	32	30	8	78
		Expected Count	8,6	32,8	28,9	7,8	78,0
Total	Count	11	42	37	10	100	
	Expected Count	11,0	42,0	37,0	10,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,486 ^a	3	,922
Likelihood Ratio	,484	3	,922
Linear-by-Linear Association	,388	1	,533
N of Valid Cases	100		

a. 2 cells (25,0%) have expected count less than 5. The minimum expected count is 2,20.

kenyamanan penggunaan * jenis kelamin

Crosstab

			jenis kelamin		Total
			perempuan	laki-laki	
kenyamanan penggunaan	tidak	Count	2	20	22
		Expected Count	4,2	17,8	22,0
	ya	Count	17	61	78
		Expected Count	14,8	63,2	78,0
Total	Count	19	81	100	
	Expected Count	19,0	81,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,800 ^b	1	,180		
Continuity Correction ^a	1,069	1	,301		
Likelihood Ratio	2,050	1	,152		
Fisher's Exact Test				,230	,150
Linear-by-Linear Association	1,782	1	,182		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 4,18.

kenyamanan penggunaan * pembelian athlon 6 bulan terakhir

Crosstab

			pembelian athlon 6 bulan terakhir		Total
			tidak	ya	
kenyamanan penggunaan	tidak	Count	9	13	22
		Expected Count	8,1	13,9	22,0
	ya	Count	28	50	78
		Expected Count	28,9	49,1	78,0
Total		Count	37	63	100
		Expected Count	37,0	63,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,185 ^b	1	,667		
Continuity Correction ^a	,032	1	,857		
Likelihood Ratio	,183	1	,669		
Fisher's Exact Test				,803	,424
Linear-by-Linear Association	,183	1	,669		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 8,14.

kenyamanan penggunaan * pendapatan

Crosstab

			pendapatan					Total
			<1500000	1500000 < p < 1999999	2000000 < p < 2499999	2500000 < p < 2999999	> 3000000	
kenyamanan penggunaan	tidak	Count	3	7	4	5	3	22
		Expected Count	4,0	5,5	5,5	5,5	1,5	22,0
	ya	Count	15	18	21	20	4	78
		Expected Count	14,0	19,5	19,5	19,5	5,5	78,0
Total		Count	18	25	25	25	7	100
		Expected Count	18,0	25,0	25,0	25,0	7,0	100,0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3,180 ^a	4	,528
Likelihood Ratio	2,949	4	,566
Linear-by-Linear Association	,321	1	,571
N of Valid Cases	100		

a. 2 cells (20,0%) have expected count less than 5. The minimum expected count is 1,54.

kenyamanan penggunaan * pekerjaan

Crosstab

			pekerjaan			Total
			pegawai	swasta	pelajar/mhs	
kenyamanan penggunaan	tidak	Count	4	14	4	22
		Expected Count	5,7	13,4	2,9	22,0
	ya	Count	22	47	9	78
		Expected Count	20,3	47,6	10,1	78,0
Total	Count	26	61	13	100	
	Expected Count	26,0	61,0	13,0	100,0	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,278 ^a	2	,528
Likelihood Ratio	1,289	2	,525
Linear-by-Linear Association	1,265	1	,261
N of Valid Cases	100		

a. 1 cells (16,7%) have expected count less than 5. The minimum expected count is 2,86.

Frequencies

Frequency Table

harga

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	22	22.0	22.0	22.0
ya	78	78.0	78.0	100.0
Total	100	100.0	100.0	

nilai jual kembali

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	16	16.0	16.0	16.0
ya	84	84.0	84.0	100.0
Total	100	100.0	100.0	

clock frekuensi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	19	19.0	19.0	19.0
ya	81	81.0	81.0	100.0
Total	100	100.0	100.0	

tek 3 dimensi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	15	15.0	15.0	15.0
ya	85	85.0	85.0	100.0
Total	100	100.0	100.0	

daya tahan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	21	21.0	21.0	21.0
ya	79	79.0	79.0	100.0
Total	100	100.0	100.0	

kemudahan perbaikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	20	20.0	20.0	20.0
ya	80	80.0	80.0	100.0
Total	100	100.0	100.0	

kecanggihan feature

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	15	15.0	15.0	15.0
ya	85	85.0	85.0	100.0
Total	100	100.0	100.0	

keindahan desain

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	21	21.0	21.0	21.0
ya	79	79.0	79.0	100.0
Total	100	100.0	100.0	

kenyamanan penggunaan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	22	22.0	22.0	22.0
ya	78	78.0	78.0	100.0
Total	100	100.0	100.0	