

DAFTAR PUSTAKA

1. Peraturan Menteri Kesehatan RI No. 445/MenKes/Permenkes/1998, Tentang Bahan, Zat Warna, Substratum, Zat Pengawet dan Tabir Surya Pada Kosmetik.
2. Strober BE, Washenik K, Shupack JL. Principles of topical therapy. In: Fitzpatrick TB, Eisen AZ, Wolff K, Freedberg IM, Austen K, eds. *Dermatology in general medicine*. 7th ed. New York: McGraw-Hill, 2008:2090-6
3. Saboktakin MR, Roya M, Tabatabaie, Maharramov A, Ramazanov MA. Synthesis and characterization of biodegradable chitosan beads as nano-carriers for local delivery of satranidazole. *Carbohidrat polymers*. 2010;81(3):726–31
4. Agnihotri, S.A., Nadagounda N., Mallikarjuna, n Tejraj M., Aminabhavi. Recent advance on chitosan-based micro- and nanoparticles in drug delivery. *J Control Release*. 2004;100:5-28.
5. Kamiya H, Iijima M. Surface modification and characterization for dispersion stability of inorganic nanometer-scaled particles in liquid media. *Sci Technol Adv Mater*. 2010;11(4):044304
6. Rawat M, Singh D, Saraf S. Nanocarriers: promising vehicle for bioactive drug. *Biol Pharm Bull*, 2006;29(9);1790-8
7. Law 360. *Nano-cosmetics: Beyond skin deep*. 2011. [cited 2017 Jan 13]; Available from: <http://www.shb.com/newsevents/2011/NanoCosmeticsBeyondSkinDeep.pdf>
8. Jill Hsu. 3-O-Ethyl Ascorbic Acid: A Stable, Vitamin C-Derived Agent for Skin Whitening. 2013. [cited 2017 Feb 20]; Available from: <http://www.cosmeticsandtoiletries.com/formulating/function/active/premium-3-O-Ethyl-Ascorbic-Acid-A-Stable-Vitamin-C-Derived-Agent-for-Skin-Whitening-225540872.html>
9. Wangyujun., Xianghua, Wang., Guangsheng, Luo., Youyuan, Dai. Adsorption of bovin serum albumin (BSA) onto the magnetic chitosan

- nanoparticles prepared by a microemulsion system. *Bioresources Technology*. 2008;99(9):3881–4.
10. Ezhilarasi P.N, Karthik P, Chhanwal N, Anandharamakrishnan. Nanoencapsulation Techniques for food Bioactive Components : A Review. *J Food Bioprocess Technol*. 2012;6(3):628– 47
 11. Uhrich KE, Cannizzaro SM, Langer RS, Shakesheff KM. Polymeric Systems for Controlled Drug Release. *Chem Rev*. 1999;99(11):3181–98.
 12. Wu XS, Wang N. Synthesis, characterization, biodegradation, and drug delivery application of biodegradable lactic/glycolic acid polymers. Part II: Biodegradation. *J Biomater Sci Polym Ed*. 2001;12(1):21–34.
 13. Houchin ML, Topp EM. Physical properties of PLGA films during polymer degradation. *J Appl Polym Sci*. 2009;114(5):2848–54
 14. Liggins RT, Burt HM. Paclitaxel loaded poly(L-lactic acid) microspheres: properties of microspheres made with low molecular weight polymers. *Int J Pharm*. 2001;222(1):19–33.
 15. Rowe, Raymond C. Paul J. Sheskey. Malan E. Quinn. *Handbook of pharmaceutical excipient*. 6th ed. London: The Pharmaceutical press; 2009. 159-161 p
 16. Departemen Kesehatan Republik Indonesia. *Farmakope Indonesia Edisi IV*. Depkes RI, Jakarta; 1995
 17. Mutia, Theresia., Rifaida, Eriningsih. The use of electrospun webs from alginate/polyvinyl alcohol for primary wound dressing. *Journal of industrial research*. 2012;VI(2):137–47
 18. Illum, Lisbeth. *Review Chitosan and its use as a pharmaceutical excipient*. 15. 1998;1326–9.
 19. Respati SM. Macam-macam mikroskop dan penggunaannya. *Momentum*. 2008;4(2):42–4.
 20. Anonym. *Zetasizer nano zs training course*. UK: Malvern; 2010. 1-120 p.

21. Mardiyanto. Preparation and characterization of submicron particles of PLGA incorporating rifampin using emulsion solvent diffusion method. *Kementrian Ris Dan Teknol.* 2015;13–6
22. Patrick JS. *Farmasi Fisika dan Ilmu Farmasetika Edisi 5. EGC.* 2006.498 p
23. Oppimath K. Biodegradable polymeric nanoparticles as drug delivery device. *J Controlled Release.* 2001;70:1–20.
24. Yadav, Hemant K.S., Nagavarma B V N, Ayaz A, Vasudha L.S., Shivakumar H.G, (Review Article) Different Techniques For Preparation Of Polymeric Nanoparticles, *Asian Journal of Pharmaceutical and Clinical Research*, 2012;5(3): 16-23.
25. Musmade, Kranti P., Praful B. Deshpande, Prashant B. Musmade, NaseerMaliyakkal, M, A Ranjith Kumar, M. Sreenivasa Reddy and N. Udupa. Methotrexate-Loaded Biodegradable Nanoparticles: Preparation, Characterization and Evaluation of its Cytotoxic Potential against U-343 MGa Human Neuronal Glioblastoma Cells. Manipal College of Pharmaceutical Sciences, Manipal University; 2013
26. Dumitru AC, Espinosa FM, Garcia R, Foschi G, Tortorella S, Valle F, et al. In situ nanomechanical characterization of the early stages of swelling and degradation of a biodegradable polymer. *Nanoscale.* 2015;7(12):5403–10.
27. Saberi A., Fang Y, McClements D. Fabrication of vitamin E-enriched nanoemulsions: Factors affecting particle size using spontaneous emulsification. *J Colloid Interface Sci.* 2013;31:95–102.
28. Nafee N, Taetz S, Scheider M, Schaefer U. Chitosan-coated PLGA nanoparticles for DNA/RNA delivery: effect of the formulation parameters on complexation and transfection of antisense oligonucleotides. *Nanomedicine Nanotechnol Biol Med.* 2007;3:173–83.
29. Martien R, Adhyatmika ID, Farida V, Sari DP. Perkembangan Teknologi Nanopartikel Sebagai Sistem Penghantaran Obat. *Maj Farm.* 2012;8(1):133–44.
30. Khvedelidze M, Mdzinarashvili T, Partskhaladze T, Nafee N, Schaefer UF, Lehr C-M, et al. Calorimetric and spectrophotometric investigation of PLGA

nanoparticles and their complex with DNA. *J Therm Anal Calorim.* 2010 Jan;99(1):337–48.

31. Anonim. *Zetasizer Nano ZS Training Course*. UK: Malvern; 2010. 1-120 p
32. Santos P, Watkinson AC, Hadgraft J, Lane ME. Application of Microemulsions in Dermal and Transdermal Drug Delivery. *Skin Pharmacol Physiol.* 2008;21(5):246–59.
33. Honary S, Zahir F. Effect of Zeta Potential on the Properties of Nano-Drug Delivery Systems - A Review (Part 2). *Trop J Pharm Res* [Internet]. 2013 May 9 [cited 2016 Apr 23];12(2). Available from: <http://www.ajol.info/index.php/tjpr/article/view/88556>

