

**ANALISIS FAKTOR-FAKTOR YANG MEMENGARUHI KEPATUHAN
MINUM OBAT PADA PASIEN RAWAT JALAN DENGAN
SKIZOFRENIA DI RUMAH SAKIT JIWA “GRHASIA YOGYAKARTA”**

Tasyafa Ardra Ashbara

Program Studi Farmasi

INTISARI

Ketidakpatuhan meminum obat pada pasien skizofrenia merupakan salah satu permasalahan terbesar didalam dunia kedokteran dan juga psikiatri. Penelitian ini untuk mengetahui gambaran kepatuhan dan pola penggunaan obat juga faktor yang memengaruhi kepatuhan minum obat dengan karakteristik pasien skizofrenia rawat jalan di Rumah Sakit Jiwa Grhasia Yogyakarta. Penelitian ini dilakukan pada bulan Februari - April 2022 didapatkan sebanyak 270 responden dengan kriteria inklusi pasien yang sudah stabil dan dapat berkomunikasi dengan baik, menulis dan membaca. Metode penelitian berupa desain potong lintang dengan pengumpulan data melalui wawancara menggunakan instrumen kuesioner *Medication Adherence Rating Scale (MARS-10)* dan penelurusan rekam medik. Pengolahan data menggunakan analisis statistika univariat dan bivariat dengan *Uji Fisher Exact* pada software SPSS. Hasil penelitian menunjukkan tingkat kepatuhan tinggi sebanyak 200 responden (74%), Berdasarkan analisa data yang telah diolah berdasarkan karakteristik yaitu laki-laki (59,3%), usia 19-44 (56,3%), pendidikan (53,0%) dan pekerjaan (73,%) dengan tingkat kepatuhan minum obat diperoleh hasil nilai signifikasi p-value >0,05 yang artinya bahwa tidak terdapat hubungan yang signifikan terhadap karakteristik pasien dengan tingkat kepatuhan pasien rawat jalan dengan skizofrenia.

Kata Kunci: Kepatuhan, MARS-10, Skizofrenia

**ANALYSIS OF FACTORS AFFECTING ADHERENCE WITH MEDICINE
TREATMENT IN OUTPATIENT PATIENTS WITH SCHIZOPHRENIA
IN GRHASIA YOGYAKARTA MENTAL HOSPITAL**

Tasyafa Ardra Ashbara

Pharmacy Study Program

ABSTRACT

Non-adherence to taking medication in schizophrenic patients is one of the biggest problems in medicine and psychiatry. This study aims to determine the description of adherence and patterns of drug use as well as factors that influence medication adherence with the characteristics of outpatient schizophrenia patients at the Grhasia Mental Hospital Yogyakarta. This research was conducted from February - April 2022 and obtained as many as 270 respondents with the inclusion criteria of patients who are stable and can communicate well, write and read. The research method is a cross-sectional design with data collection through interviews using the Medication Adherence Rating Scale (MARS-10) questionnaire instrument and medical record tracing. Data processing used univariate and bivariate statistical analysis with Fisher's Exact Test on SPSS software. The results showed a high level of adherence among as many as 200 respondents (74%), Based on the analysis of data that had been processed based on the characteristics, namely male (59.3%), age 19-44 (56.3%), education (53.0%) and occupation (73%) with the level of adherence to taking medication, the results obtained a significance value of p-value > 0.05, which means that there is no significant relationship to the characteristics of patients with the level of adherence of outpatients with schizophrenia.

Keywords : Adherence, MARS-10, Schizophrenia