Correlations

Correlations

		TA1	TA2	TA3	TA4	TA5	TA6
TA1	Pearson Correlation	1	.327**	.358**	.086	.112	.152
	Sig. (2-tailed)		.001	.000	.413	.284	.145
	N	93	93	93	93	93	93
TA2	Pearson Correlation	.327**	1	.463**	.335**	.234*	.298**
	Sig. (2-tailed)	.001		.000	.001	.024	.004
	N	93	93	93	93	93	93
TA3	Pearson Correlation	.358**	.463**	1	.378**	.348**	.382**
	Sig. (2-tailed)	.000	.000		.000	.001	.000
	N	93	93	93	93	93	93
TA4	Pearson Correlation	.086	.335**	.378**	1	.198	.215*
	Sig. (2-tailed)	.413	.001	.000		.057	.039
	N	93	93	93	93	93	93
TA5	Pearson Correlation	.112	.234*	.348**	.198	1	.573**
	Sig. (2-tailed)	.284	.024	.001	.057		.000
	N	93	93	93	93	93	93
TA6	Pearson Correlation	.152	.298**	.382**	.215*	.573**	1
	Sig. (2-tailed)	.145	.004	.000	.039	.000	
	N	93	93	93	93	93	93
TA7	Pearson Correlation	.433**	.239*	.381**	.028	.204	.295**
	Sig. (2-tailed)	.000	.021	.000	.791	.050	.004
	N	93	93	93	93	93	93
TA8	Pearson Correlation	.212*	.267**	.271**	.135	.126	.131
	Sig. (2-tailed)	.041	.010	.009	.196	.230	.210
	N	93	93	93	93	93	93
Tot	Pearson Correlation	.552**	.656**	.755**	.543**	.560**	.624**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000
	N	93	93	93	93	93	93

Correlations

		TA7	TA8	Tot
TA1	Pearson Correlation	.433	.212**	.552**
	Sig. (2-tailed)	.000	.041	.000
	N	93	93	93
TA2	Pearson Correlation	.239**	.267	.656**
	Sig. (2-tailed)	.021	.010	.000
	N	93	93	93
TA3	Pearson Correlation	.381**	.271**	.755
	Sig. (2-tailed)	.000	.009	.000
	N	93	93	93
TA4	Pearson Correlation	.028	.135**	.543**
	Sig. (2-tailed)	.791	.196	.000
	N	93	93	93
TA5	Pearson Correlation	.204	.126*	.560**
	Sig. (2-tailed)	.050	.230	.000
	N	93	93	93
TA6	Pearson Correlation	.295	.131**	.624**
	Sig. (2-tailed)	.004	.210	.000
	N	93	93	93
TA7	Pearson Correlation	1**	.421*	.596**
	Sig. (2-tailed)		.000	.000
	N	93	93	93
TA8	Pearson Correlation	.421*	1**	.522**
	Sig. (2-tailed)	.000		.000
	N	93	93	93
Tot	Pearson Correlation	.596**	.522**	1**
	Sig. (2-tailed)	.000	.000	
	N	93	93	93

**. Correlation is significant at the 0.01 level (2-tailed).
*. Correlation is significant at the 0.05 level (2-tailed).

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	93	100.0
	Excluded[a]	0	.0
	Total	93	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.741	8

Correlations

Correlations

		S1	S2	S3	S4	S5	Tot
S1	Pearson Correlation	1	.292**	.520**	.445**	.245*	.728**
	Sig. (2-tailed)		.005	.000	.000	.018	.000
	N	93	93	93	93	93	93
S2	Pearson Correlation	.292**	1	.470**	.433**	.383**	.713**
	Sig. (2-tailed)	.005		.000	.000	.000	.000
	N	93	93	93	93	93	93
S3	Pearson Correlation	.520**	.470**	1	.706**	.167	.805**
	Sig. (2-tailed)	.000	.000		.000	.109	.000
	N	93	93	93	93	93	93
S4	Pearson Correlation	.445**	.433**	.706**	1	.130	.755**
	Sig. (2-tailed)	.000	.000	.000		.214	.000
	N	93	93	93	93	93	93
S5	Pearson Correlation	.245*	.383**	.167	.130	1	.544**
	Sig. (2-tailed)	.018	.000	.109	.214		.000
	N	93	93	93	93	93	93
Tot	Pearson Correlation	.728**	.713**	.805**	.755**	.544**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	93	93	93	93	93	93

**. Correlation is significant at the 0.01 level (2-tailed).
*. Correlation is significant at the 0.05 level (2-tailed).

Reliability
Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	93	100.0
	Excluded[a]	0	.0
	Total	93	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.750	5

Correlations

Correlations

		N1	N2	N3	N4	N5	Tot
N1	Pearson Correlation	1	.782**	.416**	.244*	.463**	.821**
	Sig. (2-tailed)		.000	.000	.018	.000	.000
	N	93	93	93	93	93	93
N2	Pearson Correlation	.782**	1	.481**	.247*	.471**	.830**
	Sig. (2-tailed)	.000		.000	.017	.000	.000
	N	93	93	93	93	93	93
N3	Pearson Correlation	.416**	.481**	1	.582**	.252*	.713**
	Sig. (2-tailed)	.000	.000		.000	.015	.000
	N	93	93	93	93	93	93
N4	Pearson Correlation	.244*	.247*	.582**	1	.384**	.639**
	Sig. (2-tailed)	.018	.017	.000		.000	.000
	N	93	93	93	93	93	93
N5	Pearson Correlation	.463**	.471**	.252*	.384**	1	.683**
	Sig. (2-tailed)	.000	.000	.015	.000		.000
	N	93	93	93	93	93	93
Tot	Pearson Correlation	.821**	.830**	.713**	.639**	.683**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	93	93	93	93	93	93

**. Correlation is significant at the 0.01 level (2-tailed).
*. Correlation is significant at the 0.05 level (2-tailed).

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	93	100.0
	Excluded[a]	0	.0
	Total	93	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.790	5

Correlations

Correlations

		KM1	KM2	KM3	KM4	KM5	KM6
KM1	Pearson Correlation	1	.639**	.430**	.418**	.480**	.314**
	Sig. (2-tailed)		.000	.000	.000	.000	.002
	N	93	93	93	93	93	93
KM2	Pearson Correlation	.639**	1	.393**	.320**	.531**	.380**
	Sig. (2-tailed)	.000		.000	.002	.000	.000
	N	93	93	93	93	93	93
KM3	Pearson Correlation	.430**	.393**	1	.617**	.795**	.542**
	Sig. (2-tailed)	.000	.000		.000	.000	.000
	N	93	93	93	93	93	93
KM4	Pearson Correlation	.418**	.320**	.617**	1	.628**	.514**
	Sig. (2-tailed)	.000	.002	.000		.000	.000
	N	93	93	93	93	93	93
KM5	Pearson Correlation	.480**	.531**	.795**	.628**	1	.542**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	93	93	93	93	93	93
KM6	Pearson Correlation	.314**	.380**	.542**	.514**	.542**	1
	Sig. (2-tailed)	.002	.000	.000	.000	.000	
	N	93	93	93	93	93	93
Tot	Pearson Correlation	.718**	.695**	.827**	.786**	.864**	.696**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000
	N	93	93	93	93	93	93

Correlations

		Tot
KM1	Pearson Correlation	.718
	Sig. (2-tailed)	.000
	N	93
KM2	Pearson Correlation	.695**
	Sig. (2-tailed)	.000
	N	93
KM3	Pearson Correlation	.827**
	Sig. (2-tailed)	.000
	N	93
KM4	Pearson Correlation	.786**
	Sig. (2-tailed)	.000
	N	93
KM5	Pearson Correlation	.864**
	Sig. (2-tailed)	.000
	N	93
KM6	Pearson Correlation	.696**
	Sig. (2-tailed)	.000
	N	93
Tot	Pearson Correlation	1**
	Sig. (2-tailed)	
	N	93

**. Correlation is significant at the 0.01 level (2-tailed).

Reliability
Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	93	100.0
	Excluded[a]	0	.0
	Total	93	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.855	6

Regression

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	X3, X1, X2[b]	.	Enter

a. Dependent Variable: Y
b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.668[a]	.446	.428	.39642

a. Predictors: (Constant), X3, X1, X2

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	11.279	3	3.760	23.923	.000[b]
	Residual	13.987	89	.157		
	Total	25.265	92			

a. Dependent Variable: Y
b. Predictors: (Constant), X3, X1, X2

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1.498	.404		3.705	.000
	X1	.177	.042	.335	4.181	.000
	X2	.170	.050	.279	3.417	.001
	X3	.371	.072	.415	5.161	.000

a. Dependent Variable: Y

Frequencies

Statistics

		WP	Umur	Omset	Jenis usaha
N	Valid	55	55	55	55
	Missing	0	0	0	0

Frequency Table

WP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Badan	55	100.0	100.0	100.0

Umur

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	< 5 tahun	11	20.0	20.0	20.0
	> 20 tahun	9	16.4	16.4	36.4
	11 - 15	11	20.0	20.0	56.4
	16 - 20	4	7.3	7.3	63.6
	6 - 10	20	36.4	36.4	100.0
	Total	55	100.0	100.0	

Omset

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	< 4.8 M	20	36.4	36.4	36.4
	>= 50 M	5	9.1	9.1	45.5
	4.8 M - 50 M	30	54.5	54.5	100.0
	Total	55	100.0	100.0	

Jenis usaha

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Dagang	18	32.7	32.7	32.7
	Jasa	16	29.1	29.1	61.8
	Lainnya	11	20.0	20.0	81.8
	Manufaktur	10	18.2	18.2	100.0
	Total	55	100.0	100.0	

Frequencies

Statistics

		WP	Umur	Gender	Pekerjaan
N	Valid	38	38	38	38
	Missing	0	0	0	0

Frequency Table

WP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Orang Pribadi	38	100.0	100.0	100.0

Umur

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<= 30 tahun	16	42.1	42.1	42.1
	31 - 40	14	36.8	36.8	78.9
	41 - 50	5	13.2	13.2	92.1
	51 - 60	3	7.9	7.9	100.0
	Total	38	100.0	100.0	

Gender

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-laki	17	44.7	44.7	44.7
	Perempuan	21	55.3	55.3	100.0
	Total	38	100.0	100.0	

Pekerjaan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Direktur	9	23.7	23.7	23.7
	Dokter	1	2.6	2.6	26.3
	Dosen	5	13.2	13.2	39.5
	Karyawan Swasta	16	42.1	42.1	81.6
	Lainnya	4	10.5	10.5	92.1
	PNS	3	7.9	7.9	100.0
	Total	38	100.0	100.0	

Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
X1	93	1.00	6.00	3.9699	.99300
X2	93	2.00	6.00	4.4280	.86104
X3	93	3.00	6.00	4.9573	.58627
Y	93	3.13	5.88	4.7930	.52405
Valid N (listwise)	93				

Uji heterokedastisitas

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	2.214	.667		3.321	.001
	X1	-.116	.070	-.172	-1.664	.100
	X2	-.133	.082	-.171	-1.624	.108
	X3	-.076	.119	-.067	-.643	.522

a. Dependent Variable: abs_res

Uji multikolinieritas

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	1.498	.404		3.705	.000		
	X1	.177	.042	.335	4.181	.000	.970	1.031
	X2	.170	.050	.279	3.417	.001	.932	1.074
	X3	.371	.072	.415	5.161	.000	.960	1.042

a. Dependent Variable: Y

Uji normalitas

One-Sample Kolmogorov-Smirnov Test

		Standardized Residual
N		93
Normal Parameters[a,b]	Mean	0E-7
	Std. Deviation	.98356052
Most Extreme Differences	Absolute	.067
	Positive	.062
	Negative	-.067
Kolmogorov-Smirnov Z		.642
Asymp. Sig. (2-tailed)		.805

a. Test distribution is Normal.
b. Calculated from data.