

DAFTAR PUSTAKA

- Adz-Dzakiey, H. B. (2005). *Prophetic Intelligence: Kecerdasan Kenabian*. Yogyakarta: ISLAMIKA.
- Afiatin, T., Sonjaya, J. A., & Pertiwi, Y. G. (2013). *Mudah dan Sukses Menyelenggarakan Pelatihan, Melejitkan Potensi Diri*. Yogyakarta: Kanisius.
- Aini, S. N., & Asiyah, S. N. (2013). Psychological well being penyandang gagal ginjal. *Jurnal Penelitian Psikologi*, 4(1), 35–45.
- Andri. (2013). Gangguan Psikiatrik pada Pasien Penyakit Ginjal Kronik. *Jurnal Kedokteran Universitas Krisnten Krida Wacana*, Vol 40.
- Askat, A. (2002). *Wasiat Zikir dan Do'a Rasulullah SAW*. Yogyakarta: Media Insani.
- Avram, M. (1982). *Prevention of Kidney Disease and Long-Term Survival*. New York: Springer .
- Azwar. (2000). *Reabilitas dan Validitas*. Yogyakarta: Pustaka Pelajar.
- Badan Penelitian dan Pengembangan Kesehatan. (2013). Riset Kesehatan Dasar (RISKESDAS) 2013. *Laporan Nasional 2013*, 1–384. <https://doi.org/10.1016/j.genhosppsy.2009.10.009> Desember 2013
- Barnes, C. (2017, January 28). *The Ideal Work Schedule, as Determined by Circadian Rhythms*. Retrieved from Harvard Business Review: <https://hbr.org/2015/01/the-ideal-work-schedule-as-determined-by-circadian-rhythms>
- Bossola, M., Ciciarelli, C., Conte, G. L., Vulpio, C., Luciani, G., & Tazza, L. (2010). Correlates of symptoms of depression and anxiety in chronic hemodialysis patients. *General Hospital Psychiatry*, 32(2), 125–131. <https://doi.org/10.1016/j.genhosppsy.2009.10.009>
- Bujang, M. A., Musa, R., Liu, W. J., Chew, T. F., Lim, C. T. S., & Morad, Z. (2015). Depression, anxiety and stress among patients with dialysis and the association with quality of life. *Asian Journal of Psychiatry*, 18, 49–52. <https://doi.org/10.1016/j.ajp.2015.10.004>
- Benson, H. (2000). *The relaxation response*. Harper Collin. ISBN 0-380-81595-8.
- Clark, D. A., & Beck, A. T. (2010). *Cognitive Therapy of Anxiety Disorders: Science and Practice*. <https://doi.org/10.1037/a0021517>
- Cohen, S. D., Norris, L., Acquaviva, K., Peterson, R. A., & Kimmel, P. L. (2007). Screening, diagnosis, and treatment of depression in patients with end-stage renal disease. *Clinical Journal of the American Society of Nephrology*, 2(6), 1332–1342. <https://doi.org/10.2215/CJN.03951106>
- Davis, M., Eshelman, E. R., & Mc Kay. (1995). *Panduan relasksasi dan reduksi stres (terjemahan) Edisi III*. Jakarta: Penerbit Buku Kedokteran EGC.

- Duarte, P. S., Miyazaki, M. C., Blay, S. L., & Sesso, R. (2009). Cognitive-behavioral group therapy is an effective treatment for major depression in hemodialysis patients. *Kidney International*, 76(4), 414–421. <https://doi.org/10.1038/ki.2009.156>
- Depkes. (2016, Januari 28). *Kementrian Kesehatan Republik Indonesia*. Retrieved from RSUP Snglah Siap Layani Cangkok Ginjal: <http://www.depkes.go.id/article/view/16013000003/rsup-sanglah-siap-layani-cangkok-ginjal.html>
- Elliot, C. H., & Smith, L. L. (2006). *Anxiety and Depression Workbook for Dummies. Production*.
- Fabrazzo, M., & De Santo, R. M. (2006). Depression in chronic kidney disease. *Seminars in Nephrology*, 26(1), 56–60. <https://doi.org/10.1016/j.semnephrol.2005.06.012>
- Foreyt, J. P., & Rathjen, D. P. (1978) *Cognitive Behavior Theraphy: Research and Application*. New York and London: Plenum Press.
- Ghezalje, T. N., Kohandany, M., Oskouei, F. H., & Malek, M. (2017). The Effect of Progressive Muscle Relaxation on Glycated Hemoglobin and Health-related Quality of Life in Patients with Type 2 Diabetes Mellitus. *Applied Nursing Research*, 33, 142–148. <https://doi.org/10.1016/j.apnr.2016.11.008>
- Ghorbani, N., Watson, P. J., Tahbaz, S., & Chen, Z. J. (2017). Religious and Psychological Implications of Positive and Negative Religious Coping in Iran. *Journal of Religion and Health*, 56(2), 477–492. <https://doi.org/10.1007/s10943-016-0228-5>
- Ginting, S. M., & Wardani, I. Y. (n.d.). Hubungan pengetahuan dan kecemasan klien gagal ginjal kronik menjalani hemodialisis, 1–6.
- Gizi, S., Fisik, A., & Menarche, D. A. N. U. (2013). Pendahuluan Hasil Metode, 16(1), 55–59.
- Greb, J. A., Kaplan, H. I., & Sadock, B. J. (2010). *Sinopsis Psikiatri ilmu pengetahuan perilaku psikiatri klinis jilid dua*. Tangerang: Binarupa Alsara.
- Griez, E., Faravelli, C., Nutt, D., & Zohar, J. (2001). *Anxiety Disorders: An Introduction to Clinical Management and Research*. New York: John Wiley & Sons, LTD.
- Handayani, Aristia, S., Mertha, I., & Sundrayasa, M. (2014). Hubungan Dukungan Keluarga dengan Kualitas Hidup Pasien Penyakit Ginjal Kronik yang Menjalani Terapi Hemodialisis Di RSUP Sanglah Denpasar. *Jurnal Keperawatan Universitas Udayana*, 13-25.
- Harahap, K. A., & Dalimunthe, R. P. (2008). *Dahsyatnya Do'a & Zikir*. Jakarta: Qultum Media.
- Haryanti, I. A., & Nisa, K. (2015). Terapi Konservatif dan Terapi Pengganti Ginjal sebagai Penatalaksanaan pada Gagal Ginjal Kronik. *Majority*, 49-54.

- Hawari, D. (2008). *Dimensi Religi dalam Praktek Psikiatri dan Psikologi*. Jakarta: Fakultas kedokteran Universitas Islam Indonesia.
- Hude, M. Darwis (2006) *Emosi*. Jakarta: Erlangga
- Hosseini, S. H., Rafiei, A., Janbabai, G., Tirkari, A., Zakavi, A., Yazdani, J., Douki, Z. E. (2016). Comparison of religious cognitive behavioral therapy, cognitive behavioral therapy, and citalopram on depression and anxiety among women with breast cancer: A study protocol for a randomized controlled trial. *Asian Journal of Pharmaceutical Research and Health Care*, 8, 55–62. <https://doi.org/10.18311/ajprhc/2016/8364>
- Hyman, Bruce, M., & Pedric, C. (2011). *Anxiety Disorders*. Minneapolis: Lerner Publishing Group, Inc.
- Indonesian Renal Registry. (2014). 7th Report Of Indonesian Renal Registry. *Program Indonesia Renal Registry*. <https://doi.org/10.2215/CJN.02370316>
- Iorga, M., Starcea, M., Munteanu, M., & Sztankovszky, L. (2014). Psychosocial and social problems of children with chronic kidney disease. *European Journal of Science and Theology*, 10(1), 179–188.
- Jangkup, J. Y. K., Elim, C., & Kandou, L. F. J. (2015). Tingkat Kecemasan Pada Pasien Penyakit Ginjal. *Jurnal E-Clinic*, 3(April).
- Jeffrey S. Nevid, J.S, Rathus, S.A & Green, B. (2008) *Psikologi Abnormal Jilid 2*. Jakarta: Erlangga.
- KBBI Online. (2017, April 8). Retrieved from Kamus Besar Bahasa Indonesia (KBBI) Kamus versi Online: <http://kbbi.web.id/>
- Koenig, H. G. (2012). Religious versus conventional psychotherapy for major depression in patients with chronic medical illness: Rationale, methods, and preliminary results. *Depression Research and Treatment*, 2012. <https://doi.org/10.1155/2012/460419>
- Kusumadewi. (2015). Pengaruh Terapi Relaksasi Otot Progresif dan Zikir untuk Menurunkan Kecemasan Pasien Hipertensi Esensial. Tesis. UII: Tidak Diterbitkan
- Kemendikbud. (2017, April 4). *Bagaimanakah Penggunaan Kata Siang, Malam, Pagi, dan Sore Dalam Sapaan*. Retrieved from Badan Pengembangan dan Pembinaan Bahasa (Kementrian Pendidikan dan Kebudayaan): http://badanbahasa.kemdikbud.go.id/lamanbahasa/petunjuk_praktis/210
- Kemenkes. (2015, Maret 23). *Penderita Gagal Ginjal Naik 10% Tiap Tahun*. Retrieved from <http://www.pdpersi.co.id/content/news.php?mid=5&nid=1887&catid=23>
- Kidney Health Australia. (2008, January 3). *The Impact of kidney disease*. Retrieved from [Kidney.org: http://kidney.org.au/cms_uploads/docs/ncc-the-impact-of-kidney-disease-in-australia.pdf](http://kidney.org.au/cms_uploads/docs/ncc-the-impact-of-kidney-disease-in-australia.pdf)

- Kleinkhecht, R. (1991). *Mastering Anxiety The Nature and Treatment of Anxious Conditions*. New York: Plenum Press.
- Khairul, & Reza. (2008). *Dahsyatnya do'a dan Zikir*. Jakarta: Qultum Media.
- Latipun. (2010). *Psikologi Eksperimen*. Malang: Universitas Muhammadiyah Malang.
- Loosman, W. L., Rottier, M. A., Honig, A., & Siegert, C. E. H. (2015). Association of depressive and anxiety symptoms with adverse events in Dutch chronic kidney disease patients: A prospective cohort study. *BMC Nephrology*, *16*(1), 1–8. <https://doi.org/10.1186/s12882-015-0149-7>
- Mcdowell, I. (1989). *Measuring Health : A Guide to Rating Scales. Statistics in Medicine* (Vol. 8). <https://doi.org/10.1093/aje/155.10.899>
- McKercher, C. M., Venn, A. J., Blizzard, L., Nelson, M. R., Palmer, A. J., Ashby, M. A., Jose, M. D. (2013). Psychosocial factors in adults with chronic kidney disease: characteristics of pilot participants in the Tasmanian Chronic Kidney Disease study. *BMC Nephrol*, *14*, 83. <https://doi.org/10.1186/1471-2369-14-83>.
- McNeil, D.W. & Lawrence, S.M. (2002). Relaxation Training. Encyclopedia of Psychotherapy. American Psychiatric Association.
- Munandar, A. S. (2001). *Psikologi Industri dan Organisasi*. Jakarta: Universitas Indonesia.
- Muttaqin, Z., & Mukri, G. (2009). *Do'a dan Zikir*. Yogyakarta: Pustaka Pelajar Offset.
- Moreira, J. M., Matta, S. M., Kummer, A. M. e, Barbosa, I. G., Teixeira, A. L., & Silva, A. C. S. e. (2014). Neuropsychiatric disorders and renal diseases: an update. *Jornal Brasileiro de Nefrologia*, *36*(3), 396–400. <https://doi.org/10.5935/0101-2800.20140056>
- Mowla, F., Khanjari, S., & Inanlou, M. (2017). Contribution of Benson's Relaxation Technique and Brief Psycho-Educational Intervention on Quality of Life of Primary Caregivers of Iranian Children with Chronic Diseases. *Journal of Pediatric Nursing*, *35*, 65–71. <https://doi.org/10.1016/j.pedn.2017.02.037>
- N K F. (2009, Oktober 12). *Benefits of Peer Support*. Retrieved from Kidney.org: https://www.kidney.org/sites/default/files/docs/02-10-4196_ebb_benefitsprofessionalflyer.pdf
- NKF. (2016). *Hemodialysis*. Retrieved from National Kidney Foundation: <https://www.kidney.org/atoz/content/hemodialysis>
- Ozcan, H., Yucel, A., Avşar, U. Z., Cankaya, E., Yucel, N., Gözübüyük, H., Aydınli, B. (2015). Kidney Transplantation is Superior to Hemodialysis and Peritoneal Dialysis in Terms of Cognitive Function, Anxiety, and Depression Symptoms in Chronic Kidney Disease. *Transplantation*

- Proceedings*, 47(5), 1348–1351.
<https://doi.org/10.1016/j.transproceed.2015.04.032>
- Palmer, S., Vecchio, M., Craig, J. C., Tonelli, M., Johnson, D. W., Nicolucci, A., Strippoli, G. F. M. (2013). Prevalence of depression in chronic kidney disease: Systematic review and meta-analysis of observational studies. *Kidney International*, 84(1), 179–191. <https://doi.org/10.1038/ki.2013.77>
- Patimah, I., Suryani, & Nuraeni, A. (2015). Pengaruh Relaksasi Dzikir terhadap Tingkat Kecemasan Pasien Gagal Ginjal Kronis yang Menjalani Hemodialisis. *Jurnal Keperawatan Padjadjaran*, 3(April 2015), 18–24.
- Pelka, M., Kölling, S., Ferrauti, A., Meyer, T., Pfeiffer, M., & Kellmann, M. (2017). Acute effects of psychological relaxation techniques between two physical tasks. *Journal of Sports Sciences*, 35(3), 216–223. <https://doi.org/10.1080/02640414.2016.1161208>
- Perwitaningrum, C. Y., & Prabandari, Y. S. (2016). Pengaruh Terapi Relaksasi Zikir terhadap Penurunan Tingkat Kecemasan pada Penderita Dispepsia. *Jurnal Intervensi Psikologi*, 8(2), 147–164.
- Prevention of Kidney Disease and Long Term Survival Prevention of Kidney Disease and Long Term Survival. (n.d.).
- Poorolajal, J., Ashtarani, F., & Alimohammadi, N. (2017). Effect of Benson relaxation technique on the preoperative anxiety and hemodynamic status: A single blind randomized clinical trial. *Elseiver*, 33-38.
- Rachmadi, D. (2010). Chronic Kidney Disease. *Ikatan Dokter Anak Indonesia*, 60–79. <https://doi.org/10.1016/j.cvsm.2016.07.011>.
- Raharjo, S. Pengaruh hemodialisis terhadap kadar NTF-alpha prokalsitonin pada pasien Nefropati diabetk stadium V. Surakarta: Program studi pendidikan dokter spesialis Fakultas kedokteran di FK UNS Surakarta, 2010.
- Rice , P. (1992). *Stres and Health 2nd*. California: Wadsworth Inc.
- Republika. (2013, Maret 18). *Penderita Gagal Ginjal di Indonesia Meningkat*. Retrieved from <http://www.republika.co.id/berita/nasional/umum/13/03/18/mjtph8-penderita-gagal-ginjal-di-indonesia-meningkat>
- Rubio, a. R., Asencio, J. M., & Raventos, M. E. (2017). Depression, Anxiety and Health-Related Quality of life Amongst Patients Who Ar Starting Dialysis Treatment. *European Diallysis and Transplant Nurses Association/European Renal Care Association*, 1-10.
- Review Article Cognitive Behavioral Al Therapy (Cbt) And Treatment Of Pediatric Patients With Chronic Renal Disease * Jeta Ajasllari Tirana University , Faculty of Social Science , Department of Psychology and Education , Albania. (2016).
- Reza, I. F., (2016). Implementasi Coping Religious dalam Mengatasi gangguan

- Fisik-Psiki-Sosial-Spiritual pada pasien Gagal Ginjal Kronik. *Jurnal keislaman dan Kemasyarakatan*, 243-280.
- Rochman, K. L., (2009). Terapi Penyakit Hati menurut Ibn Taimiyah dalam Perspektif Bimbingan Konseling Islam. *Jurnal Dakwah dan Komunikasi*, 195-221.
- Handayani, R., Sari D. F., Asih, D. R. T. (2014). Pengaruh terapi Murotal Al-Quran untuk penurunan nyeri persalinan dan kecemasan pada ibu bersalin kala I fase aktif. *Jurnal Ilmiah Kebidanan*, 5(2), 1-15. Retrieved from <http://download.portalgaruda.org/article.php?article=297669&val=6633&title=>
- Routledge, C., Roylance, C., & Abeyta, A. A. (2017). Further Exploring the Link Between Religion and Existential Health: The Effects of Religiosity and Trait Differences in Mentalizing on Indicators of Meaning in Life. *Journal of Religion and Health*, 56(2), 604-613. <https://doi.org/10.1007/s10943-016-0274-z>.
- Rout, U. R., & Rout, J.K. (2002) Stress Management for primary health Care Professional. New York: Kluwer Academic Publisher
- Safaria, R. (2013). *Pengaruh Terapi Relaksasi Zikir untuk Menurunkan Tingkat Stress pada Pasien Gagal Ginjal Kronik yang menjalani Hemodialisis di RSUD X*. Yogyakarta: Magister Psikologi UII.
- Smith, J. C. (2005). *Relaxation Meditation and Mindfulness A mental Health Practitioners Guide to New and Traditional Approaches*. New York: Springer Publishing Company Inc.
- Studer, L. H., & Scott Aylwin, A. (2006). Pedophilia: The problem with diagnosis and limitations of CBT in treatment. *Medical Hypotheses*, 67(4), 774-781. <https://doi.org/10.1016/j.mehy.2006.04.030>
- Sangkan, A. (2002). *Berguru Kepada Allah*. Jakarta: Bukit Thursina. Safaria, T., dan Saputra, E.k. (2012). *Manajemen Emosi*. Penerbit Bumi Aksara: Jakarta
- Sankhe, A., Dalal, K., Agarwal, V., & Sarve, P. (2017). Spiritual Care Therapy on Quality of Life in Cancer Patients and Their Caregivers: A Prospective Non-randomized Single-Cohort Study. *Journal of Religion and Health*. <https://doi.org/10.1007/s10943-016-0324-6>
- Studer, L. H., & Scott Aylwin, A. (2006). Pedophilia: The problem with diagnosis and limitations of CBT in treatment. *Medical Hypotheses*, 67(4), 774-781. <https://doi.org/10.1016/j.mehy.2006.04.030>
- Sompie, E. M., Kaunang, T. M. D., & Munayang, H (2015). Hubungan antara lama Menjalani Hemodialisis dengan Depresi Pasien dengan Penyakit Ginjal Kronik di RSUP. Prof. Dr. R. D. Kandou Manado. *Jurnal e-Clinic*, vol 3 No 1.

- Thabrew, H., Stasiak, K., Hetrick, S., Wong, S., Huss, J., & Merry, S. (2017). *Psychological therapies for anxiety and depression in children and adolescents with long-term physical conditions*. London: Cochrane Library.
- Stein. (2009). *Text Book of Anxiety Disorders*. Arlington: American Psychiatry Publishing, Inc.
- Suprpto, M. H., & Suprpto, M. H. (2016). I Love My Body : Efektivitas Cognitive Behavioral Therapy (CBT) dan Bibliotherapy dalam Meningkatkan Citra Tubuh Remaja Putri I Love My Body : Efektivitas Cognitive Behavioral Therapy (CBT) dan Bibliotherapy dalam Meningkatkan Citra Tubuh Mahasiswi, (October).
- Sopha, R. F., & Wardani, Y. I. (2016). Stress dan Tingkat Kecemasan Saat ditetapkan perlu Hemodialisis berhubungan dengan Karakteristik Pasien. *Jurnal Keperawatan Indonesia*, Vol. 18, No. 1.
- Subandi, M. (2009). *Psikologi Zikir*. Yogyakarta: Pustaka Pelajar.
- Sugiono. (2005) *Memahami Penelitian Kualitatif*. Bandung: Alfabeta
- Suryani, S. (2013). Salat and Dhikr to Dispel Voices: The Experience of Indonesian Muslim with Chronic Mental Illness. *Malaysian Journal of Psychiatry*. Retrieved from <http://www.mjpsychiatry.org/index.php/mjp/article/view/225>
- Seniati, L., Yulianto, A., & Setiadi , B. (2005). *Psikologi Eksperimen*. Jakarta: Gramedia.
- Stuart, G. (2006). *Buku Saku Keperawatan Jiwa*. Edisi 5. Jakarta: EGC
- Tomb, & David, A. (2004). *Buku Saku Psikiatri Ed. 6 Jakarta*. Jakarta: Buku Kedokteran EGC.
- Toosi, M., Akbarzadeh, M., & Ghaemi, Z. (2017). The Effect of Relaxation on Mother's Anxiety and Maternal-Fetal Attachment in Primiparous IVF Mothers. *Journal of the National Medical Association*, 109(3), 164–171. <https://doi.org/10.1016/j.jnma.2017.03.002>
- Tsitsi, T., Charalambous, A., Papastavrou, E., & Raftopoulos, V. (2017). Effectiveness of relaxation intervention (progressive muscle relaxation and guided imagery techniques) to reduce anxiety and improve mood of parents of hospitalized children with malignancies: A randomized controlled trial in Republic of Cyprus and Greece. *European Journal of Oncology Nursing*, 9-18.
- Utami, M. (2002). *Prosedur Relaksasi*. Yogyakarta: Fakultas Psikologi UGM.
- Valsaraj, B. P., Bhat, S. M., & Latha, K. S. (2016). Cognitive behaviour therapy for anxiety and depression among people undergoing haemodialysis: A randomized control trial. *Journal of Clinical and Diagnostic Research*, 10(8), VC06-VC10. <https://doi.org/10.7860/JCDR/2016/18959.8383>

- Videbec, S. (2008). *Buku Ajar Keperawatan Jiwa*. Jakarta: EGC.
- Walker, J., (2002). *Teens in Distres Series Adolescent Stres and Depression*. Minesota University. Available from; <http://www.extension.umn.edu/distribution/youthdevelopment/DA3083.html>
- Yoong, R. K., Mooppil, N., Khoo, E. Y., Newman, S. P., Lee, V. Y., Kang, A. W., & Griva, K. (2017). Prevalence and determinants of anxiety and depression in end stage renal disease (ESRD). A comparison between ESRD patients with and without coexisting diabetes mellitus. *Journal of Psychosomatic Research*, 94, 68–72. <https://doi.org/10.1016/j.jpsychores.2017.01.009>