

LAMPIRAN V : HASIL ANALISIS DATA PENELITIAN

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Motivasi Ekstrinsik (X2), Motivasi Intrinsik (X1) ^b		Enter

a. Dependent Variable: Akhlak (Y)

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.606 ^a	.368	.341	.35996

a. Predictors: (Constant), Motivasi Ekstrinsik (X2), Motivasi Intrinsik (X1)

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	3.540	2	1.770	13.659	.000 ^b
	Residual	6.090	47	.130		
	Total	9.630	49			

a. Dependent Variable: Akhlak (Y)

b. Predictors: (Constant), Motivasi Ekstrinsik (X2), Motivasi Intrinsik (X1)

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	
	B	Std. Error	Beta			
	(Constant)	.805	.798		1.010	.318
1	Motivasi Intrinsik (X1)	.362	.157	.289	2.304	.026
	Motivasi Ekstrinsik (X2)	.427	.082	.655	5.216	.000

a. Dependent Variable: Akhlak (Y)

Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Motivasi Intrinsik (X1)	50	3.27	5.00	4.3820	.35377
Motivasi Ekstrinsik (X2)	50	1.00	3.87	2.6186	.68013
Akhlak (Y)	50	2.73	4.80	3.5114	.44331
Valid N (listwise)	50				

UJI MULTIKOLINERITAS

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
(Constant)	.805	.798		1.010	.318		
1 Motivasi Intrinsik (X1)	.362	.157	.289	2.304	.026	.854	1.171
Motivasi Ekstrinsik (X2)	.427	.082	.655	5.216	.000	.854	1.171

a. Dependent Variable: Akhlak (Y)

UJI NORMALITAS


One-Sample Kolmogorov-Smirnov Test


		Unstandardized Residual
N		50
Normal Parameters ^{a,b}	Mean	0E-7
	Std. Deviation	.35253805
	Absolute	.162
Most Extreme Differences	Positive	.162
	Negative	-.125
Kolmogorov-Smirnov Z		1.148
Asymp. Sig. (2-tailed)		.143

a. Test distribution is Normal.

b. Calculated from data.

Charts





UJI HETEROSKEDASTISITAS

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Motivasi Ekstrinsik (X2), Motivasi Intrinsik (X1) ^b		Enter

a. Dependent Variable: abs_res

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.155 ^a	.024	-.018	.23622

a. Predictors: (Constant), Motivasi Ekstrinsik (X2), Motivasi Intrinsik (X1)

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.064	2	.032	.578	.565 ^b
	Residual	2.623	47	.056		
	Total	2.687	49			

a. Dependent Variable: abs_res

b. Predictors: (Constant), Motivasi Ekstrinsik (X2), Motivasi Intrinsik (X1)

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.414	.524		.790	.434
	Motivasi Intrinsik (X1)	-.056	.103	-.084	-.540	.592
	Motivasi Ekstrinsik (X2)	.035	.054	.102	.652	.517

a. Dependent Variable: abs_res

Frequency Table

Pendidikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid MTs/SMP	18	36.0	36.0	36.0
MA/SMA	30	60.0	60.0	96.0
Mahasiswa	2	4.0	4.0	100.0
Total	50	100.0	100.0	

Usia

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid > 15 tahun	12	24.0	24.0	24.0
15 - 20 tahun	33	66.0	66.0	90.0
< 15 tahun	5	10.0	10.0	100.0
Total	50	100.0	100.0	

MI1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid N	1	2.0	2.0	2.0
S	2	4.0	4.0	6.0
SS	47	94.0	94.0	100.0
Total	50	100.0	100.0	

MI2

	Frequency	Percent	Valid Percent	Cumulative Percent
TS	1	2.0	2.0	2.0
N	3	6.0	6.0	8.0
Valid S	11	22.0	22.0	30.0
SS	35	70.0	70.0	100.0
Total	50	100.0	100.0	

MI3

	Frequency	Percent	Valid Percent	Cumulative Percent
S	7	14.0	14.0	14.0
Valid SS	43	86.0	86.0	100.0
Total	50	100.0	100.0	

MI4

	Frequency	Percent	Valid Percent	Cumulative Percent
TS	4	8.0	8.0	8.0
Valid S	22	44.0	44.0	52.0
SS	24	48.0	48.0	100.0
Total	50	100.0	100.0	

MI5

	Frequency	Percent	Valid Percent	Cumulative Percent
--	-----------	---------	---------------	--------------------

	N	1	2.0	2.0	2.0
Valid	S	11	22.0	22.0	24.0
	SS	38	76.0	76.0	100.0
	Total	50	100.0	100.0	

MI6

		Frequency	Percent	Valid Percent	Cumulative Percent
	N	1	2.0	2.0	2.0
Valid	S	12	24.0	24.0	26.0
	SS	37	74.0	74.0	100.0
	Total	50	100.0	100.0	

MI7

		Frequency	Percent	Valid Percent	Cumulative Percent
	TS	1	2.0	2.0	2.0
Valid	N	5	10.0	10.0	12.0
	S	13	26.0	26.0	38.0
	SS	31	62.0	62.0	100.0
	Total	50	100.0	100.0	

MI8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	1	2.0	2.0	2.0
	TS	3	6.0	6.0	8.0

N	3	6.0	6.0	14.0
S	19	38.0	38.0	52.0
SS	24	48.0	48.0	100.0
Total	50	100.0	100.0	

MI9

	Frequency	Percent	Valid Percent	Cumulative Percent
N	1	2.0	2.0	2.0
S	16	32.0	32.0	34.0
SS	33	66.0	66.0	100.0
Total	50	100.0	100.0	

MI10

	Frequency	Percent	Valid Percent	Cumulative Percent
TS	1	2.0	2.0	2.0
N	4	8.0	8.0	10.0
S	27	54.0	54.0	64.0
SS	18	36.0	36.0	100.0
Total	50	100.0	100.0	

MI11

	Frequency	Percent	Valid Percent	Cumulative Percent
TS	7	14.0	14.0	14.0
N	20	40.0	40.0	54.0

S	7	14.0	14.0	68.0
SS	16	32.0	32.0	100.0
Total	50	100.0	100.0	

MI12

	Frequency	Percent	Valid Percent	Cumulative Percent
N	1	2.0	2.0	2.0
Valid S	27	54.0	54.0	56.0
SS	22	44.0	44.0	100.0
Total	50	100.0	100.0	

MI13

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	6	12.0	12.0	12.0
TS	7	14.0	14.0	26.0
Valid N	10	20.0	20.0	46.0
S	18	36.0	36.0	82.0
SS	9	18.0	18.0	100.0
Total	50	100.0	100.0	

MI14

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid N	2	4.0	4.0	4.0
S	30	60.0	60.0	64.0

SS	18	36.0	36.0	100.0
Total	50	100.0	100.0	

MI15

	Frequency	Percent	Valid Percent	Cumulative Percent
N	6	12.0	12.0	12.0
S	26	52.0	52.0	64.0
SS	18	36.0	36.0	100.0
Total	50	100.0	100.0	

ME1

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	8	16.0	16.0	16.0
TS	25	50.0	50.0	66.0
N	14	28.0	28.0	94.0
S	2	4.0	4.0	98.0
SS	1	2.0	2.0	100.0
Total	50	100.0	100.0	

ME2

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	8	16.0	16.0	16.0
TS	27	54.0	54.0	70.0
N	8	16.0	16.0	86.0

S	6	12.0	12.0	98.0
SS	1	2.0	2.0	100.0
Total	50	100.0	100.0	

ME3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid STS	9	18.0	18.0	18.0
TS	34	68.0	68.0	86.0
N	7	14.0	14.0	100.0
Total	50	100.0	100.0	

ME4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid STS	12	24.0	24.0	24.0
TS	33	66.0	66.0	90.0
N	4	8.0	8.0	98.0
SS	1	2.0	2.0	100.0
Total	50	100.0	100.0	

ME5

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid STS	10	20.0	20.0	20.0
TS	20	40.0	40.0	60.0
N	20	40.0	40.0	100.0

Total	50	100.0	100.0
-------	----	-------	-------

ME6

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	6	12.0	12.0	12.0
TS	5	10.0	10.0	22.0
N	5	10.0	10.0	32.0
S	12	24.0	24.0	56.0
SS	22	44.0	44.0	100.0
Total	50	100.0	100.0	

ME7

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	12	24.0	24.0	24.0
TS	30	60.0	60.0	84.0
N	7	14.0	14.0	98.0
S	1	2.0	2.0	100.0
Total	50	100.0	100.0	

ME8

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	11	22.0	22.0	22.0
TS	28	56.0	56.0	78.0
N	8	16.0	16.0	94.0

	S	3	6.0	6.0	100.0
	Total	50	100.0	100.0	

ME9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	8	16.0	16.0	16.0
	TS	1	2.0	2.0	18.0
	N	22	44.0	44.0	62.0
	S	14	28.0	28.0	90.0
	SS	5	10.0	10.0	100.0
	Total	50	100.0	100.0	

ME10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	10	20.0	20.0	20.0
	TS	6	12.0	12.0	32.0
	N	23	46.0	46.0	78.0
	S	8	16.0	16.0	94.0
	SS	3	6.0	6.0	100.0
	Total	50	100.0	100.0	

ME11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	9	18.0	18.0	18.0

TS	17	34.0	34.0	52.0
N	20	40.0	40.0	92.0
S	4	8.0	8.0	100.0
Total	50	100.0	100.0	

ME12

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	7	14.0	14.0	14.0
TS	7	14.0	14.0	28.0
N	25	50.0	50.0	78.0
S	8	16.0	16.0	94.0
SS	3	6.0	6.0	100.0
Total	50	100.0	100.0	

ME13

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	8	16.0	16.0	16.0
TS	4	8.0	8.0	24.0
N	20	40.0	40.0	64.0
S	18	36.0	36.0	100.0
Total	50	100.0	100.0	

ME14

	Frequency	Percent	Valid Percent	Cumulative Percent
--	-----------	---------	---------------	--------------------

Valid	STS	5	10.0	10.0	10.0
	TS	1	2.0	2.0	12.0
	N	27	54.0	54.0	66.0
	S	14	28.0	28.0	94.0
	SS	3	6.0	6.0	100.0
	Total	50	100.0	100.0	

ME15

	Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	STS	5	10.0	10.0	10.0
	TS	3	6.0	6.0	16.0
	N	15	30.0	30.0	46.0
	S	12	24.0	24.0	70.0
	SS	15	30.0	30.0	100.0
	Total	50	100.0	100.0	

A1

	Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	N	11	22.0	22.0	22.0
	S	27	54.0	54.0	76.0
	SS	12	24.0	24.0	100.0
	Total	50	100.0	100.0	

A2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TS	3	6.0	6.0	6.0
N	14	28.0	28.0	34.0
S	26	52.0	52.0	86.0
SS	7	14.0	14.0	100.0
Total	50	100.0	100.0	

A3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid N	8	16.0	16.0	16.0
S	9	18.0	18.0	34.0
SS	33	66.0	66.0	100.0
Total	50	100.0	100.0	

A4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TS	2	4.0	4.0	4.0
N	15	30.0	30.0	34.0
S	24	48.0	48.0	82.0
SS	9	18.0	18.0	100.0
Total	50	100.0	100.0	

A5

	Frequency	Percent	Valid Percent	Cumulative Percent

	N	9	18.0	18.0	18.0
Valid	S	21	42.0	42.0	60.0
	SS	20	40.0	40.0	100.0
	Total	50	100.0	100.0	

A6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	N	13	26.0	26.0	26.0
	S	21	42.0	42.0	68.0
	SS	16	32.0	32.0	100.0
	Total	50	100.0	100.0	

A7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	3	6.0	6.0	6.0
	TS	13	26.0	26.0	32.0
	N	17	34.0	34.0	66.0
	S	15	30.0	30.0	96.0
	SS	2	4.0	4.0	100.0
	Total	50	100.0	100.0	

A8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TS	1	2.0	2.0	2.0

N	21	42.0	42.0	44.0
S	24	48.0	48.0	92.0
SS	4	8.0	8.0	100.0
Total	50	100.0	100.0	

A9

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	3	6.0	6.0	6.0
TS	21	42.0	42.0	48.0
N	22	44.0	44.0	92.0
Valid S	3	6.0	6.0	98.0
SS	1	2.0	2.0	100.0
Total	50	100.0	100.0	

A10

	Frequency	Percent	Valid Percent	Cumulative Percent
TS	4	8.0	8.0	8.0
N	32	64.0	64.0	72.0
Valid S	11	22.0	22.0	94.0
SS	3	6.0	6.0	100.0
Total	50	100.0	100.0	

A11

	Frequency	Percent	Valid Percent	Cumulative Percent
--	-----------	---------	---------------	--------------------

	STS	6	12.0	12.0	12.0
	TS	26	52.0	52.0	64.0
Valid	N	15	30.0	30.0	94.0
	S	3	6.0	6.0	100.0
	Total	50	100.0	100.0	

A12

		Frequency	Percent	Valid Percent	Cumulative Percent
	STS	1	2.0	2.0	2.0
	TS	1	2.0	2.0	4.0
Valid	N	26	52.0	52.0	56.0
	S	16	32.0	32.0	88.0
	SS	6	12.0	12.0	100.0
	Total	50	100.0	100.0	

A13

		Frequency	Percent	Valid Percent	Cumulative Percent
	STS	1	2.0	2.0	2.0
	TS	2	4.0	4.0	6.0
Valid	N	29	58.0	58.0	64.0
	S	14	28.0	28.0	92.0
	SS	4	8.0	8.0	100.0
	Total	50	100.0	100.0	

A14

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TS	2	4.0	4.0	4.0
N	31	62.0	62.0	66.0
S	12	24.0	24.0	90.0
SS	5	10.0	10.0	100.0
Total	50	100.0	100.0	

A15

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TS	5	10.0	10.0	10.0
N	29	58.0	58.0	68.0
S	11	22.0	22.0	90.0
SS	5	10.0	10.0	100.0
Total	50	100.0	100.0	

A16

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 41.00	1	2.0	2.0	2.0
42.00	1	2.0	2.0	4.0
43.00	1	2.0	2.0	6.0
44.00	1	2.0	2.0	8.0
45.00	6	12.0	12.0	20.0
48.00	4	8.0	8.0	28.0
49.00	1	2.0	2.0	30.0
50.00	2	4.0	4.0	34.0
51.00	3	6.0	6.0	40.0

52.00	12	24.0	24.0	64.0
55.00	3	6.0	6.0	70.0
56.00	3	6.0	6.0	76.0
57.00	1	2.0	2.0	78.0
58.00	1	2.0	2.0	80.0
59.00	1	2.0	2.0	82.0
60.00	4	8.0	8.0	90.0
61.00	1	2.0	2.0	92.0
62.00	1	2.0	2.0	94.0
66.00	1	2.0	2.0	96.0
67.00	1	2.0	2.0	98.0
72.00	1	2.0	2.0	100.0
Total	50	100.0	100.0	