

Lampiran 2. Output SPSS versi 22.0

Lampiran Validitas Reliabilitas

Minat Belanja Online

Reliability Statistics

Cronbach's Alpha	N of Items
,873	4

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
minat1	23,473	20,417	,898	,827
minat2	23,400	20,334	,925	,822
minat3	23,400	20,591	,889	,830
Minat	14,055	7,318	1,000	,927

Sikap Konsumen

Reliability Statistics

Cronbach's Alpha	N of Items
,796	6

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
sikap1	39,627	40,493	,739	,759
sikap2	39,427	39,550	,764	,751
sikap3	39,209	41,873	,695	,770
sikap4	40,718	39,727	,607	,765
sikap5	39,018	41,101	,730	,764
Sikap	22,000	12,404	1,000	,818

Resiko Belanja Online

Reliability Statistics

Cronbach's Alpha	N of Items
,760	4

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
resiko1	19,327	14,901	,694	,655
resiko2	19,118	15,812	,674	,678
resiko3	18,600	19,728	,404	,845
Resiko	11,409	5,785	1,000	,422

Kepercayaan

Reliability Statistics

Cronbach's Alpha	N of Items
,775	7

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
kepercayaan1	54,418	45,071	,616	,749
kepercayaan2	54,864	45,678	,467	,760
kepercayaan3	54,355	44,066	,719	,738
kepercayaan4	54,055	44,786	,625	,747
kepercayaan5	54,264	44,361	,663	,742
kepercayaan6	54,545	43,259	,706	,734
kepercayaan	29,682	13,136	1,000	,789

Lampiran Regresi Sederhana Tahap I

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	resiko ^b	.	Enter

a. Dependent Variable: sikap_konsumen

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,205 ^a	,042	,033	3,4629

a. Predictors: (Constant), resiko

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	417,337	1	417,337	48,223	,032 ^b
	Residual	934,663	108	8,654		
	Total	1352,000	109			

a. Dependent Variable: sikap_konsumen

b. Predictors: (Constant), resiko

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	T	Sig.
		B	Std. Error	Beta		
1	(Constant)	23,997	,975		24,624	,000
	resiko	-,438	,201	-,205	-2,178	,032

a. Dependent Variable: sikap

Residuals Statistics^a


	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	15,159	25,735	22,000	1,9567	110
Std. Predicted Value	-3,496	1,909	,000	1,000	110
Standard Error of Predicted Value	,285	1,024	,381	,111	110
Adjusted Predicted Value	15,319	25,767	22,004	1,9501	110
Residual	-7,8537	7,9598	,0000	2,9283	110
Std. Residual	-2,670	2,706	,000	,995	110
Stud. Residual	-2,686	2,731	-,001	1,004	110
Deleted Residual	-7,9510	8,1082	-,0043	2,9809	110
Stud. Deleted Residual	-2,768	2,817	,000	1,017	110
Mahal. Distance	,029	12,223	,991	1,472	110
Cook's Distance	,000	,088	,009	,016	110
Centered Leverage Value	,000	,112	,009	,014	110

a. Dependent Variable: sikap_konsumen

Charts


Histogram

Dependent Variable: sikap_konsumen




Normal P-P Plot of Regression Standardized Residual

Dependent Variable: sikap_konsumen



Scatterplot

Dependent Variable: sikap_konsumen



Lampiran Regresi Sederhana II

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	kepercayaan ^b	.	Enter

a. Dependent Variable: sikap_konsumen

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,501 ^a	,251	,244	3,0622

a. Predictors: (Constant), kepercayaan

b. Dependent Variable: sikap_konsumen

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	339,284	1	339,284	36,183	,000 ^b
	Residual	1012,716	108	9,377		
	Total	1352,000	109			

a. Dependent Variable: sikap_konsumen

b. Predictors: (Constant), kepercayaan

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	7,552	2,420		3,121	,002
	kepercayaan	,487	,081	,501	6,015	,000


a. Dependent Variable: sikap_konsumen

Residuals Statistics^a


	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	16,314	25,076	22,000	1,7643	110
Std. Predicted Value	-3,223	1,743	,000	1,000	110
Standard Error of Predicted Value	,293	,989	,395	,122	110
Adjusted Predicted Value	16,350	25,040	22,008	1,7565	110
Residual	-12,1020	9,3055	,0000	3,0481	110
Std. Residual	-3,952	3,039	,000	,995	110
Stud. Residual	-3,997	3,060	-,001	1,005	110
Deleted Residual	-12,3757	9,4387	-,0084	3,1082	110
Stud. Deleted Residual	-4,309	3,188	-,003	1,027	110
Mahal. Distance	,008	10,388	,991	1,470	110
Cook's Distance	,000	,181	,010	,023	110
Centered Leverage Value	,000	,095	,009	,013	110

a. Dependent Variable: sikap_konsumen


Charts



Normal P-P Plot of Regression Standardized Residual



Scatterplot



Lampiran Regresi Sederhana III

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	sikap_konsume n ^b	.	Enter

a. Dependent Variable: minat

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,657 ^a	,431	,426	2,0495

a. Predictors: (Constant), sikap_konsumen

b. Dependent Variable: minat

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	344,027	1	344,027	81,903	,000 ^b
	Residual	453,646	108	4,200		
	Total	797,673	109			

a. Dependent Variable: minat

b. Predictors: (Constant), sikap_konsumen

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	2,957	1,242		2,381	,019
	sikap_konsumen	,504	,056	,657	9,050	,000



a. Dependent Variable: minat


Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	9,010	18,090	14,055	1,7766	110
Std. Predicted Value	-2,839	2,272	,000	1,000	110
Standard Error of Predicted Value	,195	,591	,263	,085	110
Adjusted Predicted Value	8,921	18,275	14,059	1,7790	110
Residual	-9,0457	3,4588	,0000	2,0401	110
Std. Residual	-4,414	1,688	,000	,995	110
Stud. Residual	-4,440	1,701	-,001	1,004	110
Deleted Residual	-9,1560	3,5141	-,0047	2,0776	110
Stud. Deleted Residual	-4,889	1,716	-,007	1,032	110
Mahal. Distance	,000	8,062	,991	1,531	110
Cook's Distance	,000	,122	,009	,020	110
Centered Leverage Value	,000	,074	,009	,014	110

a. Dependent Variable: minat

Charts





MEANS TABLES=sikap_konsumen BY resiko kepercayaan

/CELLS MEAN COUNT STDDEV

/STATISTICS LINEARITY.

Means

Notes

Output Created		08-APR-2018 23:21:09
Comments		
	Data	D:\olah data\Najla\data najla.sav
	Active Dataset	DataSet1
	Filter	<none>
Input	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	110
	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.
Missing Value Handling	Cases Used	Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.
		MEANS TABLES=sikap_konsumen BY resiko kepercayaan
Syntax		/CELLS MEAN COUNT STDDEV /STATISTICS LINEARITY.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02

[DataSet1] D:\olah data\Najla\data najla.sav

Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
sikap_konsumen * resiko	110	100,0%	0	0,0%	110	100,0%
sikap_konsumen * kepercayaan	110	100,0%	0	0,0%	110	100,0%

sikap_konsumen * resiko

Report

sikap_konsumen

resiko	Mean	N	Std. Deviation
3,0	14,000	1	.
6,0	18,000	1	.
7,0	16,250	4	2,9861
8,0	18,286	7	2,8702
9,0	22,100	10	4,3576
10,0	20,533	15	3,3989
11,0	22,059	17	2,2492
12,0	22,588	17	2,5263
13,0	22,909	11	2,6629

14,0	24,316	19	3,0378
15,0	23,333	6	1,3663
16,0	26,500	2	2,1213
Total	22,000	110	3,5219

ANOVA Table

		Sum of Squares	df
(Combined)		509,282	11
Between Groups	Linearity	417,337	1
sikap_konsumen * resiko	Deviation from Linearity	91,944	10
Within Groups		842,718	98
Total		1352,000	109

ANOVA Table

		Mean Square	F
(Combined)		46,298	5,384
Between Groups	Linearity	417,337	48,532
sikap_konsumen * resiko	Deviation from Linearity	9,194	1,069
Within Groups		8,599	
Total			

ANOVA Table

			Sig.
(Combined)			,000
	Between Groups	Linearity	,000
sikap_konsumen * resiko		Deviation from Linearity	,393
Within Groups			
Total			

Measures of Association

	R	R Squared	Eta	Eta Squared
sikap_konsumen * resiko	,556	,309	,614	,377

sikap_konsumen * kepercayaan

Report

sikap_konsumen

kepercayaan	Mean	N	Std. Deviation
18	16,000	1	.
21	20,000	1	.

22	13,667	3	1,1547
23	18,000	2	1,4142
24	17,333	3	1,1547
25	20,250	4	2,6300
26	19,167	6	2,0412
27	22,750	8	3,9911
28	22,500	6	2,7386
29	21,462	13	2,5038
30	23,353	17	2,0598
31	23,077	13	3,5698
32	22,857	7	2,6095
33	23,750	8	1,9821
34	22,444	9	4,3906
35	21,833	6	2,7142
36	27,667	3	2,0817
Total	22,000	110	3,5219

ANOVA Table

			Sum of Squares	df	
			(Combined)	589,968	16
sikap_konsumen * kepercayaan	Between Groups	Linearity	339,284	1	
		Deviation from Linearity	250,683	15	
	Within Groups		762,032	93	

Total	1352,000	109
-------	----------	-----

ANOVA Table

			Mean Square	F
(Combined)			36,873	4,500
sikap_konsumen * kepercayaan	Between Groups	Linearity	339,284	41,407
		Deviation from Linearity	16,712	2,040
	Within Groups		8,194	
Total				

ANOVA Table

			Sig.
(Combined)			,000
sikap_konsumen * kepercayaan	Between Groups	Linearity	,000
		Deviation from Linearity	,020
	Within Groups		
Total			

Measures of Association

	R	R Squared	Eta	Eta Squared

sikap_konsumen * kepercayaan	,501	,251	,661	,436
---------------------------------	------	------	------	------

MEANS TABLES=minat BY sikap_konsumen

/CELLS MEAN COUNT STDDEV

/STATISTICS LINEARITY

Means

Notes

Output Created	08-APR-2018 23:22:28		
Comments			
	Data	D:\olah data\Najla\data najla.sav	
	Active Dataset	DataSet1	
	Filter	<none>	
Input	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File	110	
	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.	
Missing Value Handling	Cases Used	Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.	

Syntax		MEANS TABLES=minat BY sikap_konsumen
		/CELLS MEAN COUNT STDDEV
		/STATISTICS LINEARITY.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,08

[DataSet1] D:\olah data\Najla\data najla.sav

Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
minat * sikap_konsumen	110	100,0%	0	0,0%	110	100,0%

Report

minat

sikap_konsumen	Mean	N	Std. Deviation
12,0	10,000	1	.
13,0	8,000	2	1,4142
14,0	6,000	1	.
15,0	12,000	1	.

16,0	11,667	3	1,5275
17,0	12,000	2	,0000
18,0	12,833	6	1,3292
19,0	11,429	7	2,5728
20,0	12,500	10	4,1700
21,0	13,833	12	1,5275
22,0	14,000	14	1,6172
23,0	14,857	14	1,4064
24,0	16,000	12	1,5954
25,0	15,800	10	1,8135
26,0	16,167	6	1,7224
27,0	16,000	3	1,0000
28,0	15,667	3	2,0817
29,0	16,000	1	.
30,0	16,500	2	2,1213
Total	14,055	110	2,7052

ANOVA Table

			Sum of Squares	df
			412,977	18
(Combined)				
minat * sikap_konsumen	Between Groups	Linearity	344,027	1
		Deviation from Linearity	68,951	17
	Within Groups		384,695	91

Total	797,673	109
-------	---------	-----

ANOVA Table

	Mean Square	F
(Combined)	22,943	5,427
Between Groups		
Linearity	344,027	81,380
Deviation from Linearity	4,056	,959
Within Groups	4,227	
Total		

ANOVA Table

	Sig.
(Combined)	,000
Between Groups	
Linearity	,000
Deviation from Linearity	,510
Within Groups	
Total	

Measures of Association

	R	R Squared	Eta	Eta Squared
minat * sikap_konsumen	,657	,431	,720	,518

